

**CITY OF BELLEVUE CRITICAL AREAS  
DELINEATION REPORT**

---

**Puget Sound Energy – Energize  
Eastside Project**

Prepared for:

Jens Nedrud  
Puget Sound Energy  
355 10<sup>th</sup> Avenue NE  
Mail Stop: EST03W48  
Bellevue, WA 98004

Prepared by:



750 Sixth Street South  
Kirkland . WA 98033

p 425.822.5242  
f 425.827.8136  
watershedco.com

May 2016

**The Watershed Company Reference Number:  
111103**

**The Watershed Company Contact Person:**  
Jennifer Creveling, Senior Biologist  
or Katy Crandall, Ecologist

**Cite this document as:**  
The Watershed Company. May 2016. City of Bellevue  
Critical Areas Delineation Report: Puget Sound Energy –  
Energize Eastside Project. Prepared for PSE.



# TABLE OF CONTENTS

---

	Page #
<b>1 Introduction</b> .....	<b>1</b>
1.1 Background and Purpose.....	1
1.2 Methods.....	6
<b>2 Site Description</b> .....	<b>8</b>
<b>3 Critical Areas</b> .....	<b>8</b>
3.1 Wetlands.....	9
3.2 Streams .....	16
3.3 Wildlife and Habitat .....	19
3.4 Classifications and Standard Buffers.....	19
3.4.1 Wetlands.....	19
3.4.2 Streams.....	21
<b>4 Mitigation Opportunities</b> .....	<b>23</b>
4.1 Viewpoint Park .....	23
4.2 Kelsey Creek Park .....	24
4.3 PSE Lakeside Substation.....	25
4.4 Coal Creek Park.....	25
 <b>Appendix A</b>	
Critical Area Delineation Maps	
<b>Appendix B</b>	
Wetland Determination Data Forms	
<b>Appendix C</b>	
Wetland Rating Forms	

# LIST OF FIGURES

---

Figure 1. Map of proposed Oak and Willow routes from the Energize Eastside website. The Oak route is depicted in green while the Willow route variation is shown in orange.....	2
Figure 2. Energize Eastside study area corridor (Segment C) in the City of Bellevue north of WA-520.....	3
Figure 3. Energize Eastside study area corridor (Segment E) in the City of Bellevue between WA-520 and Lake Hills Connector. ....	4
Figure 4. Energize Eastside study area corridor (Segments E, J, G2, and I) in City of Bellevue in the vicinity of I-90.....	5
Figure 5. Energize Eastside study area corridor (Segment J, I, K2, and M) in the City of Bellevue north of SE 69 <sup>th</sup> Way.....	6
Figure 6. Viewpoint Park .....	24
Figure 7. Kelsey Creek Park (left to right, north to south) .....	24
Figure 8. PSE Lakeside substation and adjacent PSE parcel (left to right, north to south) .....	25
Figure 9. Coal Creek Park and PSE parcel, east of Coal Creek Parkway SE .....	26
Figure 10. Coal Creek Park, west of Coal Creek Parkway.....	27

# LIST OF TABLES

---

Table 1. Wetland rating summary.....	20
Table 2. Summary of stream classification and associated standard buffer widths.....	22

# CITY OF BELLEVUE DELINEATION REPORT

---

## PUGET SOUND ENERGY – ENERGIZE EASTSIDE

# 1 INTRODUCTION

---

## 1.1 Background and Purpose

The purpose of this report is to identify and document potential critical areas associated with Puget Sound Energy's (PSE's) Energize Eastside project. The Energize Eastside project proposes to build a new electric substation and higher capacity transmission lines to serve homes and businesses on the Eastside. Current route options include 'Oak' and 'Willow' routes that will extend from Redmond to Renton (Figure 1). Each route option includes a set of PSE-labeled segments. The Oak route comprises Segments A, C, E, G2, I, K2, M, and N. The Willow route comprises Segments A, C, E, J, M, and N. This report addresses critical areas located along the proposed routes in the City of Bellevue, and includes PSE-labeled Segments C, E, G2, I, K2, M, and J<sup>1</sup> (Figures 2, 3, 4, and 5).

The length of the study area corridor in the City of Bellevue totals approximately 11.3 miles from NE 60<sup>th</sup> Street to SE 69<sup>th</sup> Way. For segments C, E, J and M within the study area corridor, two existing 115 kV transmission lines are spaced approximately 50 feet apart on center. Each line is composed of three conductors (wires) connected to H-frame pole structures. Segments G2, I, and K2 have existing single circuit 115 kV transmission lines. The study area corridor is approximately 50 to 100 feet wide.

---

<sup>1</sup> PSE segments C and E comprise a portion of Phase 2 Draft Environmental Impact Statement (DEIS) Segment 1. PSE segments G2, I, and K2 comprise Phase 2 DEIS Segment 2. PSE segment M comprises a portion of Phase 2 DEIS Segment 3.




Figure 1. Map of proposed Oak and Willow routes from the Energize Eastside website. The Oak route is depicted in green while the Willow route variation is shown in orange.




Figure 2. Energize Eastside study area corridor (Segment C) in the City of Bellevue north of WA-520.




Figure 3. Energize Eastside study area corridor (Segment E) in the City of Bellevue between WA-520 and Lake Hills Connector.




Figure 4. Energize Eastside study area corridor (Segments E, J, G2, and I) in City of Bellevue in the vicinity of I-90.




Figure 5. Energize Eastside study area corridor (Segment J, I, K2, and M) in the City of Bellevue north of SE 69<sup>th</sup> Way.

## 1.2 Methods

Limits of the study area were determined in the field using aerial maps, GPS, and by measuring 25 feet out from the center of each pole set. The study area for segments G2, I and K2 was measured differently and only included parcels where PSE secured right-of-entry. For segments G2 and I, the study area limits were approximated by measuring 50 feet from the edge of the sidewalk. For

segment K2, the study area limits were approximated by measuring 50 feet from the fog lines on Coal Creek Parkway.

Public-domain information on the study area corridor was reviewed for this critical areas study. These sources include USDA Natural Resources Conservation Service (NRCS) soil maps, U.S. Fish and Wildlife Service National Wetland Inventory (NWI) maps, Washington Department of Fish and Wildlife interactive mapping programs (PHS on the Web and SalmonScope), the mapping tool associated with Washington Department of Natural Resources Forest Practices Application Review System (FPARS), City of Bellevue's interactive mapping website (nwmaps.net), and King County's GIS mapping website (iMAP).

The study area corridor was evaluated for wetlands using methodology from the Regional Supplement (Corps 2010). The wetland boundary was determined on the basis of an examination of vegetation, soils, and hydrology. Areas meeting the criteria set forth in the Regional Supplement were determined to be wetland. Soil, vegetation, and hydrologic parameters were sampled at several locations along the wetland boundary to make the determination. Data were recorded at fifty-four of these locations. Data sheets are included in Appendix B. Delineated wetlands were classified using the Rating System (Hruby 2004). Wetlands that extended off-site were rated based on what could be seen from on-site and through aerial images. Wetland rating forms are included in Appendix C.

Watercourses were determined to be streams if they met the definition provided by the City of Bellevue. The centerlines of streams in the study area were recorded in the field, with stream widths either visually approximated in the field or later approximated based on aerial photometry and elevation contours. Streams were classified according to the City of Bellevue Land Use Code.

A private 2013 wetland and stream delineation study was performed by The Watershed Company on Overlake Farms (parcel numbers 1525059269 and 1525059247). Permission was granted to share the information directly relevant to the 100 foot-wide PSE easement (Cristina Gugoni, pers comm.).

Information from the 2012 and 2014 wetland and stream delineations performed by The Watershed Company (TWC) for PSE on the Lakeside substation parcels have also been incorporated (parcel numbers 1024059083 and 1024059130).

Wetland boundaries, stream centerlines, data points, and other features (such as culverts) were GPS-located using a hand-held Trimble Geo-XH unit. Following field location, the GPS data was differentially corrected using GPS Pathfinder Office and exported into ESRI ArcGIS software for mapping. Stream and wetland delineation maps are included in Appendix A.

Incidental wildlife observations and detections were recorded during field studies and summarized in Section 3.3 of this report.

Possible mitigation opportunities were noted during field studies. The approximate extent of these areas is shown on aerial photos included in Section 5 of this report.

## 2 SITE DESCRIPTION

---

The study area corridor bisects the Bridle Trails, Bel-Red, Eastgate, Factoria, Somerset, and Newport neighborhoods in the City of Bellevue; it also runs north-south between the neighborhoods of Wilburton/Crossroads and Woodridge/Lake Hills. The majority of the study area is zoned single-family residential at various densities; exceptions include the Bel-Red area and I-90 vicinity, generally zoned commercial and light industrial/office and limited business, respectively. The corridor is located in the following public land survey sections: Sections 15, 22, 27, and 34 of Township 25N, Range 05E, and; Sections 3, 9, 10, 15, 16, 21, 22, and 28 of Township 24N, Range 05E.

The study area is also located in the Cedar-Sammamish Watershed (WRIA 8), and spans three drainage basins which include the Kelsey Creek, Mercer Slough, and Coal Creek drainage basins, from north to south.

On developed parcels, vegetation in the corridor is generally limited to landscaped beds and maintained yards. On parcels that are undeveloped, or where the area under the powerline corridor remains undeveloped, vegetation is often weedy and dominated by Himalayan blackberry and various grasses; young trees and shrubs are present in some locations where they have presumably grown from seed. These areas are often regularly mowed/cleared for utility access and maintenance purposes. The exceptions are the undeveloped City of Bellevue Parks parcels along Coal Creek Parkway; these parcels are densely wooded with steep slopes.

## 3 CRITICAL AREAS

---

A total of forty-two wetlands and thirty-six stream segments are located along the proposed Energize Eastside corridor in the City of Bellevue. They are described below. Sign or presence of any regulated wildlife species or habitat were also noted and are described in this section.

For the purposes of this study, the nomenclature used to identify critical areas has been based on the PSE segment in which a feature is located, and the local jurisdiction. Critical areas were then numbered sequentially, in the order in which they were inventoried, generally north to south. For example, the first wetland inventoried as a part of this study on Segment C in Bellevue is called "CB01." For wetlands that were previously identified in other reports, the names assigned in the earlier report (e.g. "Wetland A (Overlake Farms)") are maintained unless the feature was re-delineated; re-delineated features adopt the aforementioned naming convention.

### **3.1 Wetlands**

#### **Overlake Farms, Wetland A (previously delineated by TWC)**

A private 2013 delineation study was performed by The Watershed Company that included the PSE easement corridor on Overlake Farms (parcel numbers 1525059269 and 1525059247) (Appendix A, Page No. 3). The west corner of the wetland identified as Wetland A extends into the 100-foot PSE corridor in parcel 1525059247. This wetland is a slope and depressional wetland with forested and scrub-shrub Cowardin vegetation classes. Dominant vegetation includes western red cedar, red alder, vine maple, salmonberry, skunk cabbage, and lady fern. Sampled soils (Overlake Farms DP-1; Appendix B) in 2013 met the criteria for Hydrogen Sulfide (A4). Wetland hydrology was also noted based on saturation to the surface (A3) and hydrogen sulfide odor (C1).

#### **Wetland CB01**

Wetland CB01 is a relatively large slope wetland located at the southern end of PSE Segment C, north of SR-520 (Appendix A, Page No. 19). Wetland CB01 hydrology is mainly provided by groundwater seeps. Wetland CB01 contains palustrine forested, palustrine scrub-shrub, and palustrine emergent Cowardin vegetation classes. Common vegetation observed includes red alder, various willow species, salmonberry, reed canarygrass, creeping buttercup, giant horsetail, small-fruited bulrush and lady fern. Sampled soils (DP-8; Appendix B) meet the criteria for both Depleted Matrix (F3) and Redox Dark Surface (F6). The wetland also meets one primary wetland hydrology indicator and two secondary wetland hydrology indicators (Appendix B).

#### **Wetland EB01**

Wetland EB01 is a small slope wetland located south of Bel-Red Road near Kelsey Creek (Appendix A, Page No. 24). This wetland contains palustrine forested, palustrine scrub-shrub, and palustrine emergent Cowardin vegetation classes. Common vegetation observed includes red alder, Sitka willow, salmonberry, giant horsetail, small-fruited bulrush and soft rush. Hydrogen sulfide odor was detected at the test pit (DP-6; Appendix B), meeting the criteria for both hydric soil and wetland hydrology. In addition, soils were saturated to

the surface and a water table was observed at seven inches below the soil surface. Wetland EB01 hydrology is mainly provided by groundwater seeps.

### **Wetland EB02**

Wetland EB02 is a relatively large slope wetland located in the northeast corner of the Glendale Golf and Country Club (Appendix A, Page No. 27 and 28). This wetland contains palustrine forested, palustrine scrub-shrub, and palustrine emergent Cowardin vegetation classes. Common vegetation observed includes English hawthorn, red alder, Himalayan blackberry, reed canary grass, soft rush and small-fruited bulrush. The sampled soils (DP 11, Appendix B) meet hydric soil indicator F3 – Depleted Matrix. Oxidized rhizospheres were present along living roots, indicative of primary wetland hydrology indicator C3. Two secondary wetland hydrology indicators were also noted.

### **Wetlands EB03 through EB10**

Wetlands EB03 through EB10 are located on two large parcels north of Lake Hills Connector (Appendix A, Page No. 31, 32, 33 and 35). The northern parcel is owned by the Glendale County Club; the southern property is owned by the City of Bellevue Parks Department. The study area in these parcels is dominated by grasses, Himalayan blackberry, and a few trees and shrubs. It also includes a compact gravel walking trail that runs north-south through the corridor.

The eight wetlands identified in this general area are fairly similar in character. They are small, disturbed wetlands that are located in depressions, swales, or breaks in slopes. All are rated as slope or depressional features, and are classified as either Category III or IV wetlands (Appendix C). Many are associated with small stream channels also present in this area. These wetlands are primarily supported by groundwater seeps. Common vegetation observed includes Himalayan blackberry, reed canarygrass, soft rush, sawbeak sedge, small-fruited bulrush, and giant horsetail. Each wetland met the criteria for at least one hydric soil indicator as well as one primary or two secondary hydrology indicators (Appendix B).

### **Wetland EB11 through EB19**

Wetlands EB11 through EB19 are located south of Lake Hills Connector (Appendix A, Page No. 35, 36, 37, 38 and 40); most of these features are located on a large parcel owned by SCI Management Corp. Similar to the previously described area north of Lake Hills Connector the study area south of Lake Hills Connector to 130<sup>th</sup> Place SE is generally dominated by grasses, Himalayan blackberry, and a few trees and shrubs. It also includes a compact gravel walking trail that runs north-south through the corridor.

These nine wetlands are fairly similar in character. They are mostly small, disturbed wetlands that are located in depressions, swales, or breaks in slopes.

All are rated as slope or depressional features, and are classified as either Category III or IV wetlands (Appendix C). Many are associated with small stream channels also present in the area. These wetlands are primarily supported by groundwater seeps. The forested areas are composed of red alder and black cottonwood trees, with lady fern and reed canarygrass in the understory. Other common emergent and shrub vegetation observed included Himalayan blackberry, reed canarygrass, soft rush, small-fruited bulrush, and giant horsetail. Each wetland met the criteria for at least one hydric soil indicator as well as at least one primary or two secondary hydrology indicators (Appendix B).

### **Wetland EB20**

Wetland EB20 is a slope wetland located north of SE 26<sup>th</sup> Street on parcels 1024059089 and 1024059065 (Appendix A, Page No. 44). The wetland contains scrub-shrub and emergent Cowardin vegetation classes, comprised primarily of Pacific willow, Himalayan blackberry, and reed canarygrass. The soils sampled meet the criteria for hydric soil indicator F6 – Redox Dark Surface. The wetland also displays one primary wetland hydrology indicator and two secondary hydrology indicators (Appendix B).

### **Wetland G2B01**

Wetland G2B01 is a riverine wetland located at the southeast corner of Richards Road and SE 30<sup>th</sup> Street (Appendix A, Page No. 49 and 50). Richards Creek meanders through this wetland from south to north. Wetland G2B01 is entirely comprised of a palustrine emergent Cowardin class. The dominant vegetation includes reed canarygrass and broadleaf cattail, with patches of red-osier dogwood, Pacific willow, and twinberry. The stream areas abound with watercress and water parsley. The soils sampled (DP 47, Appendix B) meet the hydric soil indicator F6 - Redox Dark Surface and have a slight hydrogen sulfide odor below four inches deep. The water table was present at ten inches deep and saturation was present to the surface. In addition, oxidized rhizospheres were observed along living roots, meeting an additional hydrology indicator. The site has three hydroperiods: seasonally flooded, saturated only, and it has a permanently flowing stream in the wetland. Like IB01, this wetland has a higher habitat score than the other smaller wetlands along Factoria Boulevard SE.

### **Wetland IB01**

Wetland IB01 is located at the furthest downstream location of Richards Creek and is along Factoria Boulevard SE, just west of the QFC shopping center parking lot (Appendix A, Page No. 53). No data point was taken here due to difficulty of access. This wetland is entirely comprised of the palustrine emergent Cowardin vegetation class. The vegetation observed includes reed canarygrass, Himalayan blackberry and black locust. NRCS maps the soils as Indianola loamy sand. Although Wetland IB01 has low interspersions of habitats,

it does have three hydroperiods since a permanently flowing stream flows into the site. Because Richards Creek is flowing to the site, this wetland has greater habitat functions than many of the other smaller wetlands in the area.

### **Wetland IB02**

Wetland IB02 is a small depressional wetland located along the east side of Factoria Boulevard SE, between SE 41<sup>st</sup> Lane and SE Newport Way (Appendix A, Page No. 57). It is located in the grassy area next to an apartment complex. This wetland is entirely comprised of the palustrine emergent Cowardin vegetation class. Common vegetation observed includes creeping buttercup, reed canarygrass, and mowed grass. The sampled soils (DP-50; Appendix B) meet hydric soil indicator F6 - Redox Dark Surface. At the time of the site visit, the wetland was saturated to the surface with a water table observed at five inches below ground surface, meeting the criteria wetland hydrology. Wetland IB02 hydrology is mainly provided by surface water sheet flow, directed both by culverts and the general landscape; water exits the wetland through a single drain. Although the wetland had a low habitat quality overall, there is a standing snag on the edge of the wetland. Garbage was also observed in the wetland area and in the soils.

### **Wetland IB03**

Wetland IB03 is a small slope wetland located at Newport High School, at the far south end of the property and adjacent to the southern baseball diamond (Appendix A, Page No. 61). This wetland contains a palustrine emergent Cowardin vegetation class only. Common vegetation observed includes creeping buttercup, soft rush, field bindweed, birdsfoot trefoil, and giant horsetail. Pacific willow and bigleaf maple are also in the vicinity, but rooted outside of the wetland. The sampled soils (DP 52, Appendix B) meet hydric soil indicator F3 - Depleted Matrix from six to fourteen inches below ground surface. Oxidized rhizopheres were observed along living roots, meeting the wetland hydrology indicator C3. A pileated woodpecker flew overhead while the wetland was being rated and likely uses habitat on the Newport High School campus.

### **Wetland IB04**

Wetland IB04 is a small depressional wetland, also located at Newport High School along the edge of a parking lot that is near the intersection of Factoria Boulevard SE and SE Newport Way (Appendix A, Page No. 59). This wetland contains palustrine scrub-shrub and palustrine emergent Cowardin vegetation classes. The wetland is densely vegetated with cattails, soft rush and reed canarygrass, with Himalayan blackberry extending down the surrounding slopes into the wetland. Hydric soils are present, but redox features were obscured by the high water table. Cobble was present below the soil matrix at eight inches

deep. The water table was present at one inch and saturation was present at the surface at DP 52. The wetland has a permanently flowing surface outlet through a culvert.

### **Wetland JB01 and other previously delineated PSE Lakeside substation wetlands**

The PSE Lakeside substation and the parcel south of it (parcels 1024059083 and 1024059097) were previously assessed for critical areas by The Watershed Company in 2012 and 2014. One of the previously delineated wetlands, Wetland H, was re-delineated as Wetland JB01 during this study to capture the full extent of the wetland within the PSE corridor. The other wetlands delineated as part of the PSE Lakeside substation studies include Wetland BC (2012 and 2014), Wetland EE (2014), and Wetland FG (2012) (Appendix A, Page No. 44, 45, 46 and 68) . Wetlands BC and EE are a slope wetlands while Wetland FG is a riverine wetland. These wetlands are described in more detail in the 2012 delineation report and the 2015 Critical Areas Report.

Wetland JB01 is a relatively large slope wetland located south of the PSE Lakeside Substation property (Appendix A, Page No. 46 and 68). Wetland JB01 has a moderate level of function (Category III). Dense vegetation covers over 95 percent of the wetland. The wetland has high species diversity (>19 species) and contains palustrine emergent, palustrine scrub-shrub, and palustrine forested Cowardin vegetation classes. The dominant plants include birdsfoot trefoil and beaked sedge. Hydrogen sulfide emanated from DP 35, meeting indicators for both hydric soils (A4) and wetland hydrology (C1). Like the nearby streams previously delineated, the stream adjacent to Wetland JB01 is also a tributary to Richards Creek. A high water table at four inches below the ground surface and saturation throughout the soil were also observed. Wetland JB01 has habitat features including downed wood, standing snags and undercut banks. The wetland also has increased habitat value because it is near a stream and has a high interspersion of habitats.

### **Wetlands JB02 and JB03**

Wetlands JB02 and JB03 are small slope wetlands located on the west side of the Somerset Recreation Club near the corner of Somerset Drive SE and Somerset Place SE (Appendix A, Page No. 78 and 79). These wetlands are separated by less than 100 feet and are very similar in character. Both Wetlands JB02 and JB03 have palustrine emergent and palustrine scrub-shrub Cowardin vegetation classes. The dominant plants include slough sedge and giant horsetail. The soils sampled meet the hydric soil indicator F2 -Loamy Gleyed Matrix (DP 37, Appendix B). The hydroperiod at these wetlands is saturated only and groundwater was present at seven inches below the ground surface. Although these wetlands have a low function overall, they have low cover of invasive species and provide some habitat functions.

### **Wetland JB04**

Wetland JB04 is a slope wetland located along Forest Drive SE, north of the intersection of Forest Drive SE and SE 54<sup>th</sup> Place (Appendix A, Page No. 84). The Cowardin vegetation classes present are palustrine emergent and palustrine scrub-shrub. The dominant vegetation includes red-osier dogwood, Himalayan blackberry, broadleaf cattail and soft rush. The sampled soils meet hydric soil indicator F2 -Loamy Gleyed Matrix (DP 38, Appendix B). During the site visit, Wetland JB04 had saturation throughout the soil and has hydroperiod areas that are occasionally flooded and areas that are saturated only. Other hydrology indicators observed were drainage patterns, geomorphic position and the FAC-neutral test. This area contributes towards the habitat functions of these wetlands.

### **Wetland JB05 – JB08**

Wetlands JB05-JB08 are slope wetlands located on the east side of Coal Creek Parkway SE, below the intersection of Coal Creek Parkway SE and Forest Drive SE (Appendix A, Page No. 67, 84, 85, 86; Wetland JB08 also contains depressional areas. Wetland JB08 is a combination slope-depressional wetland. Common vegetation observed includes black cottonwood saplings, red alder, Sitka willow, reed canarygrass, soft rush, Canada thistle and giant horsetail. Wetland JB05 contains palustrine emergent and scrub-shrub Cowardin vegetation classes. Wetlands JB06 and JB07 are entirely composed of an emergent Cowardin vegetation class. Wetland JB08 contains scrub-shrub and forested Cowardin vegetation classes. Each wetland met the criteria for at least one hydric soil indicator as well as at least one primary or two secondary hydrology indicators (Appendix B). These wetlands are located adjacent to a relatively undisturbed forested area. All of the wetlands consequently have at least one WDFW priority habitat within 330 feet. JB05 in particular has four WDFW priority habitats within 330 feet: biodiversity areas and corridors, riparian, instream, and snags and logs.

### **Wetland MB01**

Wetland MB01 is a depressional wetland located north of 128<sup>th</sup> Avenue SE. The Cowardin vegetation classes consist of palustrine scrub-shrub and palustrine forested (Appendix A, Page No. 93). Dominant vegetation includes Pacific willow, red-osier dogwood, bitter nightshade, and Himalayan blackberry. The soils sampled (DP 1, Appendix B) were extremely saturated at the time of the site visit; redoximorphic features were not identified, likely due to the high moisture content and organics masking redoximorphic features. The wetland met criteria for four primary wetland hydrology indicators and two secondary indicators.

### **Wetland MB02 and MB03**

Wetland MB02 and MB03 are two small slope wetlands on the City of Bellevue Parks parcel near Coal Creek Parkway SE (Appendix A, Page No. 88). Both contain only a palustrine emergent Cowardin vegetation class that consists of regularly mowed herbaceous species such as reed canarygrass, soft rush, broadleaf plantain, and other grasses. Some Himalayan blackberry and field bindweed are also present. Wetland MB02 meets hydric soil indicator S5 – Sandy Redox, while Wetland MB03 meets hydric soil indicator F2 – Loamy Gleyed Matrix (DPs 4 and 5, Appendix B). Both also meet criteria for at one primary wetland hydrology indicator and two secondary wetland hydrology indicators.

### **Wetland MB04**

Wetland MB04 is a slope-depressional wetland located at the base of the same hillslope as Wetland MB02 and MB03, west of Coal Creek Parkway SE (Appendix A, Page No. 86 and 87). It extends beyond the project area to the northwest. Palustrine emergent and palustrine scrub-shrub Cowardin vegetation classes are present. Dominant vegetation includes mowed grasses, small-fruited bulrush, willowherb, bittercress, and giant horsetail in the corridor with some mitigation plantings consisting of young shrubs such as red-osier dogwood. There is some skunk cabbage in the less disturbed areas along the edge of the corridor. Along with seeps along the hillslope, Streams MB02 and MB03 both flow through the wetland and serve as a source of hydrology. Sampled soils meet criteria for hydric soil indicators A4 – Hydrogen Sulfide and A11 – Depleted Below Dark Surface. The wetland also meets criteria for multiple primary and secondary wetland hydrology indicators.

Wetland MB04 was previously identified as Wetland W2 in 2011 by CH2M Hill as part of an investigation into mitigation for culvert replacement. During the TWC investigative fieldwork, it was clear that the wetland boundary and conditions have changed, likely due to the implementation of the mitigation plantings. CH2M Hill classified the wetland as a Category III wetland. However, TWC ecologists re-rated this wetland as a Category IV wetland. The largest point differences occur in the scoring for water quality function and hydrologic function. CH2M Hill previously identified the wetland as containing persistent, ungrazed vegetation greater than 95% of the area (water quality - 5 points). Per Ecology guidance, mowed vegetation counts as grazed vegetation. However, because a large portion of the wetland occurs in the mowed PSE corridor in the 2015 TWC delineation, today less than one half of the area consists of persistent, ungrazed vegetation (water quality – 1 point). In addition, the culvert replacement that occurred after the CH2M Hill delineation likely altered hydrologic conditions so that there is no longer a constricted outlet nor substantial ponding, resulting in a decrease of 10 points for hydrologic function.

If impacts are proposed here, the offsite portions of the wetland may need to be assessed to confirm the change in the rating.

## 3.2 Streams

### **Stream EB01 (Kelsey Creek)**

Stream EB01, commonly known as Kelsey Creek, is a perennial fish-bearing stream that flows northeast to southwest across the PSE corridor south of Bellevue Redmond Road (parcel numbers 760580TRCT and 0672100140) (Appendix A, Page No. 24). It is in the Kelsey Creek drainage basin. Wetland EB01 is adjacent to the creek. Fall Chinook, coho, winter steelhead, and sockeye salmonids have been documented in Kelsey Creek (WDFW Salmonscape 2015). Stream EB01 is an F-type stream per the City of Bellevue Land Use Code (LUC 20.25H.075.B).

### **Stream EB02 – EB05**

Streams EB02 – EB05 are small non-fishbearing intermittent streams that daylight and reenter culverts along the PSE corridor on the Glendale Country Club property (parcel 3425059010) (Appendix A, Page No. 28, 29, 31, 32 and 33). These streams are in the Kelsey Creek drainage basin. They are N-type streams that have not been mapped previously (LUC 20.25H.075.B).

### **Streams EB06 through EB14**

Streams EB06 – EB14 also occur in the Kelsey Creek drainage basin in the Lake Hills Connector area (Appendix A, Page No. 34, 35, 36, 37 and 38). They are non-fishbearing, intermittent streams that are often piped under the trail or were noted to enter culverts. Streams EB06 and EB07 are also mapped in the City of Bellevue drainage map; the other streams are not documented. These streams are N-type streams.

### **Streams JB01, JB02, and PSE Lakeside Substation Streams (previously delineated by TWC)**

Streams JB01, JB02, and the streams noted in the PSE Lakeside Substation studies (TWC 2015) are in the East Creek drainage basin (Appendix A, Page No. 46 and 68). They are part of the same stream network that flows roughly southeast to northwest before becoming East Creek (PSE parcels 1024059083 and 1024059097 and parcel 8135300110). Streams A, B, and F in the PSE corridor were noted in the 2014 delineation as part of the 2015 Critical Areas Report for the PSE Lakeside Substation (Appendix A, Page No. 45). These three streams are tributaries that join Stream C in the PSE parcels (TWC 2015); Stream C flows outside of the study area but likely has an encumbering buffer (Appendix A, Page No. 46 and 68). Stream JB01 is the upstream segment of Stream C described in the 2015 report, south of the culvert under the roadway by SE 30<sup>th</sup> Street, while Stream JB02 is a tributary that joins Stream JB01.

Stream A originates to the east of Wetland BC; once it enters Wetland BC, it transforms to sheet flow, losing channel structure. It does not support fish, and is thus classified an N-type stream. Streams B, C, and F, on the other hand are considered to be fish-bearing because they all three contain suitable habitat and are not along steep gradients. Stream C also has salmonid use documented by WDFW PHS. Streams B, C, and F are F-type streams.

Stream JB01 is the upstream reach of the same perennial stream identified as Stream C. It is also identified as Stream 0263 (HDR 2010). There is no identifiable natural feature nor a steep gradient that would preclude fish-use. As such, Stream JB01 is also an F-type stream. Stream JB02, a seasonal tributary to Stream JB01, is also an F-type stream within the project area.

### **Stream JB03**

Stream JB03 is a backyard drainage feature located north of the Somerset Drive SE and 135<sup>th</sup> Avenue SE intersection. Seeps channelize to Stream JB03 before entering a drain system (Appendix A, Page No. 80 and 81). The stream is not previously mapped, nor does it connect through an aboveground system to fish-bearing waters. It is classified as an O-type stream.

### **Stream JB04**

JB04 is a seasonal tributary to Coal Creek that flows through the mitigation planting area of Wetland JB08 before entering a culvert to Coal Creek (Appendix A, Page No. 86). There is no identifiable natural feature nor a steep gradient that would preclude fish-use. Since Coal Creek has well-documented salmonid use, it is assumed that Stream JB04 is likely fish-bearing. Stream JB04 is an F-type stream.

### **Stream JB05 (Coal Creek)**

Stream JB05 refers to the reach of Coal Creek that occurs within the PSE corridor (Appendix A, Page No. 86 and 87). It is a perennial stream that has well-documented salmonid use by fall Chinook, coho, sockeye, winter steelhead, and coastal cutthroat (WDFW PHS). Stream JB05 enters the PSE corridor as it crosses south to north underneath Coal Creek Parkway SE. The riparian vegetation along the open stream segments are lush dense stands of red alder and bigleaf maple trees. Stream JB05 is an F-type stream.

### **Stream MB01**

Stream MB01 is a seasonal ditched stream that flows north to south from north of 128<sup>th</sup> Avenue SE to Newcastle Way, just north of the jurisdictional boundary of Bellevue and Newcastle (Appendix A, Page No. 94). It contains both culverted and daylight segments. It is unclear where the stream originates or where it flows, as it has not previously been mapped, and it has a limited extent in the study area. Stream MB01 is an N-type stream.

### **Stream MB02**

Stream MB02 is a tributary to Coal Creek that originates from seeps upslope of Wetland MB04, southwest of Coal Creek Parkway SE (Appendix A, Page No. 86). As the seeps channelize as Stream MB02, the stream flows north and eventually joins Coal Creek. Because of its proximity to Coal Creek with no observed natural barriers, this stream is likely fish-bearing. As such, it is an F-type stream.

### **Stream MB03**

Stream MB03 channelizes from seeps along the steep slope south of Coal Creek Parkway SE before entering a culvert under Coal Creek Parkway SE (Appendix A, Page No. 86). It is unclear where this culvert outlets, but flow likely enters Coal Creek. The stream is not suitable fish habitat, as it occurs along a steep slope with a gradient of greater than 20%. Stream MB03 is an N-type stream.

### **Stream G2B01 (Sunset Creek)**

Stream G2B01, also known as Sunset Creek, is a perennial creek that flows south to north (Appendix A, Page No. 48). As the result of a rerouting project to reduce flooding, the creek is artificially channelized with mitigation plantings on both sides of SE 30<sup>th</sup> Street. Stream G2B01 has documented coho salmon use (WDFW PHS). Stream G2B01 is an F-type stream.

### **Stream G2B02 and IB01 (Richards Creek)**

Stream G2B02 is the downstream Richards Creek segment north of the I-90 interchange (Appendix A, Page No. 49), while Stream IB01 is upstream Richards Creek segment south of the I-90 interchange, along Factoria Boulevard SE (Appendix A, Page No. 52 and 53). The two segments are characteristically different with differing classifications.

Stream G2B02, the downstream segment, meanders through Wetland G2B01 and has coho salmon use documented (WDFW PHS). This downstream segment of Richards Creek is classified as an F-type stream.

Stream IB01, the upstream segment of Richards Creek, has been placed in an artificial channel with very steep slopes to either side and is only daylighted for a short segment. The segment likely experiences flashy hydrologic peaks and does not contain suitable riparian and bed characteristics to support fish use. As such, south of the I-90 interchange, Richards Creek (Stream IB01) is an N-type stream.

### **Stream G2B03**

Stream G2B03 is an intermittent stream that occurs in a steep ravine in the PSE property west of Richards Road (parcel 545300240) (Appendix A, Page No. 49 and 50). Due to the steep gradient of the slope, the stream is unlikely to be fish-bearing. Stream G2B03 is an N-type stream.

### **Streams K2B01 – K2B06**

Streams K2B01 through K2B06 are all small tributaries to Coal Creek that cross under Coal Creek Parkway SE from north to south before merging with Coal Creek at the base of the slope (Appendix A, Page No. 62, 63, 64 and 66). Streams K2B02 and K2B04 appear to be perennial, while the other streams are likely intermittent. Additionally, these streams are mostly just piped for the duration of the study area, with outlets observed outside of the study area. Where daylighted, these streams may have encumbering critical areas buffers to the project. These streams are all N-type streams due to the prevention of fish passage as a result of the steep gradient of the hillslope leading to Coal Creek.

## **3.3 Wildlife and Habitat**

The City of Bellevue regulates habitat associated with Species of Local Importance as critical areas.

Washington State Priority Habitat and Species (PHS) maps were reviewed for the project vicinity. Other than the salmonid fish use discussed in the stream section above, there are two biodiversity areas and corridors highlighted: the Kelsey Creek Open Space Areas and Coal Creek Park.

Significant wildlife observations were recorded during field investigations. A pileated woodpecker flew overhead while the wetland was being rated and likely uses habitat on the Newport High School campus.

Areas with habitat potential include the forested and residential areas near Bridle Trails; Viewpoint Park, north of SR520; the Glendale Country Club; Kelsey Creek Park and associated open spaces; and Coal Creek Park.

## **3.4 Classifications and Standard Buffers**

Critical areas in the City of Bellevue are regulated in the Bellevue Land Use Code (LUC), Part 20.25H Critical Areas Overlay District.

### **3.4.1 Wetlands**

According to LUC 20.25H.095, wetlands are classified based on the 2004 Rating System (Hruby). Wetland buffers are based upon the wetland rating and associated habitat score, the size of the wetland, and whether or not the wetlands are developed. Under the LUC wetland regulations, developed is defined as when a parcel has been previously recorded with a NGPE prior to August 1, 2006. None of the wetlands encountered in the study area occur on parcels with NGPEs, so they are all considered undeveloped under the LUC. Wetland buffers are measured perpendicular from the wetland edge. Structure setbacks are also often required when a primary structure is being developed.

The following table shows wetland classifications, associated standard buffer widths, and structure setbacks.

Table 1. Wetland rating summary.

Wetland Name	2004 Ecology Wetland Rating				Category	Standard Buffer Width (ft)	Structure Setback (ft)
	Water Quality	Hydrologic Function	Habitat	Total			
<b>A+</b>	10	16	17	43	III	60	15
<b>CB01</b>	6	10	15	31	III	60	15
<b>EB01</b>	6	10	15	31	III	60	15
<b>EB02</b>	6	10	16	32	III	60	15
<b>EB03</b>	12	16	9	37	III	60	15
<b>EB04</b>	14	10	9	33	III	60	15
<b>EB05</b>	6	10	12	28	IV	40	-
<b>EB06</b>	12	16	11	39	III	60	15
<b>EB07</b>	0	4	8	11	IV	*	-
<b>EB08</b>	12	10	10	33	III	60	15
<b>EB09</b>	20	6	15	41	III	60	15
<b>EB10</b>	12	16	14	42	III	60	15
<b>EB11</b>	12	0	16	28	IV	40	-
<b>EB12</b>	4	10	15	29	IV	40	-
<b>EB13</b>	12	10	18	40	III	60	15
<b>EB14</b>	2	10	15	27	IV	*	-
<b>EB15</b>	4	16	17	37	III	60	15
<b>EB16</b>	6	6	18	30	III	60	15
<b>EB17</b>	6	6	23	35	III	110	15
<b>EB18</b>	4	10	13	27	IV	*	-
<b>EB19</b>	12	16	11	39	III	60	15
<b>EB20</b>	12	16	8	36	III	60	15
<b>BC<sup>++</sup></b>	6	10	23	39	III	110	15
<b>EE<sup>++</sup></b>	6	10	14	30	III	60	15
<b>FG<sup>++</sup></b>	12	12	20	44	III	110	15
<b>JB01</b>	6	16	19	41	III	60	15
<b>JB02</b>	0	0	7	7	IV	*	-
<b>JB03</b>	0	0	7	7	IV	*	-
<b>JB04</b>	2	6	9	17	IV	*	-

Wetland Name	2004 Ecology Wetland Rating				Category	Standard Buffer Width (ft)	Structure Setback (ft)
	Water Quality	Hydrologic Function	Habitat	Total			
JB05	2	6	13	21	IV	40	-
JB06	0	4	9	13	IV	*	-
JB07	0	4	10	14	IV	*	-
JB08	8	12	21	41	III	110	15
MB01	16	20	12	48	III	60	15
MB02	2	4	9	15	IV	*	-
MB03	0	4	9	13	IV	*	-
MB04	4	0	17	21	IV	40	-
G2B01	16	26	15	57	II	75	20
IB01	6	8	12	26	IV	*	-
IB02	8	10	7	25	IV	*	-
IB03	6	0	6	12	IV	*	-
IB04	16	0	9	25	IV	*	-

+ Overlake Farms, 2013 delineation  
 ++ PSE Lakeside Substation, 2012 and 2014 delineation  
 \* Category IV wetlands that are less than 2,500sf are not regulated by City of Bellevue.  
 - Category IV wetlands do not have structure setbacks.

### 3.4.2 Streams

Stream critical areas are regulated in the City of Bellevue under LUC 20.25H – Critical Areas Ordinance. Streams are classified based on status as Shoreline of the State, whether or not the channel contains fish use or fish habitat, and whether or not the stream is physically connected by an aboveground channel system, stream or wetland. Stream buffers are measured from the top-of-bank and are based on stream classification and whether or not a parcel is considered developed. The definition of developed is different for streams than as it is described above for wetlands. For streams, the LUC defines developed as whether a parcel contains an NGPE approved prior to August 1, 2006 or a primary structure; primary structures are defined below. It is possible for the same stream to have different buffers on different parcels if some of the parcels are developed and some are not.

*Primary Structure. The structure on a site that houses the principal use. For residential uses, the primary structure houses the dwelling unit(s). For nonresidential uses, the primary structure houses the use undertaken on the site, as classified by LUC [20.10.440](#) and district-specific land use charts contained in Chapter [20.25](#) LUC. Primary structures do not include structures that contain only certain functions or equipment that support the principal use, such as sheds, garages, or mechanical equipment structures.*

A summary of stream types and buffer widths is provided in Table 2, below.

Table 2. Summary of stream classification and associated standard buffer widths.

Stream Name	Type	Primary Structure?	Buffer (feet)	Setback (feet)	Total	Closed Segment Buffer
EB01	F-type	No	100	20	120	50*
EB02	N-type	Yes	25	25	50	50*
EB03	N-type	Yes	25	25	50	50*
EB04	N-type	Yes	25	25	50	50*
EB05	N-type	Yes	25	25	50	50*
EB06	N-type	Yes	25	25	50	50*
EB07	N-type	Yes	25	25	50	50*
EB08	N-type	Yes	25	25	50	50*
EB09	N-type	No	50	15	65	50*
EB10	N-type	Yes	25	25	50	50*
EB11	N-type	Yes	25	25	50	50*
EB12	N-type	No	50	15	65	50*
EB13	N-type	No	50	15	65	50*
EB14	N-type	No	50	15	65	50*
A (PSE Lakeside)	N-type	Yes- Parcel 1020459083	25	25	50	10
		No- Parcel 1024059130	50	15	65	10
B (PSE Lakeside)	F-type	Yes- Parcel 1020459083	50	50	100	10
		No- Parcel 1024059130	100	20	120	10
C (PSE Lakeside)	F-type	Yes- Parcel 1020459083	50	50	100	10
		No- Parcel 1024059130	100	20	120	10
F (PSE Lakeside)	F-type	Yes- Parcel 1020459083	50	50	100	10
		No- Parcel 1024059130	100	20	120	10
JB01	F-type	Yes	50	50	100	10
JB02	F-type	Yes	50	50	100	10
JB03	O-type	Yes	25	0	25	10

Stream Name	Type	Primary Structure?	Buffer (feet)	Setback (feet)	Total	Closed Segment Buffer
JB04	F-type	No	100	20	120	10
JB05	F-type	No	100	20	120	10
MB01	N-type	No	50	15	65	10
MB02	F-type	No	100	20	120	10
MB03	N-type	No	50	15	65	10
G2B01	F-type	Yes	50	50	100	10
G2B02	F-type	Yes	50	50	100	10
G2B03	N-type	Yes	25	25	50	10
IB01	N-type	Yes	25	25	50	10
K2B01	N-type	Yes	25	25	50	10
K2B02	N-type	Yes	25	25	50	10
K2B03 (offsite)	N-type	No	50	15	65	10
K2B04 (offsite)	N-type	No	50	15	65	10
K2B05 (offsite)	N-type	No	50	15	65	10
K2B06	N-type	No	50	15	65	10

\*Closed segments in the Kelsey Creek Drainage Basin receive a 50ft setback.

## 4 MITIGATION OPPORTUNITIES

Mitigation opportunities located in the study area were noted during field investigations. Sites discussed in this section are limited to parcels owned by public entities or PSE. These areas include degraded/disturbed wetland and stream critical areas and their buffers under existing powerline corridors; they do not include degraded upland areas outside of critical area buffers. Existing vegetation at these locations is generally dominated by invasive species (Himalayan blackberry and reed canarygrass). Any proposed revegetation would need to adhere to vegetation height limits prescribed by PSE standards. Locations where mitigation opportunities exist have been briefly summarized below.

### 4.1 Viewpoint Park

Viewpoint Park and the adjacent PSE parcel provide opportunity for mitigation (City of Bellevue-owned parcel number 2725059045 and PSE-owned parcel number 2725059116; Figure 6). It includes Wetland CB01 and its critical area buffer. Underneath the corridor is mostly just mowed herbaceous species; habitat function could be improved via mitigation.



Figure 6. Viewpoint Park

## 4.2 Kelsey Creek Park

Kelsey Creek Park also contains opportunities for mitigation (City of Bellevue-owned parcels 3425059016, 0324059009, and 0324059122; Figure 7). Multiple critical areas and their buffers are present, including Streams EB06, EB07, EB08, EB09, EB10, EB11; and Wetlands EB09, EB10, and EB11. Opportunities to improve function include removal of invasive species such as Himalayan blackberry and reed canarygrass.



Figure 7. Kelsey Creek Park (left to right, north to south)

### 4.3 PSE Lakeside Substation

The PSE Lakeside Substation and the proposed Richards Creek Substation site provides opportunity for mitigation (PSE-owned parcels 1024059083 and 1024059130; Figure 8). These parcels include Wetlands BC, EE, FG, and JB01 as well as Streams A, B, C, F, and JB01. This area contains dense areas of invasive Himalayan blackberry and reed canarygrass that could be replaced to improve riparian and wetland function.



Figure 8. PSE Lakeside substation and adjacent PSE parcel (left to right, north to south)

### 4.4 Coal Creek Park

The segments of the existing PSE corridor adjacent to Coal Creek Park also provide additional opportunities for mitigation (City of Bellevue-owned parcel 2124059001 and PSE-owned parcel 2124059071; Figures 9 and 10). These parcels include Wetlands MB02, MB03, MB04, JB05, JB06, JB07, and JB08; and Streams MB02, MB03, JB04, and JB05. Underneath the corridor is mostly just mowed herbaceous species; habitat function could be improved via mitigation.



Figure 9. Coal Creek Park and PSE parcel, east of Coal Creek Parkway SE



Figure 10. Coal Creek Park, west of Coal Creek Parkway.

# REFERENCES

---


- City of Bellevue. 2009. East Creek Basin map. Retrieved November 24, 2015 from:  
[http://www.bellevuewa.gov/pdf/Utilities/6-EAST\\_CREEK.pdf](http://www.bellevuewa.gov/pdf/Utilities/6-EAST_CREEK.pdf)
- City of Bellevue. 2015. Bellevue Land Use Code (LUC). Retrieved January 14, 2016 from:  
<http://www.codepublishing.com/wa/bellevue/>.
- [Corps] U.S. Army Corps of Engineers. 2010. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Washington Mountains, Valleys, and Coast Region, Version 2.0 (Regional Supplement). Wetlands Regulatory Assistance Program. U.S. Army Engineer Research and Development Center, Environmental Laboratory. ERDC/EL TR-10-3.
- Hruby, T. 2004. Washington State wetland rating system for western Washington – Revised (Rating System). Washington State Department of Ecology Publication #04-06-025.
- King County. 2015. King County iMap Interactive Mapping Tool. Retrieved November 24, 2015, from King County GIS Center:  
<http://www.kingcounty.gov/operations/GIS/Maps/iMAP.aspx>
- [USDA] U.S. Department of Agriculture. (2015). *Web Soil Survey*. Retrieved November 24, 2015, from Natural Resources Conservation Service:  
<http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>
- [TWC] The Watershed Company. 2015. Critical Areas Report: Puget Sound Energy – Lakeside Substation Rebuild. Prepared for PSE.
- [USFWS] U.S. Fish and Wildlife Service. (2015). *Wetlands Mapper*. Retrieved November 24, 2015, from National Wetlands Inventory:  
<http://www.fws.gov/wetlands/Data/Mapper.html>
- [WDFW] Washington Department of Fish & Wildlife. (2015). *PHS on the Web*. Retrieved November 24, 2015, from Priority Habitats and Species:  
<http://wdfw.wa.gov/mapping/phs/>

**APPENDIX A**

---

Critical Area Delineation Maps





**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Data Point<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>






**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

PAGE NO.	SEGMENT
2	C

-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>






**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Wetland Boundary<sup>TWC</sup>
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>

0 25 50  
 Feet

Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.




**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

PAGE NO.	SEGMENT
4	C


- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>







**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>




Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.




**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>




Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>






**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>




Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.




**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

**PAGE NO.** 9     **SEGMENT** C


-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>






**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>




Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>







**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

PAGE NO.    SEGMENT  
**12**        **C**

-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>







**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

PAGE NO.	SEGMENT
13	C


-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>






**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>






Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>






**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>




Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>






**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>






**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>






**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>






**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>



Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.




**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.




**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>



PSE EE230 - CRITICAL AREAS ASSESSMENT MAP




**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

PAGE NO. **24**      SEGMENT **E**

- Delineated Stream Centerline<sup>TWC</sup>
- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Stream
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>



Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.




**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>





**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>

N

0      25      50  
 Feet

Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.

PSE EE230 - CRITICAL AREAS ASSESSMENT MAP




**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Stream Centerline<sup>TWC</sup>
- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Stream
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>

N

0 25 50  
Feet

Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Stream Centerline<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Stream
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>

N


0      25      50  
 Feet

Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.





**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>




Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Stream Centerline<sup>TWC</sup>
  - Delineated Wetland Boundary<sup>TWC</sup>
  - Data Point<sup>TWC</sup>
  - Culvert<sup>TWC</sup>
  - Wetland
  - Critical Area Buffer<sup>TWC</sup>
  - Building Setback Line<sup>TWC</sup>
  - Existing Pole Location<sup>PSE</sup>
  - 100' Screening Limit<sup>TWC</sup>
  - CityLimit<sup>KC</sup>
- 25 50  
 Feet




**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Stream Centerline<sup>TWC</sup>
- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Stream
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>

25 50  
 Feet

Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.




**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Stream Centerline<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Stream
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>


0 25 50  
Feet

Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.





**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Approximate Stream<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Stream
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>



Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.

PSE EE230 - CRITICAL AREAS ASSESSMENT MAP




**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

PAGE NO. **35** SEGMENT **E**

- Delineated Stream Centerline<sup>TWC</sup>
- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Stream
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>

Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.

PSE EE230 - CRITICAL AREAS ASSESSMENT MAP




**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Stream Centerline<sup>TWC</sup>
- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Stream
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>

25 50  
Feet

Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



PSE EE230 - CRITICAL AREAS ASSESSMENT MAP



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.

Bellevue




**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Stream Centerline<sup>TWC</sup>
- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>




**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>






Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>





UNNAMED STREAM


Bellevue


E

WETLAND UNNAMED

**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


- Approximate Stream<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Wetland
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>





**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>



Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.




**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>





Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>

PSE EE230 - CRITICAL AREAS ASSESSMENT MAP



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.  
 2. Segment G2 continues on page 46; Segment J continues


PAGE NO. **45** SEGMENT **G2/J**

**Legend:**

- Delineated Stream<sup>TWC</sup>
- Delineated Wetland Boundary<sup>TWC</sup>
- Stream
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>

**Scale:** 0 25 50 Feet


**North Arrow:** N



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.  
 2. Segment G2 continues on page 46; Segment J continues

- Delineated Stream<sup>TWC</sup>
- Delineated Stream Centerline<sup>TWC</sup>
- Delineated Wetland Boundary<sup>TWC</sup>
- Stream
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>

0 25 50  
Feet




Bellevue  
G2

**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Building Setback Line<sup>TWC</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>






STREAM G2B01 (Sunset Creek)

Bellevue  
G2

**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

-  Delineated Stream Centerline<sup>TWC</sup>
-  Stream
-  Critical Area Buffer<sup>TWC</sup>
-  Building Setback Line<sup>TWC</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>





Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Stream Centerline<sup>TWC</sup>
  - Delineated Wetland Boundary<sup>TWC</sup>
  - Approximate Stream<sup>TWC</sup>
  - Data Point<sup>TWC</sup>
  - Culvert<sup>TWC</sup>
  - Stream
  - Wetland
  - Critical Area Buffer<sup>TWC</sup>
  - Building Setback Line<sup>TWC</sup>
  - 100' Screening Limit<sup>TWC</sup>
  - City Limit<sup>KC</sup>
- 0 25 50  
Feet





**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

PAGE NO. **50**      SEGMENT **G2**


WETLAND G2B01      DP-47

- Delineated Wetland Boundary<sup>TWC</sup>
- Approximate Stream<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Stream
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>







**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


- Approximate Stream<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Stream
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>







**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Approximate Stream<sup>TWC</sup>
- Stream
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>







**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.



**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

 100' Screening Limit<sup>TWC</sup>  
 City Limit<sup>KC</sup>








Bellevue

1

-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>


**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.






**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Wetland
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>




Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


100' Screening Limit<sup>TWC</sup>  
City Limit<sup>KC</sup>







**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


-  Delineated Wetland Boundary<sup>TWC</sup>
-  Data Point<sup>TWC</sup>
-  Wetland
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>



Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.





**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

-  Delineated Wetland Boundary<sup>TWC</sup>
-  Data Point<sup>TWC</sup>
-  Wetland
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>








**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

PAGE NO. **62**      SEGMENT **K2**

- Approximate Stream<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Stream
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>






**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

PAGE NO. **63**      SEGMENT **K2**

- Approximate Stream<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>





**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

PAGE NO. **64**      SEGMENT **K2**

- Approximate Stream<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Stream
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>







**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


100' Screening Limit<sup>TWC</sup>  
City Limit<sup>KC</sup>

0 25 50  
Feet



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


- Delineated Stream Centerline<sup>TWC</sup>
- Approximate Stream<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Stream
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>






**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.  
 2. Segment K2 continues on page 85.

- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>




PSE EE230 - CRITICAL AREAS ASSESSMENT MAP



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.  
 2. Segment J continued from page 45.

- Delineated Stream<sup>TWC</sup>
- Delineated Stream Centerline<sup>TWC</sup>
- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Stream
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>

25 50  
Feet



STORMWATER  
DETENTION  
POND


Bellevue


J

**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

PAGE NO.    SEGMENT  
**69**        **J**

- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>






**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>






**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>






**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>







**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>






**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>





**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

100' Screening Limit<sup>TC</sup>  
 City Limit<sup>KC</sup>





Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>






**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>





**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

WETLAND  
JB03



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Wetland
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>


0 25 50  
 Feet

Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


- Delineated Stream Centerline<sup>TWC</sup>
- Stream
- Critical Area Buffer<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>





**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

-  Delineated Stream Centerline<sup>TWC</sup>
-  Stream
-  Critical Area Buffer<sup>TWC</sup>
-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>




Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.




**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>





**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.




**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>



0 25 50  
Feet

Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.



**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.  
 2. Segment K2 continued from page 67.

Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.




**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Stream Centerline<sup>TWC</sup>
- Delineated Wetland Boundary<sup>TWC</sup>
- Approximate Stream<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Culvert<sup>TWC</sup>
- Stream
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>

0 25 50  
 Feet

Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.

PSE EE230 - CRITICAL AREAS ASSESSMENT MAP




**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

PAGE NO. **87**      SEGMENT **M**


- Delineated Stream Centerline<sup>TWC</sup>
- Delineated Wetland Boundary<sup>TWC</sup>
- Approximate Stream<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Stream
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>

0      25      50  
 Feet

Data sources: Puget Sound Energy, The Watershed Company, and King County. Aerial imagery from PSE.




**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.



**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>







**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

PAGE NO.    SEGMENT  
**90**        **M**

-  Existing Pole Location<sup>PSE</sup>
-  100' Screening Limit<sup>TWC</sup>
-  City Limit<sup>KC</sup>






**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>






Bellevue  
M

**Notes:**  
1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>






**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.


- Delineated Wetland Boundary<sup>TWC</sup>
- Data Point<sup>TWC</sup>
- Wetland
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>





**Notes:**  
 1. Category IV wetlands that are less than 2,500 SF in area, do not have a buffer.

- Delineated Stream<sup>TWC</sup>
- Stream
- Critical Area Buffer<sup>TWC</sup>
- Building Setback Line<sup>TWC</sup>
- Existing Pole Location<sup>PSE</sup>
- 100' Screening Limit<sup>TWC</sup>
- City Limit<sup>KC</sup>



**APPENDIX B**

---

Wetland Determination Data Forms





**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

DP- 1

Project Site: <b>Segment M - 6308000370</b>		Sampling Date: <b>4/6/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 1</b>
Investigator: <b>K. Crandall</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 28 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>&lt;5</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland MB01</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1. <b>Salix lasiandra</b>	<b>100</b>	<b>Y</b>	<b>FACW</b>	Number of Dominant Species that are OBL, FACW, or FAC:	<b>3</b> (A)
2.				Total Number of Dominant Species Across All Strata:	<b>4</b> (B)
3.				Percent of Dominant Species that are OBL, FACW, or FAC:	<b>75</b> (A/B)
4.	<b>100</b>	= Total Cover			
<b>Sapling/Shrub Stratum (Plot size: 3m diam.)</b>					
1. <b>Cornus alba</b>	<b>5</b>	<b>Y</b>	<b>FACW</b>	<b>Prevalence Index Worksheet</b>	
2.				Total % Cover of	
3.				OBL species	x 1 =
4.				FACW species	x 2 =
5.				FAC species	x 3 =
	<b>5</b>	= Total Cover		FACU species	x 4 =
				UPL species	x 5 =
<b>Herb Stratum (Plot size: 1m diam.)</b>				Column totals	(A) (B)
1.				Prevalence Index = B / A =	
2.				<b>Hydrophytic Vegetation Indicators</b>	
3.				<input checked="" type="checkbox"/> Dominance test is > 50%	
4.				<input type="checkbox"/> Prevalence test is ≤ 3.0 *	
5.				Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)	
6.				<input type="checkbox"/> Wetland Non-Vascular Plants *	
7.				<input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)	
8.				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
9.					
10.				<b>Hydrophytic Vegetation Present?</b>	
11.				Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	<b>50</b>	= Total Cover			
<b>Woody Vine Stratum (Plot size: )</b>					
1. <b>Rubus armeniacus</b>	<b>30</b>	<b>Y</b>	<b>FACU</b>		
2. <b>Solanum dulcamara</b>	<b>20</b>	<b>Y</b>	<b>FAC</b>		
	<b>50</b>	= Total Cover			
% Bare Ground in Herb Stratum: <b>97</b>					
Remarks:					

**SOIL**

**Sampling Point – DP-1**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-14	7.5YR 2.5/1	100					Loam	High organic content

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input checked="" type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks: **Redox likely not visible due to organics masking and high moisture content**

**HYDROLOGY**

**Wetland Hydrology Indicators:**  
*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input checked="" type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input checked="" type="checkbox"/> High Water Table (A2)	<input checked="" type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): Water Table Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>7" BGS</b> Saturation Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>0" BGS</b> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: **BGS = below ground surface**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 2**

Project Site: <b>Segment M - 6308000370</b>		Sampling Date: <b>4/6/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 2</b>
Investigator: <b>K. Crandall</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 28 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5-10</b>	Local relief (concave, convex, none): <b>None</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Hydric Soils Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			
Remarks: <b>Wetland MB01 out-pit</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>1</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>1</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)				Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: center;">Total % Cover of</th> <th style="text-align: center;">Multiply by</th> </tr> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)				Prevalence Index Worksheet																					
1. <b>Various field grasses</b>	<b>100</b>	<b>Y</b>	<b>FAC*</b>	Prevalence Index = B / A =																					
2. <b>Taraxacum officinale</b>	<b>7</b>	<b>N</b>	<b>FACU</b>																						
3.				<p><b>Hydrophytic Vegetation Indicators</b></p> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic  <p><b>Hydrophytic Vegetation Present?</b>    Yes <input checked="" type="checkbox"/>    No <input type="checkbox"/></p>																					
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>107</b> = Total Cover																									
Woody Vine Stratum (Plot size: )																									
1.																									
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks: <b>*presumed FAC</b>																									

**SOIL**

**Sampling Point – DP-2**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-4	10YR 2/2	100					Gravelly sandy loam	
4-8+	10YR 3/3	100					Gravelly loamy sand	
								Compact with cobbles

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Stripped Matrix (S6)	<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )	<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/>
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Depleted Matrix (F3)	
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Redox Dark Surface (F6)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Depleted Dark Surface (F7)	
	<input type="checkbox"/> Redox Depressions (F8)	

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Remarks:

**HYDROLOGY**

<p><b>Wetland Hydrology Indicators:</b></p> <p><i>Primary Indicators (minimum of one required: check all that apply):</i></p> <table style="width:100%;"> <tr> <td><input type="checkbox"/> Surface water (A1)</td> <td><input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)</td> </tr> <tr> <td><input type="checkbox"/> High Water Table (A2)</td> <td><input type="checkbox"/> Water-Stained Leaves (<b>except MLRA 1, 2, 4A &amp; 4B</b>) (B9)</td> </tr> <tr> <td><input type="checkbox"/> Saturation (A3)</td> <td><input type="checkbox"/> Salt Crust (B11)</td> </tr> <tr> <td><input type="checkbox"/> Water Marks (B1)</td> <td><input type="checkbox"/> Aquatic Invertebrates (B13)</td> </tr> <tr> <td><input type="checkbox"/> Sediment Deposits (B2)</td> <td><input type="checkbox"/> Hydrogen Sulfide Odor (C1)</td> </tr> <tr> <td><input type="checkbox"/> Drift Deposits (B3)</td> <td><input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)</td> </tr> <tr> <td><input type="checkbox"/> Algal Mat or Crust (B4)</td> <td><input type="checkbox"/> Presence of Reduced Iron (C4)</td> </tr> <tr> <td><input type="checkbox"/> Iron Deposits (B5)</td> <td><input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)</td> </tr> <tr> <td><input type="checkbox"/> Surface Soil Cracks (B6)</td> <td><input type="checkbox"/> Stunted or Stressed Plants (D1) (<b>LRR A</b>)</td> </tr> <tr> <td><input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)</td> <td><input type="checkbox"/> Other (explain in remarks)</td> </tr> </table>		<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)	<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)	<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)	<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )	<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)	<p><i>Secondary Indicators (2 or more required):</i></p> <table style="width:100%;"> <tr> <td><input type="checkbox"/> Water-Stained Leaves (B9) (<b>MLRA 1, 2, 4A &amp; 4B</b>)</td> </tr> <tr> <td><input type="checkbox"/> Drainage Patterns (B10)</td> </tr> <tr> <td><input type="checkbox"/> Dry-Season Water Table (C2)</td> </tr> <tr> <td><input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)</td> </tr> <tr> <td><input type="checkbox"/> Geomorphic Position (D2)</td> </tr> <tr> <td><input type="checkbox"/> Shallow Aquitard (D3)</td> </tr> <tr> <td><input type="checkbox"/> FAC-Neutral Test (D5)</td> </tr> <tr> <td><input type="checkbox"/> Raised Ant Mounds (D6) (<b>LRR A</b>)</td> </tr> <tr> <td><input type="checkbox"/> Frost-Heave Hummocks</td> </tr> </table>	<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)	<input type="checkbox"/> FAC-Neutral Test (D5)	<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )	<input type="checkbox"/> Frost-Heave Hummocks
<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)																														
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)																														
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)																														
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)																														
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)																														
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)																														
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)																														
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)																														
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )																														
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)																														
<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )																															
<input type="checkbox"/> Drainage Patterns (B10)																															
<input type="checkbox"/> Dry-Season Water Table (C2)																															
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)																															
<input type="checkbox"/> Geomorphic Position (D2)																															
<input type="checkbox"/> Shallow Aquitard (D3)																															
<input type="checkbox"/> FAC-Neutral Test (D5)																															
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )																															
<input type="checkbox"/> Frost-Heave Hummocks																															
<p><b>Field Observations</b></p> <table style="width:100%;"> <tr> <td>Surface Water Present?</td> <td>Yes <input type="checkbox"/></td> <td>No <input checked="" type="checkbox"/></td> <td>Depth (in):</td> </tr> <tr> <td>Water Table Present?</td> <td>Yes <input type="checkbox"/></td> <td>No <input checked="" type="checkbox"/></td> <td>Depth (in):</td> </tr> <tr> <td>Saturation Present? (includes capillary fringe)</td> <td>Yes <input type="checkbox"/></td> <td>No <input checked="" type="checkbox"/></td> <td>Depth (in):</td> </tr> </table>	Surface Water Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):	Water Table Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):	Saturation Present? (includes capillary fringe)	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):	<b>Wetland Hydrology Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>																		
Surface Water Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):																												
Water Table Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):																												
Saturation Present? (includes capillary fringe)	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):																												
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:																															
Remarks:																															



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 3**

Project Site: <b>Segment M - 2124059001</b>		Sampling Date: <b>4/8/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 3</b>
Investigator: <b>K. Crandall, R. Whitson</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 21 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>None</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AkF – Alderwood and Kitsap soils, very steep</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				
Remarks: <b>Out-pit near Wetlands MB02 and MB03</b>				

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>2</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)				Prevalence Index Worksheet																					
1.				<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)				Prevalence Index = B / A =																					
1. <b><i>Phalaris arundinacea</i></b>	<b>100</b>	<b>Y</b>	<b>FACW</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Hydrophytic Vegetation Indicators</th> </tr> </thead> <tbody> <tr> <td><input checked="" type="checkbox"/></td> <td>Dominance test is &gt; 50%</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Prevalence test is ≤ 3.0 *</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Wetland Non-Vascular Plants *</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Problematic Hydrophytic Vegetation * (explain)</td> </tr> <tr> <td colspan="2">* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic</td> </tr> <tr> <td colspan="2"><b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></td> </tr> </tbody> </table>	Hydrophytic Vegetation Indicators		<input checked="" type="checkbox"/>	Dominance test is > 50%	<input type="checkbox"/>	Prevalence test is ≤ 3.0 *	<input type="checkbox"/>	Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)	<input type="checkbox"/>	Wetland Non-Vascular Plants *	<input type="checkbox"/>	Problematic Hydrophytic Vegetation * (explain)	* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic		<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						
Hydrophytic Vegetation Indicators																									
<input checked="" type="checkbox"/>	Dominance test is > 50%																								
<input type="checkbox"/>	Prevalence test is ≤ 3.0 *																								
<input type="checkbox"/>	Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)																								
<input type="checkbox"/>	Wetland Non-Vascular Plants *																								
<input type="checkbox"/>	Problematic Hydrophytic Vegetation * (explain)																								
* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																									
<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																									
2. <b><i>Unknown grass</i></b>	<b>50</b>	<b>Y</b>	<b>FAC*</b>																						
3.																									
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>150</b> = Total Cover																									
Woody Vine Stratum (Plot size: _____)																									
1. <b><i>(Rubus armeniacus growing upslope of wetland area)</i></b>																									
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum: 97																									
Remarks: <b>*Presumed FAC.</b>																									

**SOIL**

**Sampling Point – DP-3**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
<b>0-8+</b>	<b>10YR 3/2</b>	<b>98</b>	<b>10YR 4/6</b>	<b>2</b>	<b>C</b>	<b>M</b>	<b>Gravelly sandy loam with cobbles</b>	<b>Compact</b>

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: Compact fill material Depth (inches): ~8" BGS	<b>Hydric soil present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Remarks:    **BGS = below ground surface**

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): Saturation Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>0-8 BGS</b> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **BGS = below ground surface**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 4**

Project Site: <b>Segment M - 2124059001</b>		Sampling Date: <b>4/8/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 4</b>
Investigator: <b>K. Crandall, R. Whitson</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 21 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>&lt;5</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AkF – Alderwood and Kitsap soils, very steep</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland MB02</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)	
2.				Total Number of Dominant Species Across All Strata: <b>2</b> (B)	
3.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)	
4.					
_____ = Total Cover					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet	
1.				Total % Cover of	
2.				Multiply by	
3.				OBL species	x 1 =
4.				FACW species	x 2 =
5.				FAC species	x 3 =
_____ = Total Cover				FACU species	x 4 =
_____ = Total Cover				UPL species	x 5 =
_____ = Total Cover				Column totals	(A) (B)
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index = B / A =	
1. <b><i>Phalaris arundinacea</i></b>	<b>100</b>	<b>Y</b>	<b>FACW</b>		
2. <b><i>Other mowed grasses</i></b>	<b>50</b>	<b>Y</b>	<b>FAC*</b>	<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.					
<b>150</b> = Total Cover					
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status		
1.					
2.					
_____ = Total Cover					
% Bare Ground in Herb Stratum: 97					
Remarks: <b>*Presumed FAC</b>					

**SOIL**

**Sampling Point – DP-4**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-4	10YR 2/2	100					Gravelly sandy loam	Roots
4-8	10YR 4/2	80	7.5YR 4/6	20	C	M	Gravelly loamy sand with cobbles	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input checked="" type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: Compact fill material Depth (inches): 8 BGS	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks:

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input checked="" type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input type="checkbox"/> Depth (in): Water Table Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>2 BGS*</b> Saturation Present? (includes capillary fringe)    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>0 BGS</b>	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **BGS = below ground surface**  
                   **\* water seeping into pit from 2-6 inches**

DP- 5

Project Site: <b>Segment M - 2124059001</b>		Sampling Date: <b>4/8/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 5</b>
Investigator: <b>K. Crandall, R. Whitson</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 21 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>NA</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AkF – Alderwood and Kitsap soils, very steep</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampling Point within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: <b>Wetland MB03</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>3</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>4</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>75</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover				Prevalence Index = B / A =																					
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators																					
1. <b><i>Phalaris arundinacea</i></b>	<b>50</b>	<b>Y</b>	<b>FACW</b>	<input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)																					
2. <b><i>Unknown grass</i></b>	<b>50</b>	<b>Y</b>	<b>FAC*</b>																						
3. <b><i>Juncus effusus</i></b>	<b>30</b>	<b>Y</b>	<b>FACW</b>																						
4. <b><i>Lotus corniculatus</i></b>	<b>5</b>	<b>N</b>	<b>FAC</b>																						
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>135</b> = Total Cover				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status																						
1. <b><i>Rubus armeniacus</i></b>	<b>15</b>	<b>Y</b>	<b>FACU</b>																						
2.																									
_____ <b>15</b> = Total Cover				Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
% Bare Ground in Herb Stratum: 97																									
Remarks: <b>*presumed FAC</b>																									

**SOIL**

**Sampling Point – DP-5**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-4	10YR 3/2	100					Sandy loam	With some gravel
4-11	10GY 4/1	75	7.5YR 4/4	25	C	M	Gravelly sandy clay loam	
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Loc: PL=Pore Lining, M=Matrix								
<b>Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)</b>								
<input type="checkbox"/> Histosol (A1) <input type="checkbox"/> Histic Epipedon (A2) <input type="checkbox"/> Black Histic (A3) <input type="checkbox"/> Hydrogen Sulfide (A4) <input type="checkbox"/> Depleted Below Dark Surface (A11) <input type="checkbox"/> Thick Dark Surface (A12) <input type="checkbox"/> Sandy Mucky Mineral (S1) <input type="checkbox"/> Sandy Gleyed Matrix (S4)			<input type="checkbox"/> Sandy Redox (S5) <input type="checkbox"/> Stripped Matrix (S6) <input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b> <input checked="" type="checkbox"/> Loamy Gleyed Matrix (F2) <input type="checkbox"/> Depleted Matrix (F3) <input type="checkbox"/> Redox Dark Surface (F6) <input type="checkbox"/> Depleted Dark Surface (F7) <input type="checkbox"/> Redox Depressions (F8)			<b>Indicators for Problematic Hydric Soils<sup>3</sup></b> <input type="checkbox"/> 2cm Muck (A10) <input type="checkbox"/> Red Parent Material (TF2) <input type="checkbox"/> Other (explain in remarks) <input type="checkbox"/>		
<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic								
Restrictive Layer (if present): Type: Compact fill material Depth (inches): 8" BGS						<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Remarks: <b>BGS = below ground surface</b>								

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b> <i>Primary Indicators (minimum of one required: check all that apply):</i>				<i>Secondary Indicators (2 or more required):</i>			
<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input checked="" type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)	<input type="checkbox"/> Salt Crust (B11)	<input type="checkbox"/> Aquatic Invertebrates (B13)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input checked="" type="checkbox"/> FAC-Neutral Test (D5)	<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>	<input type="checkbox"/> Other (explain in remarks)	<input type="checkbox"/> Frost-Heave Hummocks	
<input type="checkbox"/> Water Marks (B1)			<input type="checkbox"/> Sediment Deposits (B2)				
<input type="checkbox"/> Drift Deposits (B3)			<input type="checkbox"/> Algal Mat or Crust (B4)				
<input type="checkbox"/> Surface Soil Cracks (B6)			<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)				
<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): Saturation Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>0 BGS</b>				<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:							
Remarks:							



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 6**

Project Site: <b>Segment E, parcel number 0672100140</b>		Sampling Date: <b>5/29/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 6</b>
Investigator: <b>K. Crandall, R. Whitson, M. Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 27 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>~5</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC – Alderwood gravelly sandy loam</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampling Point within a Wetland?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Remarks: <b>Wetland EB01 in-pit. Wetland near Kelsey Creek under lines; weedy corridor area.</b>				

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>2</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <i>Scirpus microcarpus</i>	<b>60</b>	<b>Y</b>	<b>OBL</b>	Prevalence Index = B / A = _____  <b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * <input type="checkbox"/> Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
2. <i>Phalaris arundinacea</i>	<b>50</b>	<b>Y</b>	<b>FACW</b>																						
3. <i>Equisetum telmateia</i>	<b>30</b>	<b>N</b>	<b>FACW</b>																						
4. <i>Stachys chamissonis cooleyae</i>	<b>5</b>	<b>N</b>	<b>FACW</b>																						
5. <i>Galium sp.</i>	<b>5</b>	<b>N</b>	<b>FAC*</b>																						
6. <i>Carex obnupta</i>	<b>5</b>	<b>N</b>	<b>OBL</b>																						
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>155</b> = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?																					
1.				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks: <b>*Presumed FAC</b>																									

**SOIL**

**Sampling Point – DP-6**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-12	10YR 3/1	100					Sandy loam	
12-16	2.5Y 3/1	95	10YR 3/4	5	C	M	Sandy loam	
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Loc: PL=Pore Lining, M=Matrix								
<b>Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)</b>								
<input type="checkbox"/> Histosol (A1)			<input type="checkbox"/> Sandy Redox (S5)			<b>Indicators for Problematic Hydric Soils<sup>3</sup></b>		
<input type="checkbox"/> Histic Epipedon (A2)			<input type="checkbox"/> Stripped Matrix (S6)			<input type="checkbox"/> 2cm Muck (A10)		
<input type="checkbox"/> Black Histic (A3)			<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )			<input type="checkbox"/> Red Parent Material (TF2)		
<input checked="" type="checkbox"/> Hydrogen Sulfide (A4)			<input type="checkbox"/> Loamy Gleyed Matrix (F2)			<input type="checkbox"/> Other (explain in remarks)		
<input type="checkbox"/> Depleted Below Dark Surface (A11)			<input type="checkbox"/> Depleted Matrix (F3)					
<input type="checkbox"/> Thick Dark Surface (A12)			<input type="checkbox"/> Redox Dark Surface (F6)			<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic		
<input type="checkbox"/> Sandy Mucky Mineral (S1)			<input type="checkbox"/> Depleted Dark Surface (F7)					
<input type="checkbox"/> Sandy Gleyed Matrix (S4)			<input type="checkbox"/> Redox Depressions (F8)					
Restrictive Layer (if present):						Hydric soil present?		
Type: _____						Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Depth (inches): _____								
Remarks:								

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b> <i>Primary Indicators (minimum of one required: check all that apply):</i>				<i>Secondary Indicators (2 or more required):</i>			
<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)	<input type="checkbox"/> Aquatic Invertebrates (B13)	<input checked="" type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)	<input checked="" type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Other (explain in remarks)	<input checked="" type="checkbox"/> FAC-Neutral Test (D5)	<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Algal Mat or Crust (B4)				<input type="checkbox"/> Iron Deposits (B5)		<input type="checkbox"/> Frost-Heave Hummocks	
<input type="checkbox"/> Surface Soil Cracks (B6)				<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)			
<b>Field Observations</b>				<b>Wetland Hydrology Present?</b>			
Surface Water Present?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
Water Table Present?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in):	7 BGS				
Saturation Present? (includes capillary fringe)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in):	0 BGS				
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:							
Remarks: <b>BGS = below ground surface</b>							

**DP- 7**

Project Site: <b>Segment E, parcel number 0672100140</b>		Sampling Date: <b>5/29/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 7</b>
Investigator: <b>K. Crandall, R. Whitson, M. Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 27 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>3</b>	Local relief (concave, convex, none): <b>None</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC – Alderwood gravelly sandy loam</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				
Remarks: <b>Wetland EB01 out-pit.</b>				

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1.				Number of Dominant Species that are OBL, FACW, or FAC:	<b>3</b> (A)
2.				Total Number of Dominant Species Across All Strata:	<b>4</b> (B)
3.				Percent of Dominant Species that are OBL, FACW, or FAC:	<b>75</b> (A/B)
4.					
_____ = Total Cover					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet	
1. <b><i>Rubus parviflorus</i></b>	<b>10</b>	<b>Y</b>	<b>FACU</b>	Total % Cover of <span style="float: right;">Multiply by</span>	
2.				OBL species	x 1 =
3.				FACW species	x 2 =
4.				FAC species	x 3 =
5.				FACU species	x 4 =
6.				UPL species	x 5 =
_____ = Total Cover				Column totals	(A) (B)
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet	
1. <b><i>Holcus lanatus</i></b>	<b>70</b>	<b>Y</b>	<b>FAC</b>	Prevalence Index = B / A =	
2. <b><i>Other grass</i></b>	<b>60</b>	<b>Y</b>	<b>FAC*</b>		
3. <b><i>Equisetum telmateia</i></b>	<b>20</b>	<b>N</b>	<b>FACW</b>	<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)	
4. <b><i>Alopecurus pratensis</i></b>	<b>10</b>	<b>N</b>	<b>FAC</b>		
5. <b><i>Athyrium cyclosorum</i></b>	<b>5</b>	<b>N</b>	<b>FAC</b>		
6.					
7.					
8.				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
9.					
10.				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
11.					
_____ = Total Cover					
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status		
1. <b><i>Rubus armeniacus</i></b>	<b>10</b>	<b>Y</b>	<b>FACU</b>		
2.					
_____ = Total Cover					
% Bare Ground in Herb Stratum:					
Remarks: <b>*Presumed FAC</b>					

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-4	10YR 3/2	100					Loam	
4-8	10YR 4/2	98	10YR 4/6	2	C	M	Loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present):  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric soil present?**    Yes     No

Remarks:    **Compact with many roots and cobbles; difficult to dig below 8 inches.**

HYDROLOGY

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

**Field Observations**

Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____
Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____
Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____

**Wetland Hydrology Present?**    Yes     No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 8**

Project Site: <b>Segment C, parcel number 2725059045</b>		Sampling Date: <b>6/1/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 8</b>
Investigator: <b>Katy Crandall, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 27 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>3</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>EvC – Everett gravelly sandy loam, 5-15% slopes.</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampling Point within a Wetland?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Remarks: <b>Wetland CB01 in-pit. Wetland is located north of 520.</b>				

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet			
1. <b><i>Alnus rubra</i></b>	<b>30</b>	<b>Y</b>	<b>FAC</b>	Number of Dominant Species that are OBL, FACW, or FAC:	<b>3</b> (A)		
2.				Total Number of Dominant Species Across All Strata:	<b>3</b> (B)		
3.				Percent of Dominant Species that are OBL, FACW, or FAC:	<b>100</b> (A/B)		
4.	<b>30</b>	= Total Cover					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet			
1.				Total % Cover of			
2.				OBL species	x 1 =		
3.				FACW species	x 2 =		
4.				FAC species	x 3 =		
5.				FACU species	x 4 =		
				UPL species	x 5 =		
				Column totals	(A) (B)		
				Prevalence Index = B / A =			
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators			
1. <b><i>Phalaris arundinacea</i></b>	<b>80</b>	<b>Y</b>	<b>FACW</b>	<input checked="" type="checkbox"/> Dominance test is > 50%			
2. <b><i>Scirpus microcarpus</i></b>	<b>70</b>	<b>Y</b>	<b>OBL</b>	<input type="checkbox"/> Prevalence test is ≤ 3.0 *			
3. <b><i>Carex stipata</i></b>	<b>10</b>	<b>N</b>	<b>OBL</b>	Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)			
4.				<input type="checkbox"/> Wetland Non-Vascular Plants *			
5.				<input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)			
6.				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic			
7.							
8.							
9.							
10.							
11.	<b>160</b>	= Total Cover		<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status				
1.							
2.							
% Bare Ground in Herb Stratum:							
Remarks:							

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-6	10YR 3/2	95	7.5YR 4/6	5	C	M	Sandy loam	
6-12	10YR 4/1	85	7.5YR 4/6	15	C	M, PL	Gravelly sandy loam	
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Loc: PL=Pore Lining, M=Matrix								
<b>Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)</b>								
<input type="checkbox"/> Histosol (A1)				<input type="checkbox"/> Sandy Redox (S5)				
<input type="checkbox"/> Histic Epipedon (A2)				<input type="checkbox"/> Stripped Matrix (S6)				
<input type="checkbox"/> Black Histic (A3)				<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )				
<input type="checkbox"/> Hydrogen Sulfide (A4)				<input type="checkbox"/> Loamy Gleyed Matrix (F2)				
<input type="checkbox"/> Depleted Below Dark Surface (A11)				<input type="checkbox"/> Depleted Matrix (F3)				
<input type="checkbox"/> Thick Dark Surface (A12)				<input checked="" type="checkbox"/> Redox Dark Surface (F6)				
<input type="checkbox"/> Sandy Mucky Mineral (S1)				<input checked="" type="checkbox"/> Depleted Dark Surface (F7)				
<input type="checkbox"/> Sandy Gleyed Matrix (S4)				<input type="checkbox"/> Redox Depressions (F8)				
<b>Indicators for Problematic Hydric Soils<sup>3</sup></b>								
<input type="checkbox"/> 2cm Muck (A10)								
<input type="checkbox"/> Red Parent Material (TF2)								
<input type="checkbox"/> Other (explain in remarks)								
<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic								
Restrictive Layer (if present): Type: _____ Depth (inches): _____						<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Remarks:								

HYDROLOGY

<b>Wetland Hydrology Indicators:</b>							
<i>Primary Indicators (minimum of one required: check all that apply):</i>				<i>Secondary Indicators (2 or more required):</i>			
<input type="checkbox"/> Surface water (A1)		<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )		<input type="checkbox"/> Drainage Patterns (B10)	
<input type="checkbox"/> High Water Table (A2)		<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)		<input type="checkbox"/> Salt Crust (B11)		<input type="checkbox"/> Dry-Season Water Table (C2)	
<input type="checkbox"/> Saturation (A3)		<input type="checkbox"/> Aquatic Invertebrates (B13)		<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)		<input checked="" type="checkbox"/> Geomorphic Position (D2)	
<input type="checkbox"/> Water Marks (B1)		<input type="checkbox"/> Hydrogen Sulfide Odor (C1)		<input type="checkbox"/> Shallow Aquitard (D3)		<input checked="" type="checkbox"/> FAC-Neutral Test (D5)	
<input type="checkbox"/> Sediment Deposits (B2)		<input checked="" type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)		<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )		<input type="checkbox"/> Frost-Heave Hummocks	
<input type="checkbox"/> Drift Deposits (B3)		<input type="checkbox"/> Presence of Reduced Iron (C4)		<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)		<input type="checkbox"/> Other (explain in remarks)	
<input type="checkbox"/> Algal Mat or Crust (B4)		<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)		<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )			
<input type="checkbox"/> Iron Deposits (B5)		<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )					
<input type="checkbox"/> Surface Soil Cracks (B6)							
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)							
<b>Field Observations</b>							
Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		Depth (in): _____		<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		Depth (in): _____					
Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		Depth (in): _____					
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:							
Remarks: <b>Dryer than average rainfall – 1.32 inches below average for the year to date (NOAA National Weather Service Data, generated 6/2/2015).</b>							

DP- 9

Project Site: <b>Segment C, parcel number 2725059045</b>		Sampling Date: <b>6/1/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 9</b>
Investigator: <b>Katy Crandall, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 27 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>None</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>EvC – Everett gravelly sandy loam, 5-15% slopes.</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				
<i>Remarks: Wetland CB01 out-pit.</i>				

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	<b>Dominance Test Worksheet</b>	
1. <b><i>Alnus rubra</i></b>	<b>10</b>	<b>Y</b>	<b>FAC</b>	Number of Dominant Species that are OBL, FACW, or FAC:	<b>3</b> (A)
2.				Total Number of Dominant Species Across All Strata:	<b>4</b> (B)
3.				Percent of Dominant Species that are OBL, FACW, or FAC:	<b>75</b> (A/B)
4.	<b>10</b>	= Total Cover			
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	<b>Prevalence Index Worksheet</b>	
1.				Total % Cover of	
2.				OBL species	x 1 =
3.				FACW species	x 2 =
4.				FAC species	x 3 =
5.				FACU species	x 4 =
				UPL species	x 5 =
				Column totals	(A) (B)
				Prevalence Index = B / A =	
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	<b>Hydrophytic Vegetation Indicators</b>	
1. <b><i>Phalaris arundinacea</i></b>	<b>70</b>	<b>Y</b>	<b>FAC</b>	<input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)	
2. <b><i>Other grass</i></b>	<b>40</b>	<b>Y</b>	<b>FAC*</b>		
3. <b><i>Galium sp.</i></b>	<b>15</b>	<b>N</b>	<b>FAC*</b>		
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.	<b>125</b>	= Total Cover			
				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	<b>Hydrophytic Vegetation Present?</b>	
1. <b><i>Rubus armeniacus</i></b>	<b>45</b>	<b>Y</b>	<b>FACU</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
2.					
	<b>45</b>	= Total Cover			
% Bare Ground in Herb Stratum:					
<i>Remarks: *Presumed FAC</i>					

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-10	10 YR 4/2	100					Sandy loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present):  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric soil present?**    Yes     No

Remarks:

HYDROLOGY

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

**Field Observations**

Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____	<b>Wetland Hydrology Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____	
Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

DP- 10

Project Site: <b>Segment E, parcel number 3425059010</b>		Sampling Date: <b>6/3/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 10</b>
Investigator: <b>Katy Crandall, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 34 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>None</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC – Alderwood gravelly sandy loam, 8-15% slope</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Hydric Soils Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			
Remarks: <b>EB02 out-pit</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>3</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>67</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)				Prevalence Index Worksheet																					
1.				<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)				Prevalence Index = B / A =																					
1. <b><i>Phalaris arundinacea</i></b>	<b>80</b>	<b>Y</b>	<b>FACW</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Hydrophytic Vegetation Indicators</th> </tr> </thead> <tbody> <tr> <td><input checked="" type="checkbox"/></td> <td>Dominance test is &gt; 50%</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Prevalence test is ≤ 3.0 *</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Wetland Non-Vascular Plants *</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Problematic Hydrophytic Vegetation * (explain)</td> </tr> <tr> <td colspan="2">* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic</td> </tr> <tr> <td colspan="2" style="text-align: center;"><b>Hydrophytic Vegetation Present?</b></td> </tr> <tr> <td>Yes</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>No</td> <td><input type="checkbox"/></td> </tr> </tbody> </table>	Hydrophytic Vegetation Indicators		<input checked="" type="checkbox"/>	Dominance test is > 50%	<input type="checkbox"/>	Prevalence test is ≤ 3.0 *	<input type="checkbox"/>	Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)	<input type="checkbox"/>	Wetland Non-Vascular Plants *	<input type="checkbox"/>	Problematic Hydrophytic Vegetation * (explain)	* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic		<b>Hydrophytic Vegetation Present?</b>		Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	
Hydrophytic Vegetation Indicators																									
<input checked="" type="checkbox"/>	Dominance test is > 50%																								
<input type="checkbox"/>	Prevalence test is ≤ 3.0 *																								
<input type="checkbox"/>	Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)																								
<input type="checkbox"/>	Wetland Non-Vascular Plants *																								
<input type="checkbox"/>	Problematic Hydrophytic Vegetation * (explain)																								
* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																									
<b>Hydrophytic Vegetation Present?</b>																									
Yes	<input checked="" type="checkbox"/>																								
No	<input type="checkbox"/>																								
2. <b><i>Agrostis stolonifera</i></b>	<b>35</b>	<b>Y</b>	<b>FAC</b>																						
3. <b><i>Holcus lanatus</i></b>	<b>15</b>	<b>N</b>	<b>FAC</b>																						
4. <b><i>Vicia sp.</i></b>	<b>15</b>	<b>N</b>	<b>FAC*</b>																						
5. <b><i>Galium sp.</i></b>	<b>5</b>	<b>N</b>	<b>FAC*</b>																						
6. <b><i>Cirsium arvense</i></b>	<b>5</b>	<b>N</b>	<b>FAC</b>																						
7. <b><i>Carex sp.</i></b>	<b>Trace</b>	<b>N</b>																							
8.																									
9.																									
10.																									
11.																									
_____ <b>155</b> = Total Cover																									
Woody Vine Stratum (Plot size: )																									
1. <b><i>Rubus armeniacus</i></b>	<b>35</b>	<b>Y</b>	<b>FACU</b>																						
2.																									
_____ <b>35</b> = Total Cover																									
% Bare Ground in Herb Stratum: 0																									
Remarks: <b>*Presumed FAC</b>																									

**SOIL**

**Sampling Point – DP-10**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 4/2	100					Sandy loam	
5-14	10YR 4/3	97	7.5YR 5/8	3	C	M	Gravelly sandy loam	Relict redox features*

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Remarks:    **\*Redox features are hard nodules with sharp edges**

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____	<b>Wetland Hydrology Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **Dry**

DP- 11

Project Site: <b>Segment E, parcel number 3425059010</b>		Sampling Date: <b>6/3/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 11</b>
Investigator: <b>Katy Crandall, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 34 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydic Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampling Point within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: <b>Wetland EB02 in-pit</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>3</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>67</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <i>Juncus ensifolius</i>	<b>60</b>	<b>Y</b>	<b>FACW</b>	Prevalence Index = B / A =  <b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)																					
2. <i>Juncus tenuis</i>	<b>40</b>	<b>Y</b>	<b>FAC</b>																						
3. <i>Holcus lanatus</i>	<b>20</b>	<b>N</b>	<b>FAC</b>																						
4. <i>Carex stipata</i>	<b>5</b>	<b>N</b>	<b>OBL</b>																						
5. <i>Ranunculus repens</i>	<b>5</b>	<b>N</b>	<b>FAC</b>																						
6. <i>Equisetum telmateia</i>	<b>5</b>	<b>N</b>	<b>FACW</b>																						
7. <i>Plantago major</i>	<b>5</b>	<b>N</b>	<b>FAC</b>																						
8. <i>Trifolium repens</i>	<b>5</b>	<b>N</b>	<b>FAC</b>																						
9.																									
10.																									
11.																									
_____ = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <i>Rubus armeniacus</i>	<b>5</b>	<b>Y</b>	<b>FACU</b>	* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic  <b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks:																									

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)											
Depth (inches)	Matrix		Redox Features				Texture	Remarks			
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>					
0-5	10YR 4/2	100					Sandy loam				
5-12	2.5Y 6/2	75	7.5YR 4/6	25	C	M, PL	Sandy loam				
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Loc: PL=Pore Lining, M=Matrix											
<b>Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)</b>											
<input type="checkbox"/> Histosol (A1)				<input type="checkbox"/> Sandy Redox (S5)							
<input type="checkbox"/> Histic Epipedon (A2)				<input type="checkbox"/> Stripped Matrix (S6)							
<input type="checkbox"/> Black Histic (A3)				<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )							
<input type="checkbox"/> Hydrogen Sulfide (A4)				<input type="checkbox"/> Loamy Gleyed Matrix (F2)							
<input type="checkbox"/> Depleted Below Dark Surface (A11)				<input checked="" type="checkbox"/> Depleted Matrix (F3)							
<input type="checkbox"/> Thick Dark Surface (A12)				<input type="checkbox"/> Redox Dark Surface (F6)							
<input type="checkbox"/> Sandy Mucky Mineral (S1)				<input type="checkbox"/> Depleted Dark Surface (F7)							
<input type="checkbox"/> Sandy Gleyed Matrix (S4)				<input type="checkbox"/> Redox Depressions (F8)							
<b>Indicators for Problematic Hydric Soils<sup>3</sup></b>											
<input type="checkbox"/> 2cm Muck (A10)											
<input type="checkbox"/> Red Parent Material (TF2)											
<input type="checkbox"/> Other (explain in remarks)											
<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic											
Restrictive Layer (if present):						Hydric soil present?		Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Type: _____											
Depth (inches): _____											
Remarks:											

HYDROLOGY

Wetland Hydrology Indicators:													
<b>Primary Indicators (minimum of one required: check all that apply):</b>						<b>Secondary Indicators (2 or more required):</b>							
<input type="checkbox"/> Surface water (A1)				<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)				<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )					
<input type="checkbox"/> High Water Table (A2)				<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)				<input type="checkbox"/> Drainage Patterns (B10)					
<input type="checkbox"/> Saturation (A3)				<input type="checkbox"/> Salt Crust (B11)				<input type="checkbox"/> Dry-Season Water Table (C2)					
<input type="checkbox"/> Water Marks (B1)				<input type="checkbox"/> Aquatic Invertebrates (B13)				<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)					
<input type="checkbox"/> Sediment Deposits (B2)				<input type="checkbox"/> Hydrogen Sulfide Odor (C1)				<input checked="" type="checkbox"/> Geomorphic Position (D2)					
<input type="checkbox"/> Drift Deposits (B3)				<input checked="" type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)				<input type="checkbox"/> Shallow Aquitard (D3)					
<input type="checkbox"/> Algal Mat or Crust (B4)				<input type="checkbox"/> Presence of Reduced Iron (C4)				<input checked="" type="checkbox"/> FAC-Neutral Test (D5)					
<input type="checkbox"/> Iron Deposits (B5)				<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)				<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )					
<input type="checkbox"/> Surface Soil Cracks (B6)				<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )				<input type="checkbox"/> Frost-Heave Hummocks					
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)				<input type="checkbox"/> Other (explain in remarks)									
<b>Field Observations</b>						<b>Wetland Hydrology Present?</b>							
Surface Water Present?		Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	Depth (in):				Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Water Table Present?		Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	Depth (in):							
Saturation Present? (includes capillary fringe)		Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	Depth (in):							
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:													
Remarks:													

DP- 12

Project Site: <b>Segment E, parcel number 3425059010</b>		Sampling Date: <b>6/3/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 12</b>
Investigator: <b>Katy Crandall, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 34 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5-10</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: <b>Wetland EB03; west of SE 1st street.</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A) Total Number of Dominant Species Across All Strata: <b>2</b> (B) Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
2.																									
3.																									
4.																									
_____ = Total Cover																									
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b><i>Phalaris arundinacea</i></b>	<b>100</b>	<b>Y</b>	<b>FACW</b>	Prevalence Index = B / A =																					
2. <b><i>Solanum dulcamara</i></b>	<b>50</b>	<b>Y</b>	<b>FAC</b>																						
3.				<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic  <b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>150</b> = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum: 0																									
Remarks: <b><i>Rubus armeniacus</i> growing in plot from upslope</b>																									

**SOIL**

**Sampling Point – DP-12**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-10	10YR 3/2	100					Sandy loam	
10-12	5GY 4/1	100					Sandy loam	Slightly higher sand content

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input checked="" type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present):  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric soil present?**    Yes     No

Remarks:

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input checked="" type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input checked="" type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

**Field Observations**

Surface Water Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in): <b>+1/2"</b>	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Water Table Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in): <b>At surface</b>	
Saturation Present? (includes capillary fringe)    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in): <b>Throughout</b>	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **About a half an inch of surface water flow near the test pit.**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 13**

Project Site: <b>Segment E, parcel number 3425059010</b>		Sampling Date: <b>6/3/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 13</b>
Investigator: <b>Katy Crandall, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 34 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Remarks: <b>Wetland EB04; depression adjacent to trail south of EB03.</b>		

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>1</b> (A) Total Number of Dominant Species Across All Strata: <b>1</b> (B) Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
2.																									
3.																									
4.																									
_____ = Total Cover																									
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b>Holcus lanatus</b>	<b>75</b>	<b>Y</b>	<b>FAC</b>	Prevalence Index = B / A =  <b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * <input type="checkbox"/> Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
2. <b>Equisetum telmateia</b>	<b>25</b>	<b>N</b>	<b>FACW</b>																						
3. <b>Carex stipata</b>	<b>25</b>	<b>N</b>	<b>OBL</b>																						
4. <b>Phalaris arundinacea</b>	<b>20</b>	<b>N</b>	<b>FACW</b>																						
5. <b>Juncus effusus</b>	<b>20</b>	<b>N</b>	<b>FACW</b>																						
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?																					
1.				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks:																									

**SOIL**

**Sampling Point – DP-13**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-2	2.5Y 3/2	100					Sandy loam	
2-16	5Y 4/1	85	10YR 4/6	15	C	M	Gravelly sandy clay loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input checked="" type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks:

**HYDROLOGY**

**Wetland Hydrology Indicators:**  
*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Water Table Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>15" BGS</b> Saturation Present? (includes capillary fringe)    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>surface</b>	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **Standing water present in nearby depression.**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 14**

Project Site: <b>Segment E, parcel number 3425059010</b>		Sampling Date: <b>6/3/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 14</b>
Investigator: <b>Katy Crandall, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 34 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5-10</b>	Local relief (concave, convex, none): <b>NA</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Hydric Soils Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Remarks: <b>EB03/EB04 out-pit</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																																
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)																																
2.																																				
3.																																				
4.																																				
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>4</b> (B)																																
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>50</b> (A/B)																																
Sapling/Shrub Stratum (Plot size: 3m diam.)				Prevalence Index Worksheet																																
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Total % Cover of</th> <th style="text-align: center;">Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)											
Total % Cover of		Multiply by																																		
OBL species		x 1 =																																		
FACW species		x 2 =																																		
FAC species		x 3 =																																		
FACU species		x 4 =																																		
UPL species		x 5 =																																		
Column totals	(A)	(B)																																		
2.																																				
3.																																				
4.																																				
5.																																				
_____ = Total Cover																																				
Herb Stratum (Plot size: 1m diam.)				Prevalence Index = B / A =																																
1. <b><i>Dactylis glomerata</i></b>	<b>30</b>	<b>Y</b>	<b>FACU</b>	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4" style="text-align: center;">Hydrophytic Vegetation Indicators</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td colspan="3">Dominance test is &gt; 50%</td> </tr> <tr> <td><input type="checkbox"/></td> <td colspan="3">Prevalence test is ≤ 3.0 *</td> </tr> <tr> <td><input type="checkbox"/></td> <td colspan="3">Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)</td> </tr> <tr> <td><input type="checkbox"/></td> <td colspan="3">Wetland Non-Vascular Plants *</td> </tr> <tr> <td><input type="checkbox"/></td> <td colspan="3">Problematic Hydrophytic Vegetation * (explain)</td> </tr> <tr> <td colspan="4">* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic</td> </tr> <tr> <td colspan="4" style="text-align: center;"><b>Hydrophytic Vegetation Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></td> </tr> </tbody> </table>	Hydrophytic Vegetation Indicators				<input type="checkbox"/>	Dominance test is > 50%			<input type="checkbox"/>	Prevalence test is ≤ 3.0 *			<input type="checkbox"/>	Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)			<input type="checkbox"/>	Wetland Non-Vascular Plants *			<input type="checkbox"/>	Problematic Hydrophytic Vegetation * (explain)			* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic				<b>Hydrophytic Vegetation Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Hydrophytic Vegetation Indicators																																				
<input type="checkbox"/>	Dominance test is > 50%																																			
<input type="checkbox"/>	Prevalence test is ≤ 3.0 *																																			
<input type="checkbox"/>	Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)																																			
<input type="checkbox"/>	Wetland Non-Vascular Plants *																																			
<input type="checkbox"/>	Problematic Hydrophytic Vegetation * (explain)																																			
* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																																				
<b>Hydrophytic Vegetation Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>																																				
2. <b><i>Holcus lanatus</i></b>	<b>30</b>	<b>Y</b>	<b>FAC</b>																																	
3. <b><i>Other grass</i></b>	<b>30</b>	<b>Y</b>	<b>FAC*</b>																																	
4. <b><i>Rumex crispus</i></b>	<b>10</b>	<b>N</b>	<b>FAC</b>																																	
5.																																				
6.																																				
7.																																				
8.																																				
9.																																				
10.																																				
11.																																				
_____ <b>100</b> = Total Cover																																				
Woody Vine Stratum (Plot size: )																																				
1. <b><i>Rubus armeniacus</i></b>	<b>10</b>	<b>Y</b>	<b>FACU</b>																																	
2.																																				
_____ <b>10</b> = Total Cover																																				
% Bare Ground in Herb Stratum: 0																																				
Remarks: <b>*Presumed FAC</b>																																				

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-8	10 YR 3/2	100					Gravelly sandy loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present):  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric soil present?**    Yes     No

Remarks:    **Soil very compact**

HYDROLOGY

**Wetland Hydrology Indicators:**  
*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

**Field Observations**

Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____
Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____
Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____

**Wetland Hydrology Present?**    Yes     No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

DP- 15

Project Site: <b>Segment E, parcel number 3425059010</b>		Sampling Date: <b>6/3/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 15</b>
Investigator: <b>Katy Crandall, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 34 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland EB05 in-pit</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)	
2.				Total Number of Dominant Species Across All Strata: <b>2</b> (B)	
3.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)	
4.				_____ = Total Cover	
<b>Sapling/Shrub Stratum (Plot size: 3m diam.)</b>				<b>Prevalence Index Worksheet</b>	
1.				Total % Cover of <span style="float: right;">Multiply by</span>	
2.				OBL species	x 1 =
3.				FACW species	x 2 =
4.				FAC species	x 3 =
5.				FACU species	x 4 =
				UPL species	x 5 =
				Column totals	(A) (B)
<b>Herb Stratum (Plot size: 1m diam.)</b>				Prevalence Index = B / A =	
1.	<b>60</b>	<b>Y</b>	<b>FACW</b>	<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)	
2.	<b>60</b>	<b>Y</b>	<b>FAC</b>		
3.	<b>5</b>	<b>N</b>	<b>FAC*</b>		
4.	<b>5</b>	<b>N</b>	<b>FACW</b>		
5.					
6.					
7.					
8.					
9.					
10.					
11.					
	<b>130</b>			* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
<b>Woody Vine Stratum (Plot size: )</b>				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
1.					
2.					
				_____ = Total Cover	
% Bare Ground in Herb Stratum:					
Remarks: <b>*Presumed FAC</b>					

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-9	2.5Y 3/2	100					Loam	High organic content
9-16	5GY 4/1	100					Gravelly sandy loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>
<input checked="" type="checkbox"/> Hydrogen Sulfide (A4)	<input checked="" type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks:

HYDROLOGY

**Wetland Hydrology Indicators:**  
*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input checked="" type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>+1/2</b> Water Table Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>At surface</b> Saturation Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>Throughout</b> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **Shallow standing water**

DP- 16

Project Site: <b>Segment E, parcel number 3425059010</b>		Sampling Date: <b>6/3/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 16</b>
Investigator: <b>Katy Crandall, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 34 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland EB06</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)	
2.				Total Number of Dominant Species Across All Strata: <b>2</b> (B)	
3.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)	
4.					
_____ = Total Cover					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet	
1.					
2.				Multiply by	
3.				OBL species	x 1 =
4.				FACW species	x 2 =
5.				FAC species	x 3 =
_____ = Total Cover				FACU species	x 4 =
_____ = Total Cover				UPL species	x 5 =
_____ = Total Cover				Column totals	(A) (B)
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index = B / A =	
1. <i>Phalaris arundinacea</i>	<b>90</b>	<b>Y</b>	<b>FACW</b>		
2. <i>Equisetum telmateia</i>	<b>50</b>	<b>Y</b>	<b>FACW</b>		
3. <i>Vicia sp.</i>	<b>20</b>	<b>N</b>	<b>FAC*</b>		
4. <i>Cirsium arvense</i>	<b>5</b>	<b>N</b>	<b>FAC</b>		
5.				<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)	
6.					
7.					
8.					
9.					
10.					
11.					
_____ = Total Cover				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
1.					
2.					
_____ = Total Cover					
% Bare Ground in Herb Stratum:					
Remarks: <b>*Presumed FAC</b>					

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	2.5Y 3/2	100					Sandy loam	
5-14	10GY 4/1	90	10YR 4/8	10	C	M, PL	Loamy sand	
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Loc: PL=Pore Lining, M=Matrix								
<b>Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)</b>								
<input type="checkbox"/> Histosol (A1)			<input type="checkbox"/> Sandy Redox (S5)			<b>Indicators for Problematic Hydric Soils<sup>3</sup></b>		
<input type="checkbox"/> Histic Epipedon (A2)			<input type="checkbox"/> Stripped Matrix (S6)			<input type="checkbox"/> 2cm Muck (A10)		
<input type="checkbox"/> Black Histic (A3)			<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )			<input type="checkbox"/> Red Parent Material (TF2)		
<input type="checkbox"/> Hydrogen Sulfide (A4)			<input checked="" type="checkbox"/> Loamy Gleyed Matrix (F2)			<input type="checkbox"/> Other (explain in remarks)		
<input type="checkbox"/> Depleted Below Dark Surface (A11)			<input type="checkbox"/> Depleted Matrix (F3)					
<input type="checkbox"/> Thick Dark Surface (A12)			<input type="checkbox"/> Redox Dark Surface (F6)			<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic		
<input type="checkbox"/> Sandy Mucky Mineral (S1)			<input type="checkbox"/> Depleted Dark Surface (F7)					
<input type="checkbox"/> Sandy Gleyed Matrix (S4)			<input type="checkbox"/> Redox Depressions (F8)					
Restrictive Layer (if present):						Hydric soil present?		
Type: _____						Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Depth (inches): _____								
Remarks:								

HYDROLOGY

<b>Wetland Hydrology Indicators:</b> <i>Primary Indicators (minimum of one required: check all that apply):</i>				<i>Secondary Indicators (2 or more required):</i>			
<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)			<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )			
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)			<input type="checkbox"/> Drainage Patterns (B10)			
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)			<input type="checkbox"/> Dry-Season Water Table (C2)			
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)			<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)			
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)			<input checked="" type="checkbox"/> Geomorphic Position (D2)			
<input type="checkbox"/> Drift Deposits (B3)	<input checked="" type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)			<input type="checkbox"/> Shallow Aquitard (D3)			
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)			<input checked="" type="checkbox"/> FAC-Neutral Test (D5)			
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)			<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )			
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )			<input type="checkbox"/> Frost-Heave Hummocks			
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)						
<b>Field Observations</b>							
Surface Water Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):	<b>Wetland Hydrology Present?</b>			
Water Table Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
Saturation Present? (includes capillary fringe)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Depth (in): <b>Throughout</b>				
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:							
Remarks: <b>Water seeping into pit at about 5 inches below ground surface and pooling in bottom of pit.</b>							



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

DP- 17

Project Site: <b>Segment E, parcel number 2077700035</b>		Sampling Date: <b>6/5/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 17</b>
Investigator: <b>Katy Crandall, Rose Whitson, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 03 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 15-30% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland EB11</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet			
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)			
2.				Total Number of Dominant Species Across All Strata: <b>2</b> (B)			
3.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)			
4.							
_____ = Total Cover							
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet			
1. <b><i>Rubus spectabilis</i></b>	<b>15</b>	<b>Y</b>	<b>FAC</b>				
2.				Total % Cover of			
3.				OBL species	x 1 =		
4.				FACW species	x 2 =		
5.				FAC species	x 3 =		
_____ = Total Cover				FACU species	x 4 =		
				UPL species	x 5 =		
				Column totals	(A) (B)		
				Prevalence Index = B / A =			
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators			
1. <b><i>Phalaris arundinacea</i></b>	<b>85</b>	<b>Y</b>	<b>FACW</b>			<input checked="" type="checkbox"/> Dominance test is > 50%	
2. <b><i>Juncus effusus</i></b>	<b>20</b>	<b>N</b>	<b>FACW</b>	<input type="checkbox"/> Prevalence test is ≤ 3.0 *			
3. <b><i>Typha latifolia</i></b>	<b>15</b>	<b>N</b>	<b>OBL</b>	Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)			
4. <b><i>Galium sp.</i></b>	<b>10</b>	<b>N</b>	<b>FACU</b>	<input type="checkbox"/> Wetland Non-Vascular Plants *			
5. <b><i>Stachys cooleyae</i></b>	<b>5</b>	<b>N</b>	<b>FACW</b>	<input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)			
6. <b><i>Athyrium cyclosorum</i></b>	<b>5</b>	<b>N</b>	<b>FAC</b>				
7. <b><i>Equisetum telmateia</i></b>	<b>Trace</b>	<b>N</b>	<b>FACW</b>				
8.							
9.							
10.							
11.							
_____ <b>140</b> = Total Cover				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic			
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status			<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
1.							
2.							
_____ = Total Cover							
% Bare Ground in Herb Stratum:							
Remarks:							

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 3/2	90	7.5YR 3/4	10	C	M	Sandy loam	
5-14	10Y 3/1	93	5YR 3/4	7	C	PL	Coarse sandy loam	
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Loc: PL=Pore Lining, M=Matrix								
<b>Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)</b>								
<input type="checkbox"/> Histosol (A1)			<input type="checkbox"/> Sandy Redox (S5)			<b>Indicators for Problematic Hydric Soils<sup>3</sup></b>		
<input type="checkbox"/> Histic Epipedon (A2)			<input type="checkbox"/> Stripped Matrix (S6)			<input type="checkbox"/> 2cm Muck (A10)		
<input type="checkbox"/> Black Histic (A3)			<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )			<input type="checkbox"/> Red Parent Material (TF2)		
<input type="checkbox"/> Hydrogen Sulfide (A4)			<input type="checkbox"/> Loamy Gleyed Matrix (F2)			<input type="checkbox"/> Other (explain in remarks)		
<input type="checkbox"/> Depleted Below Dark Surface (A11)			<input type="checkbox"/> Depleted Matrix (F3)					
<input type="checkbox"/> Thick Dark Surface (A12)			<input checked="" type="checkbox"/> Redox Dark Surface (F6)			<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic		
<input type="checkbox"/> Sandy Mucky Mineral (S1)			<input type="checkbox"/> Depleted Dark Surface (F7)					
<input type="checkbox"/> Sandy Gleyed Matrix (S4)			<input type="checkbox"/> Redox Depressions (F8)					
Restrictive Layer (if present): Type: _____ Depth (inches): _____						<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Remarks:								

HYDROLOGY

<b>Wetland Hydrology Indicators:</b> <i>Primary Indicators (minimum of one required: check all that apply):</i>				<i>Secondary Indicators (2 or more required):</i>			
<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)	<input type="checkbox"/> Aquatic Invertebrates (B13)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input checked="" type="checkbox"/> Shallow Aquitard (D3)	<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Frost-Heave Hummocks	
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )	<input type="checkbox"/> Other (explain in remarks)		<input type="checkbox"/> Iron Deposits (B5)			
<input type="checkbox"/> Surface Soil Cracks (B6)				<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)			
<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): Saturation Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>throughout</b>				<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:							
Remarks:							



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

DP- 18

Project Site: <b>Segment E, parcel number 2077700035</b>		Sampling Date: <b>6/5/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 18</b>
Investigator: <b>Katy Crandall, Rose Whitson, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 03 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5</b>	Local relief (concave, convex, none): <b>None</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 15-30% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Hydric Soils Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Remarks: <b>Wetland EB11 out-pit</b>	

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>1</b> (A) Total Number of Dominant Species Across All Strata: <b>2</b> (B) Percent of Dominant Species that are OBL, FACW, or FAC: <b>50</b> (A/B)																					
2.																									
3.																									
4.																									
_____ = Total Cover																									
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b>Various unknown grasses</b>	<b>80</b>	<b>Y</b>	<b>FAC*</b>	Prevalence Index = B / A =  <b>Hydrophytic Vegetation Indicators</b> <input type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * <input type="checkbox"/> Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic  <b>Hydrophytic Vegetation Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>																					
2. <b>Equisetum telmateia</b>	<b>15</b>	<b>N</b>	<b>FACW</b>																						
3. <b>Phalaris arundinacea</b>	<b>15</b>	<b>N</b>	<b>FACW</b>																						
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>110</b> = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b>Rubus armeniacus</b>	<b>20</b>	<b>Y</b>	<b>FACU</b>	<b>Hydrophytic Vegetation Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>																					
2. <b>Rubus ursinus</b>	<b>Trace</b>	<b>N</b>	<b>FACU</b>																						
_____ <b>20</b> = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks: <b>*Presumed FAC</b>																									

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-9	10YR 2/2	100					Sandy loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present):  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric soil present?**    Yes     No

Remarks:    **Soils contain some cobbles and is compact.**

HYDROLOGY

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

**Field Observations**

Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____
Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____
Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____

**Wetland Hydrology Present?**    Yes     No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **dry**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

DP- 19

Project Site: <b>Segment E, parcel number 2077700042</b>		Sampling Date: <b>6/5/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 19</b>
Investigator: <b>Katy Crandall, Rose Whitson, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 03 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>&lt;5</b>	Local relief (concave, convex, none): <b>None</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 15-30% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland EB12</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1. <b><i>Salix scouleriana</i></b>	<b>100</b>	<b>Y</b>	<b>FAC</b>	Number of Dominant Species that are OBL, FACW, or FAC:	<b>4</b> (A)
2.				Total Number of Dominant Species Across All Strata:	<b>5</b> (B)
3.				Percent of Dominant Species that are OBL, FACW, or FAC:	<b>80</b> (A/B)
4.					
_____ = Total Cover					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet	
1. <b><i>Rubus spectabilis</i></b>	<b>45</b>	<b>Y</b>	<b>FAC</b>		
2.				OBL species	x 1 =
3.				FACW species	x 2 =
4.				FAC species	x 3 =
5.				FACU species	x 4 =
6.				UPL species	x 5 =
7.				Column totals	(A) (B)
8.				Prevalence Index = B / A =	
9.				Hydrophytic Vegetation Indicators	
10.					
11.				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
_____ = Total Cover					
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
1. <b><i>Rubus armeniacus</i></b>	<b>50</b>	<b>Y</b>	<b>FACU</b>		
2. <b><i>Solanum dulcamara</i></b>	<b>25</b>	<b>Y</b>	<b>FAC</b>		
_____ = Total Cover					
% Bare Ground in Herb Stratum: 70 Remarks:					





**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 20**

Project Site: <b>Segment E, parcel number 3425059016</b>		Sampling Date: <b>6/8/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 20</b>
Investigator: <b>Katy Crandall, Neil Lund, Clover Muters</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 34 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5-10</b>	Local relief (concave, convex, none): <b>None</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 15-30% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland EB08</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>4</b> (A)	
2.				Total Number of Dominant Species Across All Strata: <b>4</b> (B)	
3.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)	
4.				_____ = Total Cover	
<b>Sapling/Shrub Stratum (Plot size: 3m diam.)</b>				<b>Prevalence Index Worksheet</b>	
1.	<b>5</b>	<b>Y</b>	<b>FAC</b>	Total % Cover of <span style="float: right;">Multiply by</span>	
2.				OBL species	x 1 =
3.				FACW species	x 2 =
4.				FAC species	x 3 =
5.				FACU species	x 4 =
	<b>5</b>			UPL species	x 5 =
				Column totals	(A) (B)
<b>Herb Stratum (Plot size: 1m diam.)</b>				Prevalence Index = B / A =	
1.	<b>90</b>	<b>Y</b>	<b>FACW</b>	<b>Hydrophytic Vegetation Indicators</b>	
2.	<b>35</b>	<b>Y</b>	<b>FACW</b>		
3.	<b>5</b>	<b>N</b>	<b>OBL</b>		
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.					
	<b>130</b>			* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
<b>Woody Vine Stratum (Plot size: 3m diam )</b>				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
1.	<b>15</b>	<b>Y</b>	<b>FAC</b>		
2.					
	<b>15</b>			_____ = Total Cover	
% Bare Ground in Herb Stratum:					
Remarks:					



DP- 21

Project Site: <b>Segment E, parcel number 3425059016</b>		Sampling Date: <b>6/8/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 21</b>
Investigator: <b>Katy Crandall, Neil Lund, Clover Muters</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 34 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Terrace</b>	Slope (%): <b>~5</b>	Local relief (concave, convex, none): <b>None</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 15-30% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Hydric Soils Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>		Yes <input type="checkbox"/>
				No <input checked="" type="checkbox"/>
Remarks: <b>Former wetland per GeoEngineers' 2008 delineation</b>				

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>3</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>4</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>75</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b><i>Alnus rubra</i></b>	<b>5</b>	<b>Y</b>	<b>FAC</b>	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover				Prevalence Index = B / A =																					
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators																					
1. <b><i>Juncus effusus</i></b>	<b>75</b>	<b>Y</b>	<b>FACW</b>	<input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)																					
2. <b><i>Phalaris arundinacea</i></b>	<b>40</b>	<b>Y</b>	<b>FACW</b>																						
3.																									
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ = Total Cover				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
_____ = Total Cover																									
_____ = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?																					
1. <b><i>Rubus armeniacus</i></b>	<b>20</b>	<b>Y</b>	<b>FACU</b>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks:																									

**SOIL**

**Sampling Point – DP-21**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10 YR 3/2	100					Gravelly sandy clay loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Remarks:    **Compact, cannot dig below 5" depth.**

**HYDROLOGY**

**Wetland Hydrology Indicators:**  
*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____	<b>Wetland Hydrology Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 22**

Project Site: <b>Segment E, parcel number 3425059017</b>		Sampling Date: <b>6/8/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 22</b>
Investigator: <b>Katy Crandall, Neil Lund, Clover Muters</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 34 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Depression</b>	Slope (%): <b>2</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 15-30% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampling Point within a Wetland?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Remarks: <b>Wetland EB09 – Stream EB07 present within boundaries.</b>				

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1. <b><i>Thuja plicata</i></b>	<b>30</b>	<b>Y</b>	<b>FAC</b>	Number of Dominant Species that are OBL, FACW, or FAC:	<b>3</b> (A)
2. <b><i>Acer macrophyllum (rooted out)</i></b>				Total Number of Dominant Species Across All Strata:	<b>4</b> (B)
3.				Percent of Dominant Species that are OBL, FACW, or FAC:	<b>75</b> (A/B)
4.	<b>30</b>	= Total Cover			
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet	
1. <b><i>Rubus spectabilis</i></b>	<b>90</b>	<b>Y</b>	<b>FAC</b>		
2.				OBL species	x 1 =
3.				FACW species	x 2 =
4.				FAC species	x 3 =
5.				FACU species	x 4 =
	<b>90</b>	= Total Cover		UPL species	x 5 =
				Column totals	(A) (B)
				Prevalence Index = B / A =	
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators	
1. <b><i>Equisetum telmateia</i></b>	<b>20</b>	<b>Y</b>	<b>FACW</b>		
2.				<input type="checkbox"/> Prevalence test is ≤ 3.0 *	
3.				Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)	
4.				<input type="checkbox"/> Wetland Non-Vascular Plants *	
5.				<input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)	
6.				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
7.					
8.					
9.					
10.					
11.	<b>20</b>	= Total Cover			
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
1. <b><i>Rubus armeniacus</i></b>	<b>10</b>	<b>Y</b>	<b>FACU</b>		
2.					
	<b>10</b>	= Total Cover			
% Bare Ground in Herb Stratum:					
Remarks:					

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-10	10YR 3/1	100					Gravelly sandy clay loam	
10-16	5GY 5/1	100					Gravelly clay loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input checked="" type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks:

HYDROLOGY

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>
<input checked="" type="checkbox"/> Drainage Patterns (B10)
<input checked="" type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>
<input type="checkbox"/> Frost-Heave Hummocks

<p><b>Field Observations</b></p> <p>Surface Water Present?    Yes <input type="checkbox"/>    No <input checked="" type="checkbox"/>    Depth (in): _____</p> <p>Water Table Present?    Yes <input checked="" type="checkbox"/>    No <input type="checkbox"/>    Depth (in): <b>15" BGS</b></p> <p>Saturation Present? (includes capillary fringe)    Yes <input checked="" type="checkbox"/>    No <input type="checkbox"/>    Depth (in): <b>throughout</b></p>	<p><b>Wetland Hydrology Present?</b>    Yes <input checked="" type="checkbox"/>    No <input type="checkbox"/></p>
---	--

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: **Surface water (Stream EB07) located nearby. BGS = below ground surface**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 23**

Project Site: <b>Segment E, parcel number 3425059009</b>		Sampling Date: <b>6/8/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 23</b>
Investigator: <b>Katy Crandall, Neil Lund, Clover Muters</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 34 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5-10</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 15-30% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland EB10</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>3</b> (A) Total Number of Dominant Species Across All Strata: <b>3</b> (B) Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
2.																									
3.																									
4.																									
_____ = Total Cover																									
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <i>Scirpus microcarpus</i>	<b>25</b>	<b>Y</b>	<b>OBL</b>	Prevalence Index = B / A = _____  <b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * <input type="checkbox"/> Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
2. <i>Juncus effusus</i>	<b>25</b>	<b>Y</b>	<b>FACW</b>																						
3. <i>Phalaris arundinacea</i>	<b>20</b>	<b>Y</b>	<b>FACW</b>																						
4. <i>Carex stipata</i>	<b>10</b>	<b>N</b>	<b>OBL</b>																						
5. <i>Athyrium cyclosum</i>	<b>10</b>	<b>N</b>	<b>FAC</b>																						
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>90</b> = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators																					
1.				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum: _____																									
Remarks:																									



**DP- 24**

Project Site: <b>Segment E, parcel number 3425059009</b>		Sampling Date: <b>6/8/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 24</b>
Investigator: <b>Katy Crandall, Neil Lund, Clover Muters</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 34 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>&gt;10</b>	Local relief (concave, convex, none): <b>None</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 15-30% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: <b>Wetland EB10 out-pit</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A) Total Number of Dominant Species Across All Strata: <b>3</b> (B) Percent of Dominant Species that are OBL, FACW, or FAC: <b>67</b> (A/B)																					
2.																									
3.																									
4.																									
_____ = Total Cover																									
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b>Unknown grass</b>	<b>30</b>	<b>Y</b>	<b>FAC*</b>	Prevalence Index = B / A =  <b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)																					
2. <b>Equisetum telmateia</b>	<b>15</b>	<b>Y</b>	<b>FACW</b>																						
3. <b>Phalaris arundinacea</b>	<b>5</b>	<b>N</b>	<b>FACW</b>																						
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>50</b> = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b>Rubus armeniacus</b>	<b>5</b>	<b>Y</b>	<b>FACU</b>	* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic  <b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
_____ <b>5</b> = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks:																									

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-8	2.5Y 3/2	90	10YR 3/4	10	C	M	Sandy loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input checked="" type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks: **Soils compact**

HYDROLOGY

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____	<b>Wetland Hydrology Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 24A**

Project Site: <b>Segment E – parcel number 3425059010</b>		Sampling Date: <b>6/15/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 24A</b>
Investigator: <b>K. Crandall, R. Whitson</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 34 T 25N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>15</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>EwC – Everett-Alderwood gravelly sandy loams, 6-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland EB07 inpit.</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>1</b> (A)	
2.				Total Number of Dominant Species Across All Strata: <b>1</b> (B)	
3.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)	
4.				_____ = Total Cover	
<b>Sapling/Shrub Stratum (Plot size: 3m diam.)</b>				<b>Prevalence Index Worksheet</b>	
1.				Total % Cover of <span style="float: right;">Multiply by</span>	
2.				OBL species	x 1 =
3.				FACW species	x 2 =
4.				FAC species	x 3 =
5.				FACU species	x 4 =
				UPL species	x 5 =
				Column totals	(A) (B)
<b>Herb Stratum (Plot size: 1m diam.)</b>				Prevalence Index = B / A =	
1.	<b>100</b>	<b>Y</b>	<b>FACW</b>	<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)	
2.	<b>10</b>	<b>N</b>	<b>OBL</b>		
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.					
	<b>110</b>			* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
<b>Woody Vine Stratum (Plot size: )</b>				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
1.					
2.					
				_____ = Total Cover	
% Bare Ground in Herb Stratum:					
Remarks: <b>Herbaceous vegetation is mowed.</b>					

**SOIL**

**Sampling Point – DP-24A**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-18	2.5Y 3/1	100					Coarse loamy sand	
18-24	5GY 5/1	90	7.5YR 3/2	10	C	M	Gravelly loamy sand	Round small pea-gravel

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>
<input checked="" type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present):  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric soil present?**    Yes     No

Remarks:

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>
<input type="checkbox"/> Frost-Heave Hummocks

**Field Observations**

Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):	
Saturation Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in): <b>0 BGS</b>	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **BGS = below ground surface**  
**Some surface water upslope from test pit**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 25**

Project Site: <b>Segment E – parcel number 0324059066</b>		Sampling Date: <b>6/15/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 25</b>
Investigator: <b>K. Crandall, R. Whitson</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 03 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 15-30% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<b>Below avg precipitation</b>
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		(If needed, explain any answers in Remarks.)
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic?		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampling Point within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: <b>Wetland EB13 in-pit</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet														
1. <b><i>Alnus rubra</i></b>	<b>100</b>	<b>Y</b>	<b>FAC</b>	Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)														
2.				Total Number of Dominant Species Across All Strata: <b>2</b> (B)														
3.																		
4.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)														
	<b>100</b>	= Total Cover																
<b>Sapling/Shrub Stratum (Plot size: 3m diam.)</b>				<b>Prevalence Index Worksheet</b> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td>x 5 =</td> </tr> <tr> <td>Column totals (A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of	Multiply by	OBL species	x 1 =	FACW species	x 2 =	FAC species	x 3 =	FACU species	x 4 =	UPL species	x 5 =	Column totals (A)	(B)
Total % Cover of	Multiply by																	
OBL species	x 1 =																	
FACW species	x 2 =																	
FAC species	x 3 =																	
FACU species	x 4 =																	
UPL species	x 5 =																	
Column totals (A)	(B)																	
1.																		
2.																		
3.																		
4.																		
5.																		
		= Total Cover																
<b>Herb Stratum (Plot size: 1m diam.)</b>				Prevalence Index = B / A =														
1. <b><i>Phalaris arundinacea</i></b>	<b>85</b>	<b>Y</b>	<b>FACW</b>															
2. <b><i>Equisetum telmateia</i></b>	<b>15</b>	<b>N</b>	<b>FACW</b>															
3. <b><i>Cardamine oligosperma</i></b>	<b>5</b>	<b>N</b>	<b>FAC</b>															
4.																		
5.																		
6.																		
7.																		
8.																		
9.																		
10.																		
11.																		
	<b>105</b>	= Total Cover																
<b>Woody Vine Stratum (Plot size: )</b>				<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic														
1.																		
2.																		
		= Total Cover																
% Bare Ground in Herb Stratum:																		
Remarks:																		

**SOIL**

**Sampling Point – DP-25**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-6	10YR 3/2	100					Gravelly sandy loam	
6-16	2.5Y 3/1	85	7.5YR 3/3	15	C	M	Gravelly sandy loam	With large cobbles

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input checked="" type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks:

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input checked="" type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Saturation Present? (includes capillary fringe)    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>throughout</b>	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **Groundwater seeps in pit at 6 inches below ground surface. Iron deposits near test pit.**



Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 3/1	100					Sandy silt loam	Moist
5-18	10YR 4/1	80	10YR 4/6	20	C	M, PL	Sandy loam	Medium to large sized gravel

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains      <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input checked="" type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present):  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric soil present?**      Yes       No

Remarks:

HYDROLOGY

<p><b>Wetland Hydrology Indicators:</b></p> <p><i>Primary Indicators (minimum of one required: check all that apply):</i></p> <table style="width:100%;"> <tr> <td><input type="checkbox"/> Surface water (A1)</td> <td><input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)</td> </tr> <tr> <td><input type="checkbox"/> High Water Table (A2)</td> <td><input type="checkbox"/> Water-Stained Leaves (<b>except MLRA 1, 2, 4A &amp; 4B</b>) (B9)</td> </tr> <tr> <td><input checked="" type="checkbox"/> Saturation (A3)</td> <td><input type="checkbox"/> Salt Crust (B11)</td> </tr> <tr> <td><input type="checkbox"/> Water Marks (B1)</td> <td><input type="checkbox"/> Aquatic Invertebrates (B13)</td> </tr> <tr> <td><input type="checkbox"/> Sediment Deposits (B2)</td> <td><input type="checkbox"/> Hydrogen Sulfide Odor (C1)</td> </tr> <tr> <td><input type="checkbox"/> Drift Deposits (B3)</td> <td><input checked="" type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)</td> </tr> <tr> <td><input type="checkbox"/> Algal Mat or Crust (B4)</td> <td><input type="checkbox"/> Presence of Reduced Iron (C4)</td> </tr> <tr> <td><input type="checkbox"/> Iron Deposits (B5)</td> <td><input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)</td> </tr> <tr> <td><input type="checkbox"/> Surface Soil Cracks (B6)</td> <td><input type="checkbox"/> Stunted or Stressed Plants (D1) (<b>LRR A</b>)</td> </tr> <tr> <td><input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)</td> <td><input type="checkbox"/> Other (explain in remarks)</td> </tr> </table>		<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)	<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)	<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drift Deposits (B3)	<input checked="" type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)	<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )	<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)	<p><i>Secondary Indicators (2 or more required):</i></p> <table style="width:100%;"> <tr> <td><input type="checkbox"/> Water-Stained Leaves (B9) (<b>MLRA 1, 2, 4A &amp; 4B</b>)</td> </tr> <tr> <td><input type="checkbox"/> Drainage Patterns (B10)</td> </tr> <tr> <td><input type="checkbox"/> Dry-Season Water Table (C2)</td> </tr> <tr> <td><input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)</td> </tr> <tr> <td><input checked="" type="checkbox"/> Geomorphic Position (D2)</td> </tr> <tr> <td><input type="checkbox"/> Shallow Aquitard (D3)</td> </tr> <tr> <td><input checked="" type="checkbox"/> FAC-Neutral Test (D5)</td> </tr> <tr> <td><input type="checkbox"/> Raised Ant Mounds (D6) (<b>LRR A</b>)</td> </tr> <tr> <td><input type="checkbox"/> Frost-Heave Hummocks</td> </tr> </table>	<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input checked="" type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)	<input checked="" type="checkbox"/> FAC-Neutral Test (D5)	<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )	<input type="checkbox"/> Frost-Heave Hummocks
<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)																														
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)																														
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)																														
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)																														
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)																														
<input type="checkbox"/> Drift Deposits (B3)	<input checked="" type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)																														
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)																														
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)																														
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )																														
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)																														
<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )																															
<input type="checkbox"/> Drainage Patterns (B10)																															
<input type="checkbox"/> Dry-Season Water Table (C2)																															
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)																															
<input checked="" type="checkbox"/> Geomorphic Position (D2)																															
<input type="checkbox"/> Shallow Aquitard (D3)																															
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)																															
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )																															
<input type="checkbox"/> Frost-Heave Hummocks																															
<p><b>Field Observations</b></p> <table style="width:100%;"> <tr> <td>Surface Water Present?</td> <td>Yes <input type="checkbox"/></td> <td>No <input checked="" type="checkbox"/></td> <td>Depth (in):</td> <td></td> </tr> <tr> <td>Water Table Present?</td> <td>Yes <input type="checkbox"/></td> <td>No <input checked="" type="checkbox"/></td> <td>Depth (in):</td> <td></td> </tr> <tr> <td>Saturation Present? (includes capillary fringe)</td> <td>Yes <input checked="" type="checkbox"/></td> <td>No <input type="checkbox"/></td> <td>Depth (in):</td> <td><b>5-18 BGS</b></td> </tr> </table>	Surface Water Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):		Water Table Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):		Saturation Present? (includes capillary fringe)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Depth (in):	<b>5-18 BGS</b>	<p><b>Wetland Hydrology Present?</b>      Yes <input checked="" type="checkbox"/>      No <input type="checkbox"/></p>															
Surface Water Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):																												
Water Table Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):																												
Saturation Present? (includes capillary fringe)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Depth (in):	<b>5-18 BGS</b>																											
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:																															
Remarks: <b>BGS = below ground surface.</b>																															



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 27**

Project Site: <b>Segment E – parcel number 1024059089</b>		Sampling Date: <b>6/17/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 27</b>
Investigator: <b>K. Crandall, R. Whitson</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 10 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5</b>	Local relief (concave, convex, none): <b>NA</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>RdE – Ragnar-Indianola association, moderately steep</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampling Point within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: <b>Wetland EB20 in-pit.</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A) Total Number of Dominant Species Across All Strata: <b>3</b> (B) Percent of Dominant Species that are OBL, FACW, or FAC: <b>67</b> (A/B)																					
2.																									
3.																									
4.																									
_____ = Total Cover																									
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b>Salix lasiandra</b>	<b>50</b>	<b>Y</b>	<b>FACW</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
<b>50</b> = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b>Phalaris arundinacea</b>	<b>100</b>	<b>Y</b>	<b>FACW</b>	Prevalence Index = B / A =																					
2. <b>Cirsium arvense</b>	<b>10</b>	<b>N</b>	<b>FAC</b>																						
3.				<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)																					
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
<b>110</b> = Total Cover					* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																				
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?																					
1. <b>Rubus armeniacus</b>	<b>20</b>	<b>Y</b>	<b>FACU</b>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
<b>20</b> = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks:																									

**SOIL**

**Sampling Point – DP-27**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
<b>0-8</b>	<b>10YR 2/2</b>	<b>100</b>					<b>Silt loam</b>	
<b>8-16</b>	<b>5YR 2.5/1</b>	<b>85</b>	<b>5YR 3/4</b>	<b>15</b>	<b>C</b>	<b>M, PL</b>	<b>Silt loam</b>	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input checked="" type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks:

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input checked="" type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>
<input type="checkbox"/> Frost-Heave Hummocks

<p><b>Field Observations</b></p> <p>Surface Water Present?    Yes <input type="checkbox"/>    No <input checked="" type="checkbox"/>    Depth (in): _____</p> <p>Water Table Present?    Yes <input type="checkbox"/>    No <input checked="" type="checkbox"/>    Depth (in): _____</p> <p>Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/>    No <input checked="" type="checkbox"/>    Depth (in): _____</p>	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **Damp, not saturated.**

**DP- 28**

Project Site: <b>Segment E – parcel number 1024059089</b>		Sampling Date: <b>6/17/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 28</b>
Investigator: <b>K. Crandall, R. Whitson</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 10 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5</b>	Local relief (concave, convex, none): <b>None</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>RdE – Ragnar-Indianola association, moderately steep</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Hydric Soils Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Remarks: <b>Out-pit near wetland EB20.</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>4</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>50</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover				Prevalence Index = B / A =																					
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators																					
1. <b><i>Dactylis glomerata</i></b>	<b>15</b>	<b>Y</b>	<b>FACU</b>	<input type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)																					
2. <b><i>Holcus lanatus</i></b>	<b>15</b>	<b>Y</b>	<b>FAC</b>																						
3. <b><i>Convolvulus sp. (bindweed)</i></b>	<b>15</b>	<b>Y</b>	<b>FACU*</b>																						
4. <b><i>Phalaris arundinacea</i></b>	<b>15</b>	<b>Y</b>	<b>FACW</b>																						
5. <b><i>Galium aparine</i></b>	<b>10</b>	<b>N</b>	<b>FACU</b>																						
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ = Total Cover				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
_____ = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?																					
1.				Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>																					
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks: <b>*Presumed FACU.</b>																									
<b>Other dead/brown unidentifiable grasses and weeds make up 50% absolute cover in herbaceous stratum.</b>																									

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-10	10YR 2/2	100					Gravelly sandy loam	With cobbles

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: __ Fill material _____ Depth (inches): ____ 10" BGS _____	<b>Hydric soil present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Remarks:    **Compact fill layer at 10 inches below ground surface**

HYDROLOGY

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____	<b>Wetland Hydrology Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 29**

Project Site: <b>Segment E – parcel number 0324059066</b>		Sampling Date: <b>6/19/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 29</b>
Investigator: <b>K. Crandall, R. Kahlo</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 03 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: <b>Wetland EB15 in pit</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>1</b> (A) Total Number of Dominant Species Across All Strata: <b>1</b> (B) Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
2.																									
3.																									
4.																									
_____ = Total Cover																									
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <i>Phalaris arundinacea</i>	<b>100</b>	<b>Y</b>	<b>FACW</b>	Prevalence Index = B / A = _____  <b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
2. <i>Scirpus microcarpus</i>	<b>25</b>	<b>N</b>	<b>OBL</b>																						
3. <i>Galium sp.</i>	<b>25</b>	<b>N</b>	<b>FAC*</b>																						
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>150</b> = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?																					
1.				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum: _____																									
Remarks: <b>*Presumed</b>																									

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-8	10YR 3/2	100					Sandy loam	
8-16	5GY 3/1	90	7.5YR 4/4	10	C	M, PL	Loamy coarse sand	
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Loc: PL=Pore Lining, M=Matrix								
<b>Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)</b>								
<input type="checkbox"/> Histosol (A1)				<input type="checkbox"/> Sandy Redox (S5)				
<input type="checkbox"/> Histic Epipedon (A2)				<input type="checkbox"/> Stripped Matrix (S6)				
<input type="checkbox"/> Black Histic (A3)				<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>				
<input type="checkbox"/> Hydrogen Sulfide (A4)				<input type="checkbox"/> Loamy Gleyed Matrix (F2)				
<input checked="" type="checkbox"/> Depleted Below Dark Surface (A11)				<input type="checkbox"/> Depleted Matrix (F3)*				
<input type="checkbox"/> Thick Dark Surface (A12)				<input type="checkbox"/> Redox Dark Surface (F6)				
<input type="checkbox"/> Sandy Mucky Mineral (S1)				<input type="checkbox"/> Depleted Dark Surface (F7)				
<input type="checkbox"/> Sandy Gleyed Matrix (S4)				<input type="checkbox"/> Redox Depressions (F8)				
<b>Indicators for Problematic Hydric Soils<sup>3</sup></b>								
<input type="checkbox"/> 2cm Muck (A10)								
<input type="checkbox"/> Red Parent Material (TF2)								
<input type="checkbox"/> Other (explain in remarks)								
<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic								
Restrictive Layer (if present): Type: _____ Depth (inches): _____						<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Remarks:								

HYDROLOGY

<b>Wetland Hydrology Indicators:</b> <i>Primary Indicators (minimum of one required: check all that apply):</i>						<i>Secondary Indicators (2 or more required):</i>					
<input type="checkbox"/> Surface water (A1)		<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>		<input type="checkbox"/> Drainage Patterns (B10)		<input checked="" type="checkbox"/> Dry-Season Water Table (C2)		<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	
<input type="checkbox"/> High Water Table (A2)		<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)		<input type="checkbox"/> Salt Crust (B11)		<input checked="" type="checkbox"/> Geomorphic Position (D2)		<input type="checkbox"/> Shallow Aquitard (D3)		<input checked="" type="checkbox"/> FAC-Neutral Test (D5)	
<input checked="" type="checkbox"/> Saturation (A3)		<input type="checkbox"/> Aquatic Invertebrates (B13)		<input type="checkbox"/> Hydrogen Sulfide Odor (C1)		<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>		<input type="checkbox"/> Frost-Heave Hummocks			
<input type="checkbox"/> Water Marks (B1)		<input type="checkbox"/> Hydrogen Sulfide Odor (C1)		<input checked="" type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)		<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)					
<input type="checkbox"/> Sediment Deposits (B2)		<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)		<input type="checkbox"/> Presence of Reduced Iron (C4)		<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>					
<input type="checkbox"/> Drift Deposits (B3)		<input checked="" type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)		<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)		<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>					
<input type="checkbox"/> Algal Mat or Crust (B4)		<input type="checkbox"/> Presence of Reduced Iron (C4)		<input type="checkbox"/> Other (explain in remarks)							
<input type="checkbox"/> Iron Deposits (B5)		<input type="checkbox"/> Other (explain in remarks)									
<input type="checkbox"/> Surface Soil Cracks (B6)											
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)											
<b>Field Observations</b>											
Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		Depth (in):		14 BGS		<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					
Water Table Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Depth (in):		throughout							
Saturation Present? (includes capillary fringe)    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>											
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:											
Remarks: <b>BGS = below ground surface</b>											



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP-30**

Project Site: <b>Segment E – parcel number 0324059066</b>		Sampling Date: <b>6/19/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 30</b>
Investigator: <b>K. Crandall, R. Kahlo</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 03 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>terrace</b>	Slope (%): <b>0</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland EB16 in-pit</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>3</b> (A)	
2.				Total Number of Dominant Species Across All Strata: <b>4</b> (B)	
3.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>75</b> (A/B)	
4.				_____ = Total Cover	
<b>Sapling/Shrub Stratum (Plot size: 3m diam.)</b>				<b>Prevalence Index Worksheet</b>	
1.	<b>25</b>	<b>Y</b>	<b>FAC</b>	Total % Cover of	
2.	<b>15</b>	<b>Y</b>	<b>FAC</b>	OBL species	x 1 =
3.				FACW species	x 2 =
4.				FAC species	x 3 =
5.				FACU species	x 4 =
	<b>40</b>			UPL species	x 5 =
				Column totals	(A) (B)
<b>Herb Stratum (Plot size: 1m diam.)</b>				Prevalence Index = B / A =	
1.	<b>80</b>	<b>Y</b>	<b>FACW</b>	<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)	
2.	<b>10</b>	<b>N</b>	<b>FACU</b>		
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.					
	<b>90</b>			* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
<b>Woody Vine Stratum (Plot size: )</b>				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
1.	<b>20</b>	<b>Y</b>	<b>FACU</b>		
2.					
	<b>20</b>			_____ = Total Cover	
% Bare Ground in Herb Stratum:					
Remarks:					

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)											
Depth (inches)	Matrix		Redox Features				Texture	Remarks			
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>					
0-8	10YR 2/2	100					Sandy loam				
8-16	5Y 4/1	100					Gravelly loamy sand				
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Loc: PL=Pore Lining, M=Matrix											
<b>Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)</b>											
<input type="checkbox"/> Histosol (A1)				<input type="checkbox"/> Sandy Redox (S5)							
<input type="checkbox"/> Histic Epipedon (A2)				<input type="checkbox"/> Stripped Matrix (S6)							
<input type="checkbox"/> Black Histic (A3)				<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )							
<input checked="" type="checkbox"/> Hydrogen Sulfide (A4)				<input type="checkbox"/> Loamy Gleyed Matrix (F2)							
<input type="checkbox"/> Depleted Below Dark Surface (A11)				<input type="checkbox"/> Depleted Matrix (F3)							
<input type="checkbox"/> Thick Dark Surface (A12)				<input type="checkbox"/> Redox Dark Surface (F6)							
<input type="checkbox"/> Sandy Mucky Mineral (S1)				<input type="checkbox"/> Depleted Dark Surface (F7)							
<input type="checkbox"/> Sandy Gleyed Matrix (S4)				<input type="checkbox"/> Redox Depressions (F8)							
<b>Indicators for Problematic Hydric Soils<sup>3</sup></b>											
<input type="checkbox"/> 2cm Muck (A10)											
<input type="checkbox"/> Red Parent Material (TF2)											
<input type="checkbox"/> Other (explain in remarks)											
<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic											
Restrictive Layer (if present):						Hydric soil present?		Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Type: _____											
Depth (inches): _____											
Remarks:											

HYDROLOGY

Wetland Hydrology Indicators:																											
Primary Indicators (minimum of one required: check all that apply):						Secondary Indicators (2 or more required):																					
<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )	<input checked="" type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)	<input type="checkbox"/> Drainage Patterns (B10)	<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)	<input type="checkbox"/> FAC-Neutral Test (D5)	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)	<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Frost-Heave Hummocks	<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )	<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)
<b>Field Observations</b>																											
Surface Water Present?			Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	Depth (in):					Wetland Hydrology Present?			Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>									
Water Table Present?			Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	Depth (in):		12 BGS																		
Saturation Present? (includes capillary fringe)			Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	Depth (in):		throughout																		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:																											
Remarks: <b>BGS = below ground surface</b>																											

**DP- 31**

Project Site: <b>Segment E – parcel number 0324059066</b>		Sampling Date: <b>6/19/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 31</b>
Investigator: <b>K. Crandall, R. Kahlo</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 03 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: <b>Wetland EB17 in-pit.</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>1</b> (A) Total Number of Dominant Species Across All Strata: <b>1</b> (B) Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
2.																									
3.																									
4.																									
_____ = Total Cover																									
Sapling/Shrub Stratum (Plot size: 3m diam.)				Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)				Prevalence Index = B / A =																					
1. <b><i>Phalaris arundinacea</i></b>	<b>95</b>	<b>Y</b>	<b>FACW</b>	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Hydrophytic Vegetation Indicators</th> </tr> </thead> <tbody> <tr> <td><input checked="" type="checkbox"/> Dominance test is &gt; 50%</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Prevalence test is ≤ 3.0 *</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Wetland Non-Vascular Plants *</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)</td> <td></td> </tr> <tr> <td colspan="2">* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic</td> </tr> <tr> <td colspan="2" style="text-align: center;"> <b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> </td> </tr> </tbody> </table>	Hydrophytic Vegetation Indicators		<input checked="" type="checkbox"/> Dominance test is > 50%		<input type="checkbox"/> Prevalence test is ≤ 3.0 *		<input type="checkbox"/> Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)		<input type="checkbox"/> Wetland Non-Vascular Plants *		<input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)		* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic		<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						
Hydrophytic Vegetation Indicators																									
<input checked="" type="checkbox"/> Dominance test is > 50%																									
<input type="checkbox"/> Prevalence test is ≤ 3.0 *																									
<input type="checkbox"/> Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)																									
<input type="checkbox"/> Wetland Non-Vascular Plants *																									
<input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)																									
* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																									
<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																									
2. <b><i>Galium sp.</i></b>	<b>15</b>	<b>N</b>	<b>FAC*</b>																						
3. <b><i>Scirpus microcarpus</i></b>	<b>15</b>	<b>N</b>	<b>OBL</b>																						
4. <b><i>Typha latifolia</i></b>	<b>10</b>	<b>N</b>	<b>OBL</b>																						
5. <b><i>Juncus effusus</i></b>	<b>5</b>	<b>N</b>	<b>FACW</b>																						
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>140</b> = Total Cover																									
Woody Vine Stratum (Plot size: )																									
1.																									
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks: <b>*presumed FAC</b>																									





**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 32**

Project Site: <b>Segment E – parcel number 0324059066</b>		Sampling Date: <b>6/19/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 32</b>
Investigator: <b>K. Crandall</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 03 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5</b>	Local relief (concave, convex, none): <b>Convex</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Hydric Soils Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Remarks: <b>Out-pit near EB17</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>1</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>2</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>50</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)				Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)				Prevalence Index = B / A =																					
1. <b>Unknown field grass(es)</b>	<b>80</b>	<b>Y</b>	<b>FAC*</b>	Prevalence Index = B / A =  <b>Hydrophytic Vegetation Indicators</b> <input type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * <input type="checkbox"/> Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
2. <b>Holcus lanatus</b>	<b>20</b>	<b>N</b>	<b>FAC</b>																						
3. <b>Plantago lanceolata</b>	<b>5</b>	<b>N</b>	<b>FACU</b>																						
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>105</b> = Total Cover																									
Woody Vine Stratum (Plot size: )				Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>																					
1. <b>Rubus armeniacus</b>	<b>50</b>	<b>Y</b>	<b>FACU</b>																						
2.																									
_____ <b>50</b> = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks: <b>*Presumed</b>																									

**SOIL**

**Sampling Point – DP-32**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-10	2.5Y 3/2	100					Gravelly sandy loam	Very compact

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Remarks:    **Compact; could not dig below 10 inches**

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>
<input type="checkbox"/> Frost-Heave Hummocks

<p><b>Field Observations</b></p> <p>Surface Water Present?    Yes <input type="checkbox"/>    No <input checked="" type="checkbox"/>    Depth (in): _____</p> <p>Water Table Present?    Yes <input type="checkbox"/>    No <input checked="" type="checkbox"/>    Depth (in): _____</p> <p>Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/>    No <input checked="" type="checkbox"/>    Depth (in): _____</p>	<p><b>Wetland Hydrology Present?</b>    Yes <input type="checkbox"/>    No <input checked="" type="checkbox"/></p>
--	--

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **Dry**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 33**

Project Site: <b>Segment E, parcel number 0324059066</b>		Sampling Date: <b>6/24/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 33</b>
Investigator: <b>K. Crandall, R. Kahlo</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 03 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 15-30%</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland EB18 in-pit</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1. <b><i>Alnus rubra</i></b>	<b>75</b>	<b>Y</b>	<b>FAC</b>	Number of Dominant Species that are OBL, FACW, or FAC:	<b>5</b> (A)
2.				Total Number of Dominant Species Across All Strata:	<b>6</b> (B)
3.				Percent of Dominant Species that are OBL, FACW, or FAC:	<b>83</b> (A/B)
4.	<b>75</b>	= Total Cover			
<b>Sapling/Shrub Stratum (Plot size: 3m diam.)</b>					
1. <b><i>Populus balsamifera</i> (sapling)</b>	<b>15</b>	<b>Y</b>	<b>FAC</b>	<b>Prevalence Index Worksheet</b> Total % Cover of <span style="float: right;">Multiply by</span>	
2. <b><i>Alnus rubra</i> (sapling)</b>	<b>10</b>	<b>Y</b>	<b>FAC</b>		
3.					
4.					
5.					
	<b>25</b>	= Total Cover		OBL species	x 1 =
				FACW species	x 2 =
				FAC species	x 3 =
				FACU species	x 4 =
				UPL species	x 5 =
				Column totals	(A) (B)
Prevalence Index = B / A =					
<b>Herb Stratum (Plot size: 1m diam.)</b>					
1. <b><i>Athyrium cyclosum</i></b>	<b>5</b>	<b>Y</b>	<b>FAC</b>	<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
2.					
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.	<b>5</b>	= Total Cover			
<b>Woody Vine Stratum (Plot size: )</b>					
1. <b><i>Rubus armeniacus</i></b>	<b>50</b>	<b>Y</b>	<b>FACU</b>	<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
2. <b><i>Solanum dulcamara</i></b>	<b>80</b>	<b>Y</b>	<b>FAC</b>		
	<b>130</b>	= Total Cover			
% Bare Ground in Herb Stratum:					
Remarks:					

**SOIL**

**Sampling Point – DP-33**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)									
Depth (inches)	Matrix		Redox Features				Texture	Remarks	
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>			
0-7	7.5YR 2/1	100					Loam		
7-11	2.5Y 3/2	95	10YR 4/6	5	C	M	Gravelly sandy clay loam		
11-16	2.5Y 3/2	80	7.5YR3/4	20	C	M	Gravelly sandy clay loam	With more gravel than previous layer	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)	<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>	<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/>
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input checked="" type="checkbox"/> Redox Dark Surface (F6)	
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)	

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present):  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric soil present?**    Yes     No

Remarks:

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input checked="" type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>
<input type="checkbox"/> Frost-Heave Hummocks

**Field Observations**

Surface Water Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in): <b>0.5 AGS*</b>	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):	
Saturation Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in): <b>throughout</b>	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **AGS = Above ground surface**  
                   **\*Appears to be coming from shallow groundwater seeps.**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 34**

Project Site: <b>Segment E, parcel number 0324059066</b>		Sampling Date: <b>6/24/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 34</b>
Investigator: <b>K. Crandall, R. Kahlo</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 03 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>5</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgD – Alderwood gravelly sandy loam, 15-30%</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland EB19 in-pit.</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>1</b> (A)	
2.					
3.					
4.					
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>1</b> (B)	
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)	
Sapling/Shrub Stratum (Plot size: 3m diam.)				Prevalence Index Worksheet	
1.				Total % Cover of	
2.				Multiply by	
3.				OBL species	x 1 =
4.				FACW species	x 2 =
5.				FAC species	x 3 =
_____ = Total Cover				FACU species	x 4 =
_____ = Total Cover				UPL species	x 5 =
_____ = Total Cover				Column totals	(A) (B)
Herb Stratum (Plot size: 1m diam.)				Prevalence Index = B / A =	
1. <b><i>Phalaris arundinacea</i></b>	<b>100</b>	<b>Y</b>	<b>FACW</b>		
2.				<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.					
_____ = Total Cover					
Woody Vine Stratum (Plot size: )					
1.					
2.					
_____ = Total Cover					
% Bare Ground in Herb Stratum:					
Remarks:					

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-4	10YR 2/2	100					Gravelly sandy loam	
4-9	2.5Y 3/2	85	7.5YR 3/3	15	C	M	Loam	
9-14	2.5Y 3/2	75	5YR 3/4	25	C	M	Gravelly sandy loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input checked="" type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present):  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric soil present?**    Yes     No

Remarks:

HYDROLOGY

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

**Field Observations**

Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):	<b>0-9 BGS</b>	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):		
Saturation Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in):		

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 35**

Project Site: <b>Segment J, parcel number 5453300320</b>		Sampling Date: <b>7/1/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 35</b>
Investigator: <b>R. Kahlo, A. Hoenig</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 10 T 24 R 05</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>8</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>EvD, Everett gravelly sandy loam, 15-30% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland JB01 inpit.</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>4</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>50</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b>Carex rostrata</b>	<b>80</b>	<b>Y</b>	<b>OBL</b>	Prevalence Index = B / A =																					
2. <b>Lotus corniculatus</b>	<b>60</b>	<b>Y</b>	<b>FAC</b>																						
3. <b>Scirpus microcarpus</b>	<b>10</b>	<b>N</b>	<b>OBL</b>																						
4. <b>Phalaris arundinacea</b>	<b>5</b>	<b>N</b>	<b>FACW</b>																						
5.				<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * <input type="checkbox"/> Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>155</b> = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?																					
1.				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks:																									





**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 36**

Project Site: <b>Segment J Parcel 5453300320</b>		Sampling Date: <b>6/15/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 36</b>
Investigator: <b>R. Kahlo, A. Hoenig</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 10 T 24 R 05</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>25</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>EvD, Everett gravelly sandy loam, 15-30% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Hydric Soils Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	

Remarks: **Wetland JB01 output**

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>3</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>67</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b>Salix spp. (hybrid)</b>	<b>15</b>	<b>Y</b>	<b>FACW*</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b>Equisetum telmateia</b>	<b>60</b>	<b>Y</b>	<b>FACW</b>	Prevalence Index = B / A =																					
2.																									
3.																									
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ = Total Cover				<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * <input type="checkbox"/> Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status																						
1. <b>Rubus armeniacus</b>	<b>90</b>	<b>Y</b>	<b>FACU</b>																						
2.																									
_____ = Total Cover				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
% Bare Ground in Herb Stratum:																									

Remarks: **\*Presumed**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)																												
Depth (inches)	Matrix		Redox Features				Texture	Remarks																				
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>																						
0-10	2.5Y 3/2	100	None				Sandy loam																					
10-14	2.5Y 4/3	100	None				Loamy sand																					
<p><sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix</p> <p><b>Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)</b></p> <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Histosol (A1)</td> <td><input type="checkbox"/> Sandy Redox (S5)</td> </tr> <tr> <td><input type="checkbox"/> Histic Epipedon (A2)</td> <td><input type="checkbox"/> Stripped Matrix (S6)</td> </tr> <tr> <td><input type="checkbox"/> Black Histic (A3)</td> <td><input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1)</td> </tr> <tr> <td><input type="checkbox"/> Hydrogen Sulfide (A4)</td> <td><input type="checkbox"/> Loamy Gleyed Matrix (F2)</td> </tr> <tr> <td><input type="checkbox"/> Depleted Below Dark Surface (A11)</td> <td><input type="checkbox"/> Depleted Matrix (F3)</td> </tr> <tr> <td><input type="checkbox"/> Thick Dark Surface (A12)</td> <td><input type="checkbox"/> Redox Dark Surface (F6)</td> </tr> <tr> <td><input type="checkbox"/> Sandy Mucky Mineral (S1)</td> <td><input type="checkbox"/> Depleted Dark Surface (F7)</td> </tr> <tr> <td><input type="checkbox"/> Sandy Gleyed Matrix (S4)</td> <td><input type="checkbox"/> Redox Depressions (F8)</td> </tr> </table> <p><b>Indicators for Problematic Hydric Soils<sup>3</sup></b></p> <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> 2cm Muck (A10)</td> </tr> <tr> <td><input type="checkbox"/> Red Parent Material (TF2)</td> </tr> <tr> <td><input type="checkbox"/> Other (explain in remarks)</td> </tr> <tr> <td><input type="checkbox"/></td> </tr> </table> <p><sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic</p>									<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)	<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1)	<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)	<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)	<input type="checkbox"/> 2cm Muck (A10)	<input type="checkbox"/> Red Parent Material (TF2)	<input type="checkbox"/> Other (explain in remarks)	<input type="checkbox"/>
<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)																											
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)																											
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1)																											
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)																											
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)																											
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)																											
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)																											
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)																											
<input type="checkbox"/> 2cm Muck (A10)																												
<input type="checkbox"/> Red Parent Material (TF2)																												
<input type="checkbox"/> Other (explain in remarks)																												
<input type="checkbox"/>																												
Restrictive Layer (if present): Type: _____ Depth (inches): _____						<b>Hydric soil present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>																						
Remarks:																												

**HYDROLOGY**

<p><b>Wetland Hydrology Indicators:</b></p> <p><i>Primary Indicators (minimum of one required: check all that apply):</i></p> <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Surface water (A1)</td> <td><input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)</td> </tr> <tr> <td><input type="checkbox"/> High Water Table (A2)</td> <td><input type="checkbox"/> Water-Stained Leaves (except MLRA 1, 2, 4A &amp; 4B) (B9)</td> </tr> <tr> <td><input type="checkbox"/> Saturation (A3)</td> <td><input type="checkbox"/> Salt Crust (B11)</td> </tr> <tr> <td><input type="checkbox"/> Water Marks (B1)</td> <td><input type="checkbox"/> Aquatic Invertebrates (B13)</td> </tr> <tr> <td><input type="checkbox"/> Sediment Deposits (B2)</td> <td><input type="checkbox"/> Hydrogen Sulfide Odor (C1)</td> </tr> <tr> <td><input type="checkbox"/> Drift Deposits (B3)</td> <td><input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)</td> </tr> <tr> <td><input type="checkbox"/> Algal Mat or Crust (B4)</td> <td><input type="checkbox"/> Presence of Reduced Iron (C4)</td> </tr> <tr> <td><input type="checkbox"/> Iron Deposits (B5)</td> <td><input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)</td> </tr> <tr> <td><input type="checkbox"/> Surface Soil Cracks (B6)</td> <td><input type="checkbox"/> Stunted or Stressed Plants (D1) (LRR A)</td> </tr> <tr> <td><input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)</td> <td><input type="checkbox"/> Other (explain in remarks)</td> </tr> </table>				<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves (except MLRA 1, 2, 4A & 4B) (B9)	<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)	<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)	<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) (LRR A)	<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)	<p><i>Secondary Indicators (2 or more required):</i></p> <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Water-Stained Leaves (B9) (MLRA 1, 2, 4A &amp; 4B)</td> </tr> <tr> <td><input type="checkbox"/> Drainage Patterns (B10)</td> </tr> <tr> <td><input type="checkbox"/> Dry-Season Water Table (C2)</td> </tr> <tr> <td><input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)</td> </tr> <tr> <td><input type="checkbox"/> Geomorphic Position (D2)</td> </tr> <tr> <td><input type="checkbox"/> Shallow Aquitard (D3)</td> </tr> <tr> <td><input type="checkbox"/> FAC-Neutral Test (D5)</td> </tr> <tr> <td><input type="checkbox"/> Raised Ant Mounds (D6) (LRR A)</td> </tr> <tr> <td><input type="checkbox"/> Frost-Heave Hummocks</td> </tr> </table>				<input type="checkbox"/> Water-Stained Leaves (B9) (MLRA 1, 2, 4A & 4B)	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)	<input type="checkbox"/> FAC-Neutral Test (D5)	<input type="checkbox"/> Raised Ant Mounds (D6) (LRR A)	<input type="checkbox"/> Frost-Heave Hummocks
<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)																																			
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves (except MLRA 1, 2, 4A & 4B) (B9)																																			
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)																																			
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)																																			
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)																																			
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)																																			
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)																																			
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)																																			
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) (LRR A)																																			
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)																																			
<input type="checkbox"/> Water-Stained Leaves (B9) (MLRA 1, 2, 4A & 4B)																																				
<input type="checkbox"/> Drainage Patterns (B10)																																				
<input type="checkbox"/> Dry-Season Water Table (C2)																																				
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)																																				
<input type="checkbox"/> Geomorphic Position (D2)																																				
<input type="checkbox"/> Shallow Aquitard (D3)																																				
<input type="checkbox"/> FAC-Neutral Test (D5)																																				
<input type="checkbox"/> Raised Ant Mounds (D6) (LRR A)																																				
<input type="checkbox"/> Frost-Heave Hummocks																																				
<p><b>Field Observations</b></p> <table style="width:100%; border:none;"> <tr> <td>Surface Water Present?</td> <td>Yes <input type="checkbox"/></td> <td>No <input checked="" type="checkbox"/></td> <td>Depth (in):</td> </tr> <tr> <td>Water Table Present?</td> <td>Yes <input type="checkbox"/></td> <td>No <input checked="" type="checkbox"/></td> <td>Depth (in):</td> </tr> <tr> <td>Saturation Present? (includes capillary fringe)</td> <td>Yes <input type="checkbox"/></td> <td>No <input checked="" type="checkbox"/></td> <td>Depth (in):</td> </tr> </table>				Surface Water Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):	Water Table Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):	Saturation Present? (includes capillary fringe)	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):	<p><b>Wetland Hydrology Present?</b>    Yes <input type="checkbox"/>    No <input checked="" type="checkbox"/></p>																				
Surface Water Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):																																	
Water Table Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):																																	
Saturation Present? (includes capillary fringe)	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Depth (in):																																	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:																																				
Remarks:																																				

**DP- 37**

Project Site: <b>Segment J, parcel number 7855801770</b>		Sampling Date: <b>7/20/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 37</b>
Investigator: <b>K. Crandall, M. Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 15 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>20</b>	Local relief (concave, convex, none): <b>None</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>BeD - Beausite gravelly sandy loam, 15-30% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Remarks: <b>Wetland JB02 in-pit; wetland JB03 very similar in character. Located adjacent to Somerset PI SE.</b>		

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>2</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b>Carex obnupta</b>	<b>20</b>	<b>Y</b>	<b>OBL</b>	Prevalence Index = B / A =																					
2. <b>Equisetum telmateia</b>	<b>15</b>	<b>Y</b>	<b>FACW</b>																						
3.				<p><b>Hydrophytic Vegetation Indicators</b></p> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>35</b> = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?																					
1.				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum: 85																									
Remarks:																									

**SOIL**

**Sampling Point – DP-37**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-12	10YR 2/2	100					Loam	
12-16	10YR 2/2	35					Gravelly sandy loam	Mixed matrix
	10Y 4/1	60	10YR 4/6	5	C		M, PL	Gravelly sandy loam Mixed matrix

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input checked="" type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks:

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>
<input type="checkbox"/> Frost-Heave Hummocks

<p><b>Field Observations</b></p> <p>Surface Water Present?    Yes <input type="checkbox"/>    No <input checked="" type="checkbox"/>    Depth (in): _____</p> <p>Water Table Present?    Yes <input checked="" type="checkbox"/>    No <input type="checkbox"/>    Depth (in): <b>7 BGS</b></p> <p>Saturation Present? (includes capillary fringe)    Yes <input checked="" type="checkbox"/>    No <input type="checkbox"/>    Depth (in): <b>throughout</b></p>	<p><b>Wetland Hydrology Present?</b>    Yes <input checked="" type="checkbox"/>    No <input type="checkbox"/></p>
---	--

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: **Visually saturated at surface. Groundwater seeping at 7 inches below ground surface (BGS).**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 38**

Project Site: <b>Segment J, parcel number 2268400270</b>		Sampling Date: <b>8/11/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 38</b>
Investigator: <b>Katy Crandall, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 21 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampling Point within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: <b>Wetland JB04 in-pit.</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>3</b> (A)	
2.					
3.					
4.					
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>4</b> (B)	
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>75</b> (A/B)	
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet	
1. <b>Cornus alba</b>	<b>10</b>	<b>Y</b>	<b>FAC</b>	Total % Cover of	
2.				OBL species	x 1 =
3.				FACW species	x 2 =
4.				FAC species	x 3 =
5.				FACU species	x 4 =
_____ = Total Cover				UPL species	x 5 =
_____ = Total Cover				Column totals	(A) (B)
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index = B / A =	
1. <b>Typha latifolia</b>	<b>50</b>	<b>Y</b>	<b>OBL</b>		
2. <b>Juncus effusus</b>	<b>30</b>	<b>Y</b>	<b>FACW</b>	<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)	
3. <b>Athyrium cyclosorum</b>	<b>15</b>	<b>N</b>	<b>FAC</b>		
4. <b>Scirpus microcarpus</b>	<b>10</b>	<b>N</b>	<b>OBL</b>		
5.					
6.					
7.					
8.					
9.					
10.					
11.					
_____ = Total Cover					
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status		
1. <b>Rubus armeniacus</b>	<b>15</b>	<b>Y</b>	<b>FACU</b>		
2.				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
_____ = Total Cover					
% Bare Ground in Herb Stratum:					
Remarks:					

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-8	7.5YR 2/2	100					Loam	Some organic content
8-16	5G 4/1	70					Gravelly sandy loam	Mixed matrix
	10 YR 3/2	30					Gravelly sandy loam	Mixed matrix

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input checked="" type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks:

HYDROLOGY

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves (except MLRA 1, 2, 4A & 4B) (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) (LRR A)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) (MLRA 1, 2, 4A & 4B)
<input checked="" type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) (LRR A)
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): Saturation Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>Throughout</b>	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 39**

Project Site: <b>Segment J, parcel number 2268400270</b>		Sampling Date: <b>8/11/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 39</b>
Investigator: <b>Katy Crandall, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 21 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>45</b>	Local relief (concave, convex, none): <b>None</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC – Alderwood gravelly sandy loam, 8-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				
Remarks: <b>Out-pit near Wetland JB04</b>				

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet		
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)		
2.				Total Number of Dominant Species Across All Strata: <b>3</b> (B)		
3.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>67</b> (A/B)		
4.						
_____ = Total Cover						
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet		
1.						Total % Cover of
2.				Multiply by		
3.				OBL species	x 1 =	
4.				FACW species	x 2 =	
5.				FAC species	x 3 =	
_____ = Total Cover				FACU species	x 4 =	
Herb Stratum (Plot size: 1m diam.)				UPL species	x 5 =	
				Column totals	(A) (B)	
1. <b><i>Phalaris arundinacea</i></b>	<b>40</b>	<b>Y</b>	<b>FACW</b>	Prevalence Index = B / A =		
2. <b><i>Juncus effusus</i></b>	<b>20</b>	<b>Y</b>	<b>FACW</b>			
3. <b><i>Dipsacus fullonum</i></b>	<b>5</b>	<b>N</b>	<b>FAC</b>	Hydrophytic Vegetation Indicators		
4. <b><i>Equisetum telmateia</i></b>	<b>5</b>	<b>N</b>	<b>FACW</b>			
5.						<input checked="" type="checkbox"/> Dominance test is > 50%
6.						<input type="checkbox"/> Prevalence test is ≤ 3.0 *
7.				Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)		
8.				<input type="checkbox"/> Wetland Non-Vascular Plants *		
9.				<input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)		
10.				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic		
11.						
<b>70</b> = Total Cover				Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status			
1. <b><i>Rubus armeniacus</i></b>	<b>70</b>	<b>Y</b>	<b>FACU</b>			
2.						
<b>70</b> = Total Cover						
% Bare Ground in Herb Stratum:						
Remarks:						

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-6	10YR 4/3	100					Gravelly sandy loam	Very compact

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

**Remarks:**    **Soils very compact; difficult to dig beyond six inches.**

HYDROLOGY

**Wetland Hydrology Indicators:**  
*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____	<b>Wetland Hydrology Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

**Remarks:**

DP- 40

Project Site: <b>Segment J, parcel number 2124059001</b>		Sampling Date: <b>8/11/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 40</b>
Investigator: <b>Katy Crandall, Mike Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 21 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>10-20</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AkF – Alderwood and kitsap soils, very steep</b>		NWI classification: <b>Click here to enter text.</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland JB05 in-pit</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>4</b> (A)	
2.				Total Number of Dominant Species Across All Strata: <b>5</b> (B)	
3.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>80</b> (A/B)	
4.				_____ = Total Cover	
<b>Sapling/Shrub Stratum (Plot size: 3m diam.)</b>				<b>Prevalence Index Worksheet</b>	
1.	<b>20</b>	<b>Y</b>	<b>FAC</b>	Total % Cover of	
2.	<b>15</b>	<b>Y</b>	<b>FACW</b>	Multiply by	
3.				OBL species	x 1 =
4.				FACW species	x 2 =
5.				FAC species	x 3 =
	<b>35</b>			FACU species	x 4 =
				UPL species	x 5 =
				Column totals	(A) (B)
<b>Herb Stratum (Plot size: 1m diam.)</b>				Prevalence Index = B / A =	
1.	<b>65</b>	<b>Y</b>	<b>FACW</b>	<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)	
2.	<b>40</b>	<b>Y</b>	<b>FAC</b>		
3.	<b>15</b>	<b>N</b>	<b>FACW</b>		
4.	<b>5</b>	<b>N</b>	<b>FACW</b>		
5.					
6.					
7.					
8.					
9.					
10.					
11.					
	<b>125</b>			* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
<b>Woody Vine Stratum (Plot size: )</b>					
1.	<b>50</b>	<b>Y</b>	<b>FAC</b>		
2.					
	<b>50</b>				
% Bare Ground in Herb Stratum:					
Remarks:					

**SOIL**

**Sampling Point – DP-40**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-10	10YR 3/2	90	7.5YR 3/4	10	C	M	Gravelly sandy loam	Roots
10-16	10G 5/1	85	10YR 5/8	15	C	PL, M	Silty loam	High silt content
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Loc: PL=Pore Lining, M=Matrix								
<b>Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)</b>								
<input type="checkbox"/> Histosol (A1)			<input type="checkbox"/> Sandy Redox (S5)			<b>Indicators for Problematic Hydric Soils<sup>3</sup></b>		
<input type="checkbox"/> Histic Epipedon (A2)			<input type="checkbox"/> Stripped Matrix (S6)			<input type="checkbox"/> 2cm Muck (A10)		
<input type="checkbox"/> Black Histic (A3)			<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )			<input type="checkbox"/> Red Parent Material (TF2)		
<input type="checkbox"/> Hydrogen Sulfide (A4)			<input checked="" type="checkbox"/> Loamy Gleyed Matrix (F2)			<input type="checkbox"/> Other (explain in remarks)		
<input checked="" type="checkbox"/> Depleted Below Dark Surface (A11)			<input type="checkbox"/> Depleted Matrix (F3)			<input type="checkbox"/>		
<input type="checkbox"/> Thick Dark Surface (A12)			<input type="checkbox"/> Redox Dark Surface (F6)			<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic		
<input type="checkbox"/> Sandy Mucky Mineral (S1)			<input type="checkbox"/> Depleted Dark Surface (F7)					
<input type="checkbox"/> Sandy Gleyed Matrix (S4)			<input type="checkbox"/> Redox Depressions (F8)					
Restrictive Layer (if present):						<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Type: _____								
Depth (inches): _____								
Remarks:								

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b> <i>Primary Indicators (minimum of one required: check all that apply):</i>				<i>Secondary Indicators (2 or more required):</i>			
<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)	<input type="checkbox"/> Aquatic Invertebrates (B13)	<input checked="" type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Shallow Aquitard (D3)	<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Drift Deposits (B3)	<input checked="" type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )	<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Frost-Heave Hummocks	
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )	<input type="checkbox"/> Other (explain in remarks)		<input type="checkbox"/> Surface Soil Cracks (B6)			
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)							
<b>Field Observations</b>				<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
Surface Water Present?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):					
Water Table Present?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):					
Saturation Present? (includes capillary fringe)	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):					
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:							
Remarks:							



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 41**

Project Site: <b>Segment J, parcel number 2124059071</b>		Sampling Date: <b>9/9/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 41</b>
Investigator: <b>K. Crandall, A. Hoenig, R. Whitson</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 21 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AkF – Alderwood and kitsap soils, very steep</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland JB06 in-pit</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>2</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b><i>Phalaris arundinacea</i></b>	<b>80</b>	<b>Y</b>	<b>FACW</b>	Prevalence Index = B / A = _____																					
2. <b><i>Juncus effusus</i></b>	<b>30</b>	<b>Y</b>	<b>FACW</b>																						
3. <b><i>Cirsium arvense</i></b>	<b>10</b>	<b>N</b>	<b>FAC</b>																						
4. <b><i>Equisetum telmateia</i></b>	<b>2</b>	<b>N</b>	<b>FACW</b>																						
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>122</b> = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators																					
1.				<input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)																					
2.																									
_____ = Total Cover																									
* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																									
<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																									
% Bare Ground in Herb Stratum: _____																									
Remarks: <b>Recently mowed.</b>																									

**SOIL**

**Sampling Point – DP-41**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-8	7.5YR 3/2	100					Loam	
8-12	10YR 3/2	96	7.5YR 4/6	4	C	M	Gravelly sandy loam	Coarse rock and cobble

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input checked="" type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present):  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric soil present?**    Yes     No

Remarks:

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>
<input type="checkbox"/> Frost-Heave Hummocks

**Field Observations**

Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):
Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):
Saturation Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):
(includes capillary fringe)	

**Wetland Hydrology Present?**    Yes     No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **Damp, not saturated.**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 42**

Project Site: <b>Segment J, parcel number 2124059071</b>		Sampling Date: <b>9/9/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 42</b>
Investigator: <b>K. Crandall, A. Hoenig</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 21 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>hillslope</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>slightly concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AkF – Alderwood and kitsap soils, very steep</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampling Point within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: <b>Wetland JB07 in-pit.</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>2</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b><i>Phalaris arundinacea</i></b>	<b>70</b>	<b>Y</b>	<b>FACW</b>	Prevalence Index = B / A = _____  <b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
2. <b><i>Scirpus microcarpus</i></b>	<b>40</b>	<b>Y</b>	<b>OBL</b>																						
3. <b><i>Juncus effusus</i></b>	<b>10</b>	<b>N</b>	<b>FACW</b>																						
4. <b><i>Athyrium cyclosorum</i></b>	<b>5</b>	<b>N</b>	<b>FAC</b>																						
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td><b>Hydrophytic Vegetation Present?</b></td> <td>Yes <input checked="" type="checkbox"/></td> <td>No <input type="checkbox"/></td> </tr> </table>	<b>Hydrophytic Vegetation Present?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>																		
<b>Hydrophytic Vegetation Present?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>																							
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks: <b>Recently mowed.</b>																									

**SOIL**

**Sampling Point – DP-42**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-6	10YR 2/2	100					Loam	Roots
6-12	10YR 3/1	98	10YR 5/6	2	C	M	Gravelly sandy loam	Large cobbles present

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains      <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input checked="" type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present):  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric soil present?**      Yes       No

Remarks:      **Redox not distributed evenly.**

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

**Field Observations**

Surface Water Present?      Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____
Water Table Present?      Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____
Saturation Present?      Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____

**Wetland Hydrology Present?**      Yes       No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:      **Damp, not saturated**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 43**

Project Site: <b>Segment J, parcel number 2124059071</b>		Sampling Date: <b>9/9/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 43</b>
Investigator: <b>K. Crandall, A. Hoenig</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 21 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>hillslope</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>none</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AkF – Alderwood and kitsap soils, very steep</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Hydric Soils Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Remarks: <b>Out-pit between JB06 and JB07</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>1</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>2</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>50</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)				Prevalence Index Worksheet																					
1.				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)				Prevalence Index Worksheet																					
1. <b><i>Phalaris arundinacea</i></b>	<b>90</b>	<b>Y</b>	<b>FACW</b>	Prevalence Index = B / A =																					
2.																									
3.				<b>Hydrophytic Vegetation Indicators</b> <input type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>90</b> = Total Cover																									
Woody Vine Stratum (Plot size: )				Hydrophytic Vegetation Indicators																					
1. <b><i>Rubus armeniacus</i></b>	<b>5</b>	<b>Y</b>	<b>FACU</b>	Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>																					
2.																									
_____ <b>5</b> = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks: <b>Recently mowed</b>																									





**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

DP- 44

Project Site: <b>Segment M, parcel number 2124059001</b>		Sampling Date: <b>9/9/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 44</b>
Investigator: <b>K. Crandall, A. Hoenig</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 21 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>hillslope</b>	Slope (%): <b>30</b>	Local relief (concave, convex, none): <b>convex</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AkF – Alderwood and kitsap soils, very steep</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Hydric Soils Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			
Remarks: <b>Out-pit near wetland MB04</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																		
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)																		
2.																						
3.																						
4.																						
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>2</b> (B)																		
				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																		
Sapling/Shrub Stratum (Plot size: 3m diam.)				Prevalence Index Worksheet																		
1.				<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	UPL species		x 4 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																				
OBL species		x 1 =																				
FACW species		x 2 =																				
FAC species		x 3 =																				
UPL species		x 4 =																				
Column totals	(A)	(B)																				
2.																						
3.																						
4.																						
5.																						
_____ = Total Cover				Prevalence Index = B / A =																		
Herb Stratum (Plot size: 1m diam.)				Hydrophytic Vegetation Indicators																		
1. <b>Grass 1</b>	<b>50</b>	<b>Y</b>	<b>FAC*</b>	<input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)																		
2. <b>Phalaris arundinacea</b>	<b>30</b>	<b>Y</b>	<b>FACW</b>																			
3. <b>Grass 2</b>	<b>20</b>	<b>N</b>	<b>FAC*</b>																			
4. <b>Taraxicum officinale</b>	<b>5</b>	<b>N</b>	<b>FACU</b>																			
5.																						
6.																						
7.																						
8.																						
9.																						
10.																						
11.																						
_____ <b>105</b> = Total Cover				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																		
Woody Vine Stratum (Plot size: )				Hydrophytic Vegetation Present?																		
1. <b>Rubus armeniacus</b>	<b>3</b>	<b>N</b>	<b>FACU</b>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																		
2.																						
_____ <b>3</b> = Total Cover																						
% Bare Ground in Herb Stratum:																						
Remarks:																						

**SOIL**

**Sampling Point – DP-44**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	2.5Y 3/3	100					Sandy loam	
5-8	2.5Y 4/3	97	7.5YR 4/6	3	CS	M	Loamy sand (coarse)	
8-12	7.5YR 3/2	100					Loamy sand	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Remarks:

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____	<b>Wetland Hydrology Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

DP- 45

Project Site: <b>Segment M, parcel number 2124059001</b>		Sampling Date: <b>9/9/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 45</b>
Investigator: <b>K. Crandall, A. Hoenig</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 21 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>hillslope</b>	Slope (%): <b>30</b>	Local relief (concave, convex, none): <b>concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AkF – Alderwood and Kitsap soils, very steep</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input checked="" type="checkbox"/> , Soil <input checked="" type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampling Point within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: <b>Wetland MB04 in-pit; area recently disturbed by construction activities.</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																						
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>3</b> (A)																						
2.																										
3.																										
4.																										
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>3</b> (B)																						
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																						
Sapling/Shrub Stratum (Plot size: 3m diam.)				Prevalence Index Worksheet																						
1.					<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																								
OBL species		x 1 =																								
FACW species		x 2 =																								
FAC species		x 3 =																								
FACU species		x 4 =																								
UPL species		x 5 =																								
Column totals	(A)	(B)																								
2.																										
3.																										
4.																										
5.																										
_____ = Total Cover				Prevalence Index = B / A =																						
Herb Stratum (Plot size: 1m diam.)																										
1.	<b>60</b>	<b>Y</b>	<b>FACW</b>	<p><b>Hydrophytic Vegetation Indicators</b></p> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																						
2.	<b>30</b>	<b>Y</b>	<b>FACW</b>																							
3.	<b>40</b>	<b>Y</b>	<b>FAC*</b>																							
4.																										
5.																										
6.																										
7.																										
8.																										
9.																										
10.																										
11.																										
_____ <b>130</b> = Total Cover				<p><b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p>																						
Woody Vine Stratum (Plot size: )																										
1.																										
2.																										
_____ = Total Cover																										
% Bare Ground in Herb Stratum:																										
Remarks: <b>*Presumed FAC</b>																										

**SOIL**

**Sampling Point – DP-45**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 2/2	100					Sandy loam	
5-10	10GY 3/1	80	7.5YR 5/8	20	CS	M, PL	Loamy sand	
10-14	5B 5/1 5G /1 3/1	45 45	7.5YR 5/8 7.5YR 3/6	5 5	CS CS	M M	Loamy sand	Mixed matrix

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains      <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input checked="" type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input checked="" type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks:

**HYDROLOGY**

**Wetland Hydrology Indicators:**  
*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input checked="" type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Water Table Present?      Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Saturation Present?        Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>throughout</b> (includes capillary fringe)	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

DP- 46

Project Site: <b>Segment J, parcel number 2124059001</b>		Sampling Date: <b>9/9/2015</b>
Applicant/Owner: <b>Puget Sound Energy</b>		Sampling Point: <b>DP- 46</b>
Investigator: <b>K. Crandall, A. Hoenic</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 21 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>hillslope/swale</b>	Slope (%): <b>5</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AkF – Alderwood and kitsap soils, very steep</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampling Point within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: <b>Wetland JB08 in-pit</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>6</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>6</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b><i>Populus balsamifera</i> (seedlings)</b>	<b>20</b>	<b>Y</b>	<b>FAC</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2. <b><i>Rubus spectabilis</i></b>	<b>10</b>	<b>Y</b>	<b>FAC</b>																						
3. <b><i>Salix sitchensis</i></b>	<b>10</b>	<b>Y</b>	<b>FACW</b>																						
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b><i>Grass 1</i></b>	<b>10</b>	<b>Y</b>	<b>FAC*</b>	Prevalence Index = B / A = _____  <b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic  <b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2. <b><i>Grass 2</i></b>	<b>10</b>	<b>Y</b>	<b>FAC*</b>																						
3. <b><i>Epilobium sp.</i></b>	<b>10</b>	<b>Y</b>	<b>FAC*</b>																						
4. <b><i>Equisetum telmateia</i></b>	<b>Trace</b>	<b>N</b>	<b>FACW</b>																						
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
_____ = Total Cover																									
Woody Vine Stratum (Plot size: )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet																					
1. <b><i>Rubus armeniacus</i></b>	<b>Trace</b>	<b>N</b>	<b>FACU</b>	Prevalence Index = B / A = _____  <b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum: 50 (mulch)																									
Remarks: <b>*Presumed FAC.</b>																									

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-12	2.5Y 3/1	50	7.5YR 4/6	50	C	M	Loamy sand	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input checked="" type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks:    **4 inches of mulch on surface**

HYDROLOGY

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

<p><b>Field Observations</b></p> <p>Surface Water Present?    Yes <input type="checkbox"/>    No <input checked="" type="checkbox"/>    Depth (in): _____</p> <p>Water Table Present?    Yes <input type="checkbox"/>    No <input checked="" type="checkbox"/>    Depth (in): _____</p> <p>Saturation Present?    Yes <input checked="" type="checkbox"/>    No <input type="checkbox"/>    Depth (in):    <b>10-12 BGS</b></p> <p>(includes capillary fringe)</p>	<p><b>Wetland Hydrology Present?</b>    Yes <input checked="" type="checkbox"/>    No <input type="checkbox"/></p>
---	--

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **BGS = below ground surface. Saturation visible at soil surface nearby.**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 47**

Project Site: <b>Segment G2; Parcel # 5453300244</b>		Sampling Date: <b>9/30/2015</b>
Applicant/Owner: <b>PSE</b>		Sampling Point: <b>DP- 47</b>
Investigator: <b>R. Whitson, M. Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 09 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>terrace</b>	Slope (%): <b>~1</b>	Local relief (concave, convex, none): <b>none</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>Everett-Alderwood gravelly sandy loam, 6-15% slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>Wetland G2B01 in-pit</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)	
2.				Total Number of Dominant Species Across All Strata: <b>2</b> (B)	
3.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)	
4.				_____ = Total Cover	
<b>Sapling/Shrub Stratum (Plot size: 3m diam.)</b>				<b>Prevalence Index Worksheet</b>	
1.				Total % Cover of	
2.				Multiply by	
3.				OBL species	x 1 =
4.				FACW species	x 2 =
5.				FAC species	x 3 =
				FACU species	x 4 =
				UPL species	x 5 =
				Column totals	(A) (B)
<b>Herb Stratum (Plot size: 1m diam.)</b>				Prevalence Index = B / A =	
1.	<b>80</b>	<b>Y</b>	<b>FACW</b>		
2.	<b>30</b>	<b>Y</b>	<b>OBL</b>		
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.					
				_____ <b>110</b> = Total Cover	
<b>Woody Vine Stratum (Plot size: )</b>				<b>Hydrophytic Vegetation Indicators</b>	
1.				<input checked="" type="checkbox"/> Dominance test is > 50%	
2.				<input type="checkbox"/> Prevalence test is ≤ 3.0 *	
				Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)	
				<input type="checkbox"/> Wetland Non-Vascular Plants *	
				<input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)	
% Bare Ground in Herb Stratum:				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
Remarks:				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

**SOIL**

**Sampling Point – DP-47**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-4	10YR 3/1	90	10YR 3/6	10	C	PL	Loam with org matter	Org root matter; greasy
4-14	10YR 3/1	80	7.5YR 4/6	20	C	PL	Silty loam	Slight H <sub>2</sub> S odor
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Loc: PL=Pore Lining, M=Matrix								
<b>Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)</b>								
<input type="checkbox"/> Histosol (A1)			<input type="checkbox"/> Sandy Redox (S5)			<b>Indicators for Problematic Hydric Soils<sup>3</sup></b>		
<input type="checkbox"/> Histic Epipedon (A2)			<input type="checkbox"/> Stripped Matrix (S6)			<input type="checkbox"/> 2cm Muck (A10)		
<input type="checkbox"/> Black Histic (A3)			<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )			<input type="checkbox"/> Red Parent Material (TF2)		
<input type="checkbox"/> Hydrogen Sulfide (A4)			<input type="checkbox"/> Loamy Gleyed Matrix (F2)			<input type="checkbox"/> Other (explain in remarks)		
<input type="checkbox"/> Depleted Below Dark Surface (A11)			<input type="checkbox"/> Depleted Matrix (F3)			<input type="checkbox"/>		
<input type="checkbox"/> Thick Dark Surface (A12)			<input checked="" type="checkbox"/> Redox Dark Surface (F6)			<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic		
<input type="checkbox"/> Sandy Mucky Mineral (S1)			<input type="checkbox"/> Depleted Dark Surface (F7)					
<input type="checkbox"/> Sandy Gleyed Matrix (S4)			<input type="checkbox"/> Redox Depressions (F8)					
Restrictive Layer (if present):								
Type: _____						Hydric soil present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Depth (inches): _____								
Remarks:								

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b> <i>Primary Indicators (minimum of one required: check all that apply):</i>			<i>Secondary Indicators (2 or more required):</i>		
<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)	<input type="checkbox"/> Salt Crust (B11)	<input type="checkbox"/> Aquatic Invertebrates (B13)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Geomorphic Position (D2)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Other (explain in remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)	<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )	<input type="checkbox"/> Frost-Heave Hummocks	
<input type="checkbox"/> Sediment Deposits (B2)					
<input type="checkbox"/> Drift Deposits (B3)					
<input type="checkbox"/> Algal Mat or Crust (B4)					
<input type="checkbox"/> Iron Deposits (B5)					
<input type="checkbox"/> Surface Soil Cracks (B6)					
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)					
<b>Field Observations</b>					
Surface Water Present?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):			
Water Table Present?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in):	10" BGS		
Saturation Present? (includes capillary fringe)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in):	surface		
Wetland Hydrology Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:					
Remarks: <b>BGS = below ground surface</b>					



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 48**

Project Site: <b>Segment G2; Parcel # 5453300244</b>		Sampling Date: <b>9/30/2015</b>
Applicant/Owner: <b>PSE</b>		Sampling Point: <b>DP- 48</b>
Investigator: <b>R. Whitson, M. Foster</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 09 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>terrace</b>	Slope (%): <b>&lt;1</b>	Local relief (concave, convex, none): <b>none</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>urban land</b>	Datum:	
Soil Map Unit Name: <b>urban land</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Hydric Soils Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>		
Remarks: <b>G2B01 Out-pit; adjacent to sidewalk and street</b>				

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1. <b><i>Alnus rubra</i></b>	<b>30</b>	<b>Y</b>	<b>FAC</b>	Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)	
2.				Total Number of Dominant Species Across All Strata: <b>3</b> (B)	
3.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>67</b> (A/B)	
4.	<b>30</b>	= Total Cover			
<b>Sapling/Shrub Stratum (Plot size: 3m diam.)</b>					
1.				<b>Prevalence Index Worksheet</b> Total % Cover of <span style="float: right;">Multiply by</span>	
2.					
3.					OBL species <span style="float: right;">x 1 =</span>
4.					FACW species <span style="float: right;">x 2 =</span>
5.					FACU species <span style="float: right;">x 3 =</span>
				FACU species <span style="float: right;">x 4 =</span>	
				UPL species <span style="float: right;">x 5 =</span>	
				Column totals (A) (B)	
<b>Herb Stratum (Plot size: 1m diam.)</b>					
1. <b><i>Phalaris arundinacea</i></b>	<b>100</b>	<b>Y</b>	<b>FACW</b>	Prevalence Index = B / A =	
2.				<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.					
	<b>100</b>	= Total Cover			
<b>Woody Vine Stratum (Plot size: )</b>					
1. <b><i>Rubus armeniacus</i></b>	<b>5</b>	<b>Y</b>	<b>FACU</b>	<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
2.					
	<b>5</b>	= Total Cover			
% Bare Ground in Herb Stratum:					
Remarks:					

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-10	10YR 3/2	100					Sandy loam	Cobbles
10-14	10YR 4/2	100					Gravelly sandy loam	Cobbles

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Remarks:

HYDROLOGY

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____	<b>Wetland Hydrology Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 49**

Project Site: <b>Segment I, Parcel #: 7856590000</b>		Sampling Date: <b>10/14/2015</b>
Applicant/Owner: <b>PSE</b>		Sampling Point: <b>DP- 49</b>
Investigator: <b>R. Whitson, J. Palmer</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 16 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>15</b>	Local relief (concave, convex, none): <b>none</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>Alderwood gravelly sandy loam, 8 to 15 percent slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Remarks: <b>Wetland IB02. Out-pit. Some garbage in the vicinity.</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1. <b><i>Betula pendula</i></b>	<b>40</b>	<b>Y</b>	<b>FAC</b>	Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)																					
2.				Total Number of Dominant Species Across All Strata: <b>2</b> (B)																					
3.																									
4.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
	<b>40</b>	= Total Cover																							
<b>Sapling/Shrub Stratum (Plot size: 3m diam.)</b>				<b>Prevalence Index Worksheet</b> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
1.																									
2.																									
3.																									
4.																									
5.																									
		= Total Cover																							
<b>Herb Stratum (Plot size: 1m diam.)</b>				Prevalence Index = B / A =																					
1. <b><i>Ranunculus repens</i></b>	<b>95</b>	<b>Y</b>	<b>FAC</b>																						
2. <b><i>Unknown mowed grass</i></b>	<b>5</b>	<b>N</b>	<b>FAC*</b>																						
3. <b><i>Polygonum cuspidatum</i></b>	<b>Trace</b>	<b>N</b>	<b>NL</b>																						
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
	<b>100</b>	= Total Cover																							
<b>Woody Vine Stratum (Plot size: )</b>				<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic  <b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
1.																									
2.																									
		= Total Cover																							
% Bare Ground in Herb Stratum:																									
Remarks: <b>*presumed FAC; NL = not listed</b>																									

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-6	10YR 3/2	100					Loam	
6-14	10YR 4/2	97	10YR 4/6	3	C	M	Sandy loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input checked="" type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Remarks:

HYDROLOGY

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____	<b>Wetland Hydrology Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 50**

Project Site: <b>Segment I, Parcel #: 7856590000</b>		Sampling Date: <b>10/14/2015</b>
Applicant/Owner: <b>PSE</b>		Sampling Point: <b>DP- 50</b>
Investigator: <b>R. Whitson, J. Palmer</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 16 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Depression</b>	Slope (%): <b>3</b>	Local relief (concave, convex, none): <b>concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>Alderwood gravelly sandy loam, 8 to 15 percent slopes</b>		NWI classification: <b>na</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampling Point within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: <b>Wetland IB02. inpit.</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>3</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>3</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)				Prevalence Index Worksheet																					
1.				<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)				Prevalence Index = B / A =																					
1. <b>Ranunculus repens</b>	<b>60</b>	<b>Y</b>	<b>FAC</b>	Prevalence Index = B / A =  <b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)  * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic  <b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2. <b>Unknown mowed grass</b>	<b>50</b>	<b>Y</b>	<b>FACW</b>																						
3. <b>Phalaris arundinacea</b>	<b>40</b>	<b>Y</b>	<b>FAC</b>																						
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>150</b> = Total Cover																									
Woody Vine Stratum (Plot size: )																									
1.				Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks: <b>Juncus effuses also present outside of plot.</b>																									

**SOIL**

**Sampling Point – DP-50**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-6	10YR 2/1	100					Silty loam	
6-12	10YR 3/1	95	10YR 4/6	5	C	M	Sandy loam with large gravel	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input checked="" type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present): Type: _____ Depth (inches): _____	<b>Hydric soil present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

*Remarks:*    **Soil is so saturated that some of the redox may be obscured. Top layer very dark and also saturated. It may also have redox.**

**HYDROLOGY**

**Wetland Hydrology Indicators:**  
*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

<b>Field Observations</b> Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (in): _____ Water Table Present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>5</b> Saturation Present? (includes capillary fringe)    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (in): <b>surface</b>	<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

*Remarks:*



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 51**

Project Site: <b>Segment I, Parcel #: 1624059023</b>		Sampling Date: <b>10/23/2015</b>
Applicant/Owner: <b>PSE</b>		Sampling Point: <b>DP- 51</b>
Investigator: <b>R. Whitson, J. Palmer</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 16 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>&gt;20</b>	Local relief (concave, convex, none): <b>none</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>AgC - Alderwood gravelly sandy loam, 8 to 15 percent slopes</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	<b>Is the Sampling Point within a Wetland?</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Hydric Soils Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Remarks: <b>IB03 Output</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet	
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>2</b> (A)	
2.				Total Number of Dominant Species Across All Strata: <b>3</b> (B)	
3.				Percent of Dominant Species that are OBL, FACW, or FAC: <b>67</b> (A/B)	
4.					
_____ = Total Cover					
Sapling/Shrub Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index Worksheet	
1. <b><i>Salix lasiandra</i></b>	<b>30</b>	<b>Y</b>	<b>FAC</b>		
2.				OBL species	x 1 =
3.				FACW species	x 2 =
4.				FAC species	x 3 =
5.				FACU species	x 4 =
_____ = Total Cover				UPL species	x 5 =
_____ = Total Cover				Column totals	(A) (B)
Herb Stratum (Plot size: 1m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index = B / A =	
1. <b><i>Unknown meadow grass*</i></b>	<b>95</b>	<b>Y</b>	<b>FAC</b>		
2. <b><i>Convolvulus arvensis</i></b>	<b>Trace</b>	<b>N</b>	<b>UPL</b>		
3. <b><i>Ranunculus repens</i></b>	<b>Trace</b>	<b>N</b>	<b>FAC</b>		
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.					
_____ = Total Cover				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Woody Vine Stratum (Plot size: 3m diam.)	Absolute % Cover	Dominant Species?	Indicator Status		
1. <b><i>Rubus armeniacus</i></b>	<b>40</b>	<b>Y</b>	<b>FACU</b>		
2.					
_____ = Total Cover					
% Bare Ground in Herb Stratum:					
Remarks: <b>*presumed FAC</b>					

**SOIL**

**Sampling Point – DP-51**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-4	10YR 3/2	100					Gravelly sandy loam	Moist, not saturated
4-10	2.5Y 5/3	49	10YR 4/4	2	C	M	Gravelly sandy loam	Redox diffuse, moist not saturated
4-10	2.5Y 5/2	49					Gravelly sandy loam	
10-12	2.5Y 4/2	99	10YR 4/6	1	C	M	Cemented silty sand	Moist, not saturated

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains    <sup>2</sup>Loc: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input checked="" type="checkbox"/> Depleted Below Dark Surface (A11)	<input checked="" type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>**

<input type="checkbox"/> 2cm Muck (A10)
<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Other (explain in remarks)
<input type="checkbox"/>

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if present):  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

**Hydric soil present?**    Yes     No

Remarks:

**HYDROLOGY**

**Wetland Hydrology Indicators:**

*Primary Indicators (minimum of one required: check all that apply):*

<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)

*Secondary Indicators (2 or more required):*

<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )
<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )
<input type="checkbox"/> Frost-Heave Hummocks

**Field Observations**

Surface Water Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____	<b>Wetland Hydrology Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Water Table Present?    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____	
Saturation Present? (includes capillary fringe)    Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:    **Steep slope with *Acer macrophyllum* above. Well-drained, no hydrological indicators present.**



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 52**

Project Site: <b>Segment I, Parcel #: 1624059023</b>		Sampling Date: <b>10/23/2015</b>
Applicant/Owner: <b>PSE</b>		Sampling Point: <b>DP- 52</b>
Investigator: <b>R. Whitson, J. Palmer</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 16 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>none</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>Norma sandy loam</b>	Datum:	
Soil NWI classification: <b>NA</b>		
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampling Point within a Wetland?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Remarks: <b>IB03 In-pit</b>				

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>1</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>1</b> (B)																					
				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)				Prevalence Index Worksheet																					
1.				<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)				Prevalence Index = B / A =																					
1. <b>Ranunculus repens</b>	<b>90</b>	<b>Y</b>	<b>FAC</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Hydrophytic Vegetation Indicators</th> </tr> </thead> <tbody> <tr> <td><input checked="" type="checkbox"/></td> <td>Dominance test is &gt; 50%</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Prevalence test is ≤ 3.0 *</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Wetland Non-Vascular Plants *</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Problematic Hydrophytic Vegetation * (explain)</td> </tr> <tr> <td colspan="2">* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic</td> </tr> <tr> <td colspan="2" style="text-align: center;"><b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></td> </tr> </tbody> </table>	Hydrophytic Vegetation Indicators		<input checked="" type="checkbox"/>	Dominance test is > 50%	<input type="checkbox"/>	Prevalence test is ≤ 3.0 *	<input type="checkbox"/>	Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)	<input type="checkbox"/>	Wetland Non-Vascular Plants *	<input type="checkbox"/>	Problematic Hydrophytic Vegetation * (explain)	* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic		<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						
Hydrophytic Vegetation Indicators																									
<input checked="" type="checkbox"/>	Dominance test is > 50%																								
<input type="checkbox"/>	Prevalence test is ≤ 3.0 *																								
<input type="checkbox"/>	Morphological Adaptations * (provide supporting data in remarks or on a separate sheet)																								
<input type="checkbox"/>	Wetland Non-Vascular Plants *																								
<input type="checkbox"/>	Problematic Hydrophytic Vegetation * (explain)																								
* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																									
<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																									
2. <b>Juncus effusus</b>	<b>20</b>	<b>N</b>	<b>FACW</b>																						
3. <b>Convolvulus arvensis</b>	<b>Trace</b>	<b>N</b>	<b>UPL</b>																						
4. <b>Lotus corniculatus</b>	<b>Trace</b>	<b>N</b>	<b>FAC</b>																						
5. <b>Equisetum telmateia</b>	<b>3</b>	<b>N</b>	<b>FACW</b>																						
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ <b>113</b> = Total Cover																									
Woody Vine Stratum (Plot size: 3m diam.)																									
1.																									
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks:																									

**SOIL**

**Sampling Point – DP-52**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-6	10YR 3/2	100					Sandy loam	
6-14	2.5Y 5/2	93	10YR 4/6	7	C	M, PL	Sandy loam	With some clay
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Loc: PL=Pore Lining, M=Matrix								
<b>Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)</b>								
<input type="checkbox"/> Histosol (A1)			<input type="checkbox"/> Sandy Redox (S5)			<b>Indicators for Problematic Hydric Soils<sup>3</sup></b>		
<input type="checkbox"/> Histic Epipedon (A2)			<input type="checkbox"/> Stripped Matrix (S6)			<input type="checkbox"/> 2cm Muck (A10)		
<input type="checkbox"/> Black Histic (A3)			<input type="checkbox"/> Loamy Mucky Mineral (F1) <b>(except MLRA 1)</b>			<input type="checkbox"/> Red Parent Material (TF2)		
<input type="checkbox"/> Hydrogen Sulfide (A4)			<input type="checkbox"/> Loamy Gleyed Matrix (F2)			<input type="checkbox"/> Other (explain in remarks)		
<input type="checkbox"/> Depleted Below Dark Surface (A11)			<input checked="" type="checkbox"/> Depleted Matrix (F3)			<input type="checkbox"/>		
<input type="checkbox"/> Thick Dark Surface (A12)			<input type="checkbox"/> Redox Dark Surface (F6)			<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic		
<input type="checkbox"/> Sandy Mucky Mineral (S1)			<input type="checkbox"/> Depleted Dark Surface (F7)					
<input type="checkbox"/> Sandy Gleyed Matrix (S4)			<input type="checkbox"/> Redox Depressions (F8)					
Restrictive Layer (if present):						Hydric soil present?		
Type: _____						Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Depth (inches): _____								
Remarks: <b>Large cobble in bottom layer. DP is near a French drain. Soils moist and not saturated.</b>								

**HYDROLOGY**

<b>Wetland Hydrology Indicators:</b> <i>Primary Indicators (minimum of one required: check all that apply):</i>			<i>Secondary Indicators (2 or more required):</i>		
<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> Water-Stained Leaves (B9) <b>(MLRA 1, 2, 4A &amp; 4B)</b>			
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves <b>(except MLRA 1, 2, 4A &amp; 4B)</b> (B9)	<input type="checkbox"/> Drainage Patterns (B10)			
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)	<input type="checkbox"/> Dry-Season Water Table (C2)			
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Aquatic Invertebrates (B13)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)			
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Geomorphic Position (D2)			
<input type="checkbox"/> Drift Deposits (B3)	<input checked="" type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)	<input type="checkbox"/> Shallow Aquitard (D3)			
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> FAC-Neutral Test (D5)			
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Raised Ant Mounds (D6) <b>(LRR A)</b>			
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Stunted or Stressed Plants (D1) <b>(LRR A)</b>	<input type="checkbox"/> Frost-Heave Hummocks			
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (explain in remarks)				
<b>Field Observations</b>			<b>Wetland Hydrology Present?</b>		
Surface Water Present?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Water Table Present?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____			
Saturation Present? (includes capillary fringe)	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in): _____			
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:					
Remarks:					



**WETLAND DETERMINATION DATA FORM**  
 Western Mountains, Valleys, and Coast Supplement to the  
 1987 COE Wetlands Delineation Manual

750 Sixth Street South  
 Kirkland, Washington 98033  
 (425) 822-5242  
 watershedco.com

**DP- 53**

Project Site: <b>Segment I, Parcel #: 1624059023 (Newport HS)</b>		Sampling Date: <b>10/23/2015</b>
Applicant/Owner: <b>PSE</b>		Sampling Point: <b>DP- 53</b>
Investigator: <b>R. Whitson</b>		City/County: <b>Bellevue</b>
Sect., Township, Range: <b>S 16 T 24N R 05E</b>		State: <b>WA</b>
Landform (hillslope, terrace, etc): <b>Hillslope/terrace</b>	Slope (%): <b>10</b>	Local relief (concave, convex, none): <b>Concave</b>
Subregion (LRR): <b>A</b>	Lat:	Long:
Soil Map Unit Name: <b>Urban land</b>	Datum:	
Soil Map Unit Name: <b>Urban land</b>		NWI classification: <b>NA</b>
Are climatic/hydrologic conditions on the site typical for this time of year? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		(If no, explain in remarks.)
Are "Normal Circumstances" present on the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> significantly disturbed?		
Are Vegetation <input type="checkbox"/> , Soil <input type="checkbox"/> , or Hydrology <input type="checkbox"/> naturally problematic		
(If needed, explain any answers in Remarks.)		

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Hydric Soils Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampling Point within a Wetland?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Remarks: <b>Wetland IB04</b>				

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: 5m diam.)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test Worksheet																					
1.				Number of Dominant Species that are OBL, FACW, or FAC: <b>1</b> (A)																					
2.																									
3.																									
4.																									
_____ = Total Cover				Total Number of Dominant Species Across All Strata: <b>1</b> (B)																					
_____ = Total Cover				Percent of Dominant Species that are OBL, FACW, or FAC: <b>100</b> (A/B)																					
Sapling/Shrub Stratum (Plot size: 3m diam.)				Prevalence Index Worksheet																					
1.				<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Total % Cover of</th> <th>Multiply by</th> </tr> </thead> <tbody> <tr> <td>OBL species</td> <td></td> <td>x 1 =</td> </tr> <tr> <td>FACW species</td> <td></td> <td>x 2 =</td> </tr> <tr> <td>FAC species</td> <td></td> <td>x 3 =</td> </tr> <tr> <td>FACU species</td> <td></td> <td>x 4 =</td> </tr> <tr> <td>UPL species</td> <td></td> <td>x 5 =</td> </tr> <tr> <td>Column totals</td> <td>(A)</td> <td>(B)</td> </tr> </tbody> </table>	Total % Cover of		Multiply by	OBL species		x 1 =	FACW species		x 2 =	FAC species		x 3 =	FACU species		x 4 =	UPL species		x 5 =	Column totals	(A)	(B)
Total % Cover of		Multiply by																							
OBL species		x 1 =																							
FACW species		x 2 =																							
FAC species		x 3 =																							
FACU species		x 4 =																							
UPL species		x 5 =																							
Column totals	(A)	(B)																							
2.																									
3.																									
4.																									
5.																									
_____ = Total Cover																									
Herb Stratum (Plot size: 1m diam.)				Prevalence Index = B / A =																					
1. <b><i>Convolvulus arvensis</i></b>	<b>Trace</b>	<b>N</b>	<b>UPL</b>	Prevalence Index = B / A =																					
2. <b><i>Phalaris arundinacea</i></b>	<b>100</b>	<b>Y</b>	<b>FACW</b>																						
3.																									
4.				<b>Hydrophytic Vegetation Indicators</b> <input checked="" type="checkbox"/> Dominance test is > 50% <input type="checkbox"/> Prevalence test is ≤ 3.0 * Morphological Adaptations * (provide supporting data in remarks or on a separate sheet) <input type="checkbox"/> Wetland Non-Vascular Plants * <input type="checkbox"/> Problematic Hydrophytic Vegetation * (explain)																					
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									
11.																									
_____ = Total Cover				* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic																					
Woody Vine Stratum (Plot size: )				Hydrophytic Vegetation Present?																					
1. <b><i>Rubus armeniacus</i></b>	<b>3</b>	<b>N</b>	<b>FACU</b>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																					
2.																									
_____ = Total Cover																									
% Bare Ground in Herb Stratum:																									
Remarks: <b><i>Rubus armeniacus</i> rooted partially out. <i>Juncus effusus</i> nearby.</b>																									

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-8	2.5Y 4/1	100					Gravelly silt	With cobble
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Loc: PL=Pore Lining, M=Matrix								
<b>Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)</b>								
<input type="checkbox"/> Histosol (A1)			<input type="checkbox"/> Sandy Redox (S5)			<b>Indicators for Problematic Hydric Soils<sup>3</sup></b>		
<input type="checkbox"/> Histic Epipedon (A2)			<input type="checkbox"/> Stripped Matrix (S6)			<input type="checkbox"/> 2cm Muck (A10)		
<input type="checkbox"/> Black Histic (A3)			<input type="checkbox"/> Loamy Mucky Mineral (F1) ( <b>except MLRA 1</b> )			<input type="checkbox"/> Red Parent Material (TF2)		
<input type="checkbox"/> Hydrogen Sulfide (A4)			<input type="checkbox"/> Loamy Gleyed Matrix (F2)			<input checked="" type="checkbox"/> Other (explain in remarks)		
<input type="checkbox"/> Depleted Below Dark Surface (A11)			<input type="checkbox"/> Depleted Matrix (F3)			<input type="checkbox"/>		
<input type="checkbox"/> Thick Dark Surface (A12)			<input type="checkbox"/> Redox Dark Surface (F6)			<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic		
<input type="checkbox"/> Sandy Mucky Mineral (S1)			<input type="checkbox"/> Depleted Dark Surface (F7)					
<input type="checkbox"/> Sandy Gleyed Matrix (S4)			<input type="checkbox"/> Redox Depressions (F8)					
Restrictive Layer (if present): Type: _____ Depth (inches): _____						Hydric soil present?    Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Remarks: <b>Too wet to see redox. Swale feature densely vegetated with <i>Phalaris arundinacea</i>, <i>Juncus effusus</i>, and <i>Typha</i> spp.</b>								

HYDROLOGY

<b>Wetland Hydrology Indicators:</b> <i>Primary Indicators (minimum of one required: check all that apply):</i>				<i>Secondary Indicators (2 or more required):</i>			
<input type="checkbox"/> Surface water (A1)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> Water-Stained Leaves (B9) ( <b>MLRA 1, 2, 4A &amp; 4B</b> )	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Water-Stained Leaves ( <b>except MLRA 1, 2, 4A &amp; 4B</b> ) (B9)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Salt Crust (B11)	<input type="checkbox"/> Aquatic Invertebrates (B13)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Shallow Aquitard (D3)	<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Raised Ant Mounds (D6) ( <b>LRR A</b> )	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Frost-Heave Hummocks	
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Stunted or Stressed Plants (D1) ( <b>LRR A</b> )	<input type="checkbox"/> Other (explain in remarks)		<input type="checkbox"/> Iron Deposits (B5)			
<input type="checkbox"/> Surface Soil Cracks (B6)				<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)			
<b>Field Observations</b>				<b>Wetland Hydrology Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
Surface Water Present?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (in):		Water Table Present?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in):	<b>1" BGS</b>
Saturation Present?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in):	<b>Surface</b>	Saturation Present? (includes capillary fringe)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (in):	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:							
Remarks: <b>Seeping in at 1 inch. BGS = below ground surface</b>							

**APPENDIX C**

---

Wetland Rating Forms



Wetland name or number: Wetland CB01

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland CB01 Date of site visit: 6/1/2015  
Katy Crandall,  
Rated by: Mike Foster Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 27 TOWNSHIP: 25N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	6
Score for Hydrologic Functions	10
Score for Habitat Functions	15
<b>TOTAL score for functions</b>	<b>31</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: Wetland CB01

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics








If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input checked="" type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure.....points = 0                 </p>	2
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

Note: Only a portion of Wetland CB01 was investigated for this study. Aerial photographs and various online mapping applications were used to characterize off-site portions of the wetlands.

<p>H 1.4. <u>Interspersion of habitats</u> (<i>see p. 76</i>)                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">                       None = 0 points                 </div> <div style="text-align: center;">                       Low = 1 point                 </div> <div style="text-align: center;">                       Moderate = 2 points                 </div> <div style="text-align: center;">                       Moderate = 2 points                 </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">                       High = 3 points                 </div> <div style="text-align: center;">                       High = 3 points                 </div> <div style="text-align: center;">                       [riparian braided channels]                 </div> </div> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>3</p>
<p>H 1.5. <u>Special Habitat Features:</u> (<i>see p. 77</i>)                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input checked="" type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (<i>structures for egg-laying by amphibians</i>)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>2</p>
<p><b>H 1. TOTAL</b> Score - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>9</p>

**H 1.5 – Large downed wood and standing snags are presumed to exist in off-site portions of the wetlands.**

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input checked="" type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	2	
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland? (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"><li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li><li><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</li><li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li><li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li><li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</li><li><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li><li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</li><li><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li><li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</li><li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li><li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li><li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li><li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long. If wetland has <b>3 or more</b> priority habitats = <b>4 points</b> If wetland has <b>2</b> priority habitats = <b>3 points</b> If wetland has <b>1</b> priority habitat = <b>1 point</b> No habitats = <b>0 points</b></li></ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	1
---	---

Wetland name or number: Wetland CB01

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	6
<p>TOTAL for H1 from page 14</p>	9
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	15

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b>                      Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,  <input type="checkbox"/> Vegetated, and  <input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? (<i>this question is used to screen out most sites before you need to contact WNHP/DNR</i>)</p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB01

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB01 Date of site visit: 5/29/2015  
K. Crandall,  
Rated by: R. Whitson Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 27 TOWNSHIP: 25N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	6
Score for Hydrologic Functions	10
Score for Habitat Functions	15
<b>TOTAL score for functions</b>	<b>31</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe**    **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: EB01

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input checked="" type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure.....points = 0                 </p>	2
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">                       None = 0 points                 </div> <div style="text-align: center;">                       Low = 1 point                 </div> <div style="text-align: center;">                       Moderate = 2 points                 </div> <div style="text-align: center;">                       Moderate = 2 points                 </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">                       High = 3 points                 </div> <div style="text-align: center;">                       High = 3 points                 </div> <div style="text-align: center;">                       [riparian braided channels]                 </div> </div> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>3</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>0</p>
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>7</p>

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input checked="" type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	2	
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	<p>4</p>
---	----------

Wetland name or number: EB01

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development).....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	2
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	8
<p>TOTAL for H1 from page 14</p>	7
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	15

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i></p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB02

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB02 Date of site visit: 6/3/2015  
K. Crandall,  
Rated by: M. Foster Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 34 TOWNSHIP: 25N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	6
Score for Hydrologic Functions	10
Score for Habitat Functions	16
<b>TOTAL score for functions</b>	<b>32</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe**    **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded?**  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: EB02

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input checked="" type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	2
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	2

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points    Low = 1 point    Moderate = 2 points</p> <p>High = 3 points    [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>3</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>1</p>
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>9</p>

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>		1
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete descriptions of **WDFW priority habitats, and the counties in which they can be found, in the PHS report** <http://wdfw.wa.gov/hab/phslist.htm>)

Which of the following priority habitats are within 330ft (100m) of the wetland?  
 (NOTE: the connections do not have to be relatively undisturbed)

- Aspen Stands:** Pure or mixed stands of aspen greater than 0.4 ha (1 acres).
- Biodiversity Areas and Corridors:** Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)
- Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- Old-growth/Mature forests:** (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests.) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.
- Oregon white Oak:** Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)
- Riparian:** The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)
- Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- Nearshore:** Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)
- Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- Cliffs:** Greater than 7.6 m (25 ft) high and occurring below 5000 ft.
- Talus:** Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of >51 cm (20 in) in western Washington and are > 2 m (6.5 ft) in height. Priority logs are > 30cm (12 in) in diameter at the largest end, and > 6m (20 ft) long.  
 If wetland has **3 or more** priority habitats = **4 points**  
 If wetland has **2** priority habitats = **3 points**  
 If wetland has **1** priority habitat = **1 point**  
 No habitats = **0 points**

Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.

3

Wetland name or number: EB02

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	7
<p>TOTAL for H1 from page 14</p>	9
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	16

H 2.4 – No other wetlands mapped or observed.

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB03

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB03 Date of site visit: 6/3/2015  
K. Crandall,  
Rated by: M. Foster Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 34 TOWNSHIP: 25N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	12
Score for Hydrologic Functions	16
Score for Habitat Functions	9
<b>TOTAL score for functions</b>	<b>37</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded?**  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: EB03

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is 1/4 acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>          Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points    Low = 1 point    Moderate = 2 points</p> <p>High = 3 points    [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>0</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>          Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>0</p>
<p><b>H 1. TOTAL Score</b> - potential for providing habitat          Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>2</p>

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>		1
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.                  If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>                  If wetland has <b>2</b> priority habitats = <b>3 points</b>                  If wetland has <b>1</b> priority habitat = <b>1 point</b>                  No habitats = <b>0 points</b></li> </ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
---	----------

Wetland name or number: EB03

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	7
<p>TOTAL for H1 from page 14</p>	2
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	9

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>  S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>  YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?  YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)  Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?  Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?  Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?  YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: Wetland EB04

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB04 Date of site visit: 6/3/2015

Rated by: K. Crandall Trained by Ecology? Yes  No  Date of Training 09/2014

SEC: 34 TOWNSHIP: 25N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	14
Score for Hydrologic Functions	10
Score for Habitat Functions	9
<b>TOTAL score for functions</b>	<b>33</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input checked="" type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input checked="" type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: Wetland EB04

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.



<b>D Depressional and Flats Wetlands</b>		
<b>HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation</b>		
<b>D</b>	<b>D 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 46)</i>
<b>D</b>	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet) .....points = 4</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch .....points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>)..points = 0</p>	2
<b>D</b>	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet .....points = 7</p> <p>The wetland is a “headwater” wetland”.....points = 5</p> <p>Marks of ponding between 2 ft to &lt; 3 ft from surface or bottom of outlet .....points = 5</p> <p>Marks are at least 0.5 ft to &lt; 2 ft from surface or bottom of outlet.....points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water .....points = 1</p> <p>Marks of ponding less than 0.5 ft .....points = 0</p>	0
<b>D</b>	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit.....points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit.....points = 3</p> <p>The area of the basin is more than 100 times the area of the unit.....points = 0</p> <p>Entire unit is in the FLATS class.....points = 5</p>	3
<b>D</b>	<b>Total for D 3</b> <i>Add the points in the boxes above</i>	5
<b>D</b>	<p><b>D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion?</b></p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input checked="" type="checkbox"/> <b>YES</b> multiplier is 2      <input type="checkbox"/> <b>NO</b> multiplier is 1</p>	<i>(see p. 49)</i>  multiplier  <u>2</u>
<b>D</b>	<b>TOTAL - Hydrologic Functions</b> Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	<b>10</b>

<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input checked="" type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 100px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points      Low = 1 point      Moderate = 2 points</p> <p>High = 3 points      [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>0</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>0</p>
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>2</p>

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1	
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	<p>3</p>
--	----------

Wetland name or number: Wetland EB04

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	7
<p>TOTAL for H1 from page 14</p>	2
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	9

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? (<i>this question is used to screen out most sites before you need to contact WNHP/DNR</i>)</p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB05

### WETLAND RATING FORM – WESTERN WASHINGTON

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB05 Date of site visit: 6/3/2015

Rated by: K. Crandall Trained by Ecology? Yes  No  Date of Training 09/2014

SEC: 34 TOWNSHIP: 25N RANGE: 05E Is S/T/R in Appendix D? Yes  No

## SUMMARY OF RATING

### Category based on FUNCTIONS provided by wetland

I  II  III  IV

Category I = Score $\geq$ 70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	6
Score for Hydrologic Functions	10
Score for Habitat Functions	12
<b>TOTAL score for functions</b>	<b>28</b>

### Category based on SPECIAL CHARACTERISTICS of wetland

I  II  Does not Apply

Final Category (choose the “highest” category from above)

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: EB05

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p>H 1.1 <u>Vegetation structure</u> (see p. 72)                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p>H 1.2. <u>Hydroperiods</u> (see p. 73)                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input checked="" type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	2
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75)                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 100px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">                       None = 0 points                 </div> <div style="text-align: center;">                       Low = 1 point                 </div> <div style="text-align: center;">                       Moderate = 2 points                 </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">                       High = 3 points                 </div> <div style="text-align: center;">  </div> <div style="text-align: center;">                       [riparian braided channels]                 </div> </div> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	0
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	5

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>	
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>	0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland? (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"><li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li><li><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li><li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li><li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li><li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li><li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li><li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li><li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li><li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li><li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li><li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li><li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li><li><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long. If wetland has <b>3 or more</b> priority habitats = <b>4 points</b> If wetland has <b>2</b> priority habitats = <b>3 points</b> If wetland has <b>1</b> priority habitat = <b>1 point</b> No habitats = <b>0 points</b></li></ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	3
---	---

Wetland name or number: EB05

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	7
<p>TOTAL for H1 from page 14</p>	5
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	12

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b>                      Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p> <input type="checkbox"/> The dominant water regime is tidal,  <input type="checkbox"/> Vegetated, and  <input type="checkbox"/> With a salinity greater than 0.5 ppt.                 </p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p> <input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2                 </p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p> <input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II                 </p> <p> <input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.                 </p> <p> <input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.                 </p> <p> <input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.                 </p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>  S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>  YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?  YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)  Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?  Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?  Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?  YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB06

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB06 Date of site visit: 6/3/2015

Rated by: K. Crandall Trained by Ecology? Yes  No  Date of Training 09/2014

SEC: 34 TOWNSHIP: 25N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	12
Score for Hydrologic Functions	16
Score for Habitat Functions	11
<b>TOTAL score for functions</b>	<b>39</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded?**  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: EB06

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;"><b>High = 3 points</b></p> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; font-size: small;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	0
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	4

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p>H 2.1 <b>Buffers</b> (<i>see p. 80</i>)  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1	
<p>H 2.2 <b>Corridors and Connections</b> (<i>see p. 81</i>)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (<i>go to H 2.3</i>)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (<i>go to H 2.3</i>)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	<p>3</p>
--	----------

Wetland name or number: EB06

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	7
<p>TOTAL for H1 from page 14</p>	4
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	11

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? (<i>this question is used to screen out most sites before you need to contact WNHP/DNR</i>)</p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB07

### WETLAND RATING FORM – WESTERN WASHINGTON

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB07 Date of site visit: 6/15/2015  
 K. Crandall,  
 Rated by: R. Whitson Trained by Ecology? Yes  No  Date of Training 09/2014  
 SEC: 3 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

## SUMMARY OF RATING

### Category based on FUNCTIONS provided by wetland

I  II  III  IV

Category I = Score $\geq$ 70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	0
Score for Hydrologic Functions	4
Score for Habitat Functions	8
<b>TOTAL score for functions</b>	<b>11</b>

### Category based on SPECIAL CHARACTERISTICS of wetland

I  II  Does not Apply

Final Category (choose the “highest” category from above)

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                        YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       **YES – The wetland class is Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       **YES – The wetland class is Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       **YES – The wetland class is Slope**

Wetland name or number: EB07

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	0
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;"><b>High = 3 points</b></p> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	0
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; font-size: small;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	0
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	1

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>	
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>	0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	<p>3</p>
--	----------

Wetland name or number: EB07

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	7
<p>TOTAL for H1 from page 14</p>	1
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	8

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i></p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB08

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB08 Date of site visit: 6/8/2015  
K. Crandall,  
Rated by: N. Lund Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 34 TOWNSHIP: 25N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	12
Score for Hydrologic Functions	10
Score for Habitat Functions	10
<b>TOTAL score for functions</b>	<b>32</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded?**  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: EB08

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;"><b>High = 3 points</b></p> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	0
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; font-size: small;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	0
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	2

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1	
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 20px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 20px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>4</p>
--	----------

Wetland name or number: EB08

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	8
<p>TOTAL for H1 from page 14</p>	2
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	10

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB09

### WETLAND RATING FORM – WESTERN WASHINGTON

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB09 Date of site visit: 6/8/2015  
 Rated by: K. Crandall  
N. Lund Trained by Ecology? Yes  No  Date of Training 09/2014  
 SEC: 3 TOWNSHIP: 25N RANGE: 05E Is S/T/R in Appendix D? Yes  No

## SUMMARY OF RATING

### Category based on FUNCTIONS provided by wetland

I  II  III  IV

Category I = Score $\geq$ 70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	20
Score for Hydrologic Functions	6
Score for Habitat Functions	15
<b>TOTAL score for functions</b>	<b>41</b>

### Category based on SPECIAL CHARACTERISTICS of wetland

I  II  Does not Apply

Final Category (choose the “highest” category from above)

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
Estuarine <input type="checkbox"/>	Depressional <input checked="" type="checkbox"/>
Natural Heritage Wetland <input type="checkbox"/>	Riverine <input type="checkbox"/>
Bog <input type="checkbox"/>	Lake-fringe <input type="checkbox"/>
Mature Forest <input type="checkbox"/>	Slope <input type="checkbox"/>
Old Growth Forest <input type="checkbox"/>	Flats <input type="checkbox"/>
Coastal Lagoon <input type="checkbox"/>	Freshwater Tidal <input type="checkbox"/>
Interdunal <input type="checkbox"/>	
None of the above <input type="checkbox"/>	Check if unit has multiple HGM classes present <input checked="" type="checkbox"/>

Wetland name or number: EB09

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                        YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       **YES** – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       **YES** – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       **YES** – The wetland class is **Slope**

Wetland name or number: EB09

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6                       YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7                       YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8                       YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
<b>Depressional + Riverine along stream within boundary</b>	<b>Depressional</b>
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.



<b>D Depressional and Flats Wetlands</b>		
<b>HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation</b>		
	<b>D 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 46)</i>
<b>D</b>	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet) ..... points = 4</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet ..... points = 2</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch ..... points = 1 <i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>)... points = 0</p>	0
<b>D</b>	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet ..... points = 7</p> <p>The wetland is a “headwater” wetland” ..... points = 5</p> <p>Marks of ponding between 2 ft to &lt; 3 ft from surface or bottom of outlet ..... points = 5</p> <p>Marks are at least 0.5 ft to &lt; 2 ft from surface or bottom of outlet ..... points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water ..... points = 1</p> <p>Marks of ponding less than 0.5 ft ..... points = 0</p>	0
<b>D</b>	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit ..... points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit ..... points = 3</p> <p>The area of the basin is more than 100 times the area of the unit ..... points = 0</p> <p>Entire unit is in the FLATS class ..... points = 5</p>	3
<b>D</b>	<b>Total for D 3</b> <span style="float: right;"><i>Add the points in the boxes above</i></span>	3
<b>D</b>	<p><b>D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion?</b></p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input checked="" type="checkbox"/> <b>YES</b> multiplier is 2      <input type="checkbox"/> <b>NO</b> multiplier is 1</p>	<i>(see p. 49)</i>  multiplier  2
<b>D</b>	<b>TOTAL - Hydrologic Functions</b> Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	<b>6</b>

<b><i>These questions apply to wetlands of all HGM classes.</i></b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the <u>potential</u> to provide habitat for many species?</b>	
<p>H 1.1 <u>Vegetation structure</u> (<i>see p. 72</i>)                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input checked="" type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	2
<p>H 1.2. <u>Hydroperiods</u> (<i>see p. 73</i>)                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input checked="" type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input type="checkbox"/> Saturated only    1 types present.....points = 0  <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p>H 1.3. <u>Richness of Plant Species</u> (<i>see p. 75</i>)                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (<i>different patches of the same species can be combined to meet the size threshold</i>)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: right;">If you counted:                      &gt; 19 species.....points = 2                      5 - 19 species.....points = 1                      &lt; 5 species .....points = 0</p> <p>List species below if you want to:</p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>High = 3 points</p> </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>2</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>1</p>
<p><b>H 1. TOTAL</b> Score - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>7</p>

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>	
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. .... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>	0

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <http://wdfw.wa.gov/hab/phslist.htm>)

Which of the following priority habitats are within 330ft (100m) of the wetland?  
 (NOTE: the connections do not have to be relatively undisturbed)

- Aspen Stands:** Pure or mixed stands of aspen greater than 0.4 ha (1 acres).
- Biodiversity Areas and Corridors:** Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)
- Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- Old-growth/Mature forests:** (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests.) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.
- Oregon white Oak:** Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)
- Riparian:** The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)
- Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- Nearshore:** Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)
- Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- Cliffs:** Greater than 7.6 m (25 ft) high and occurring below 5000 ft.
- Talus:** Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of >51 cm (20 in) in western Washington and are > 2 m (6.5 ft) in height. Priority logs are > 30cm (12 in) in diameter at the largest end, and > 6m (20 ft) long.  
 If wetland has **3 or more** priority habitats = **4 points**  
 If wetland has **2** priority habitats = **3 points**  
 If wetland has **1** priority habitat = **1 point**  
 No habitats = **0 points**

Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.

4

Wetland name or number: EB09

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	8
<p>TOTAL for H1 from page 14</p>	7
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	15

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<p><b>Wetland Type</b>  <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i></p>	<p><b>Category</b></p>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b>                      Does the wetland unit meet the following criteria for Estuarine wetlands?  <input type="checkbox"/> The dominant water regime is tidal,  <input type="checkbox"/> Vegetated, and  <input type="checkbox"/> With a salinity greater than 0.5 ppt.                      YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?  <input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?  <input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II  <input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.  <input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.  <input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b>  <b>Cat. II</b>  <b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? (<i>this question is used to screen out most sites before you need to contact WNHP/DNR</i>)</p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB10

### WETLAND RATING FORM – WESTERN WASHINGTON

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB10 Date of site visit: 6/15/2015  
K. Crandall,  
Rated by: N. Lund Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 3 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

## SUMMARY OF RATING

### Category based on FUNCTIONS provided by wetland

I  II  III  IV

Category I = Score  $\geq$ 70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	12
Score for Hydrologic Functions	16
Score for Habitat Functions	14
<b>TOTAL score for functions</b>	<b>42</b>

### Category based on SPECIAL CHARACTERISTICS of wetland

I  II  Does not Apply

Final Category (choose the “highest” category from above)

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: EB10

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	2
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>          Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>High = 3 points</p> </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>2</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>          Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>0</p>
<p><b>H 1. TOTAL</b> Score - potential for providing habitat          Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>6</p>

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>	
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>	0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland? (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"><li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li><li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</li><li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li><li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li><li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</li><li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li><li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</li><li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li><li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</li><li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li><li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li><li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li><li><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long. If wetland has <b>3 or more</b> priority habitats = <b>4 points</b> If wetland has <b>2</b> priority habitats = <b>3 points</b> If wetland has <b>1</b> priority habitat = <b>1 point</b> No habitats = <b>0 points</b></li></ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	4
---	---

Wetland name or number: EB10

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	8
<p>TOTAL for H1 from page 14</p>	6
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	14

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? (<i>this question is used to screen out most sites before you need to contact WNHP/DNR</i>)          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: Wetland EB11

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB11 Date of site visit: 6/5/2015  
K. Crandall  
Rated by: R. Whitson Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 3 TOWNSHIP: 25N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	12
Score for Hydrologic Functions	0
Score for Habitat Functions	16
<b>TOTAL score for functions</b>	<b>28</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
Estuarine <input type="checkbox"/>	Depressional <input checked="" type="checkbox"/>
Natural Heritage Wetland <input type="checkbox"/>	Riverine <input type="checkbox"/>
Bog <input type="checkbox"/>	Lake-fringe <input type="checkbox"/>
Mature Forest <input type="checkbox"/>	Slope <input type="checkbox"/>
Old Growth Forest <input type="checkbox"/>	Flats <input type="checkbox"/>
Coastal Lagoon <input type="checkbox"/>	Freshwater Tidal <input type="checkbox"/>
Interdunal <input type="checkbox"/>	
None of the above <input type="checkbox"/>	Check if unit has multiple HGM classes present <input checked="" type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe**    **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics








If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
<b>WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality</b>		
<b>D</b>	<b>D 1. Does the wetland have the potential to improve water quality?</b>	<i>(see p. 38)</i>
<b>D</b>	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet) .....points = 3 Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2 Unit has an unconstricted, or slightly constricted, surface outlet ( <i>permanently flowing</i> )..points = 1 Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b> , and/or outlet is a man-made ditch .....points = 1 ( <i>If ditch is not permanently flowing treat unit as “intermittently flowing”</i> )	1
<b>D</b>	D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic ( <i>use NRCS definitions</i> ). YES points = 4 NO points = 0	0
<b>D</b>	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class): Wetland has persistent, ungrazed, vegetation > = 95% of area .....points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area .....points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area .....points = 1 Wetland has persistent, ungrazed vegetation <1/10 of area .....points = 0	5
<b>D</b>	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > ½ total area of wetland .....points = 4 Area seasonally ponded is > ¼ total area of wetland .....points = 2 Area seasonally ponded is < ¼ total area of wetland .....points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
<b>D</b>	<b>Total for D 1</b>	<i>Add the points in the boxes above</i> 6
<b>D</b>	<b>D 2. Does the wetland unit have the opportunity to improve water quality?</b> Answer YES if you know or believe there are pollutants in groundwater or surface <u>water coming into the wetland</u> that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input checked="" type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ <b>YES</b> multiply score in D 1. <b>by 2</b> <b>NO</b> multiply score in D 1. <b>by 1</b>	<i>(see p. 44)</i>  multiplier  2
<b>D</b>	<b>TOTAL - Water Quality Functions</b>	Multiply the score from D1 by D2 <i>Add score to table on p. 1</i> <b>12</b>

<b>D Depressional and Flats Wetlands</b>		
<b>HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation</b>		
<b>D</b>	<b>D 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 46)</i>
<b>D</b>	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet) .....points = 4</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch .....points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>)..points = 0</p>	0
<b>D</b>	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet .....points = 7</p> <p>The wetland is a “headwater” wetland”.....points = 5</p> <p>Marks of ponding between 2 ft to &lt; 3 ft from surface or bottom of outlet .....points = 5</p> <p>Marks are at least 0.5 ft to &lt; 2 ft from surface or bottom of outlet.....points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water .....points = 1</p> <p>Marks of ponding less than 0.5 ft .....points = 0</p>	0
<b>D</b>	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit.....points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit.....points = 3</p> <p>The area of the basin is more than 100 times the area of the unit.....points = 0</p> <p>Entire unit is in the FLATS class.....points = 5</p>	0*
<b>D</b>	<b>Total for D 3</b> <span style="float: right;"><i>Add the points in the boxes above</i></span>	1
<b>D</b>	<p><b>D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion?</b></p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input checked="" type="checkbox"/> <b>YES</b> multiplier is 2      <input type="checkbox"/> <b>NO</b> multiplier is 1</p>	<i>(see p. 49)</i>  multiplier  <u>2</u>
<b>D</b>	<b>TOTAL - Hydrologic Functions</b> Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	<b>0</b>

\*D3.3 – Presumed based on the presence of two culverts that drain into wetland from adjacent areas.

<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input checked="" type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures.....points = 2                      2 structures.....points = 1                      1 structure.....points = 0                 </p>	2
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input checked="" type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	2
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 100px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;"><b>High = 3 points</b></p> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	2
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; font-size: small;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	1
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	8

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p>H 2.1 <u>Buffers</u> (<i>see p. 80</i>)  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1	
<p>H 2.2 <u>Corridors and Connections</u> (<i>see p. 81</i>)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (<i>go to H 2.3</i>)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (<i>go to H 2.3</i>)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>4</p>
---	----------

Wetland name or number: Wetland EB11

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	8
<p>TOTAL for H1 from page 14</p>	8
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	16

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB12

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB12 Date of site visit: 6/5/2015  
K. Crandall,  
Rated by: R. Whitson Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 3 TOWNSHIP: 25N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	4
Score for Hydrologic Functions	10
Score for Habitat Functions	15
<b>TOTAL score for functions</b>	<b>29</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                        YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       **YES** – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       **YES** – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       **YES** – The wetland class is **Slope**

Wetland name or number: EB12

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.



S	Slope Wetlands	Points
<b>HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion</b>		
	<b>S 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 68)</i>
S	<p>S 3.1 Characteristics of vegetation that reduce the velocity of surface flows during storms.  <i>Choose the points appropriate for the description that best fit conditions in the wetland. (stems of plants should be thick enough (usually &gt; 1/8in), or dense enough, to remain erect during surface flows)</i></p> <p>Dense, uncut, <b>rigid</b> vegetation covers &gt; 90% of the area of the wetland. ....points = 6                      Dense, uncut, <b>rigid</b> vegetation &gt; 1/2 area of wetland .....points = 3                      Dense, uncut, <b>rigid</b> vegetation &gt; 1/4 area .....points = 1                      More than 1/4 of area is grazed, mowed, tilled or vegetation is not rigid .....points = 0</p>	3
S	<p>S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows:                      The slope wetland has small surface depressions that can retain water over at least 10% of its area.</p> <p>YES                                    points = 2                      NO                                        points = 0</p>	2
S	<b>Total for S 3</b> <i>Add the points in the boxes above</i>	5
S	<p><b>S 4. Does the wetland have the <u>opportunity</u> to reduce flooding and erosion? (see p. 70)</b>                      Is the wetland in a landscape position where the reduction in water velocity it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? <i>Note which of the following conditions apply.</i></p> <p><input checked="" type="checkbox"/> Wetland has surface runoff that drains to a river or stream that has flooding problems  <input type="checkbox"/> Other:</p> <p><i>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</i></p> <p style="text-align: center;"><b>YES</b> multiplier is 2                    <b>NO</b> multiplier is 1</p>	(see p. 70)  multiplier  2
S	<b>TOTAL - Hydrologic Functions</b> Multiply the score from S 3 by S 4 <i>Add score to table on p. 1</i>	10

**Comments**

<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p>H 1.1 <u>Vegetation structure</u> (see p. 72)                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input checked="" type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	2
<p>H 1.2. <u>Hydroperiods</u> (see p. 73)                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75)                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p>H 1.4. <u>Interspersion of habitats</u> (see p. 76)                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points      Low = 1 point      Moderate = 2 points</p> <p>High = 3 points      [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>2</p>
<p>H 1.5. <u>Special Habitat Features:</u> (see p. 77)                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>1</p>
<p><b>H 1. TOTAL</b> Score - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>7</p>

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>	
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>	0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.                  If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>                  If wetland has <b>2</b> priority habitats = <b>3 points</b>                  If wetland has <b>1</b> priority habitat = <b>1 point</b>                  No habitats = <b>0 points</b></li> </ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	<p>4</p>
--	----------

Wetland name or number: EB12

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	8
<p>TOTAL for H1 from page 14</p>	7
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	15

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>  S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>  YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?  YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)  Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?  Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?  Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?  YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB13

### WETLAND RATING FORM – WESTERN WASHINGTON

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB13 Date of site visit: 6/15/2015  
K. Crandall,  
Rated by: R. Whitson Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 3 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

## SUMMARY OF RATING

### Category based on FUNCTIONS provided by wetland

I  II  III  IV

Category I = Score  $\geq 70$   
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	12
Score for Hydrologic Functions	10
Score for Habitat Functions	18
<b>TOTAL score for functions</b>	<b>40</b>

### Category based on SPECIAL CHARACTERISTICS of wetland

I  II  Does not Apply

Final Category (choose the “highest” category from above)

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: EB13

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input checked="" type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	2
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>3</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>0</p>
<p><b>H 1. TOTAL</b> Score - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>7</p>

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input checked="" type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>		2
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="padding-left: 40px;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="padding-left: 40px;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="padding-left: 40px;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <p><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</p> <p><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</p> <p><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</p> <p><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</p> <p><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</p> <p><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</p> <p><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</p> <p><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</p> <p><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.</p> <p style="padding-left: 40px;">If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>          If wetland has <b>2</b> priority habitats = <b>3 points</b>          If wetland has <b>1</b> priority habitat = <b>1 point</b>          No habitats = <b>0 points</b></p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>4</p>
---	----------

Wetland name or number: EB13

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	5
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	11
<p>TOTAL for H1 from page 14</p>	7
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	18

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB14

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB14 Date of site visit: 6/15/2015  
K. Crandall,  
Rated by: R. Whitson Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 3 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	2
Score for Hydrologic Functions	10
Score for Habitat Functions	15
<b>TOTAL score for functions</b>	<b>27</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: EB14

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.


<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input checked="" type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	0
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p>  <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	0
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	3

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input checked="" type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	<p>3</p>	
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 20px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 20px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		<p>0</p>

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland? (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	<p>4</p>
--	----------

Wetland name or number: EB14

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	5
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	12
<p>TOTAL for H1 from page 14</p>	3
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	15

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? (<i>this question is used to screen out most sites before you need to contact WNHP/DNR</i>)</p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB15

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB15 Date of site visit: 6/19/2015  
K. Crandall,  
Rated by: R. Kahlo Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 3 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	4
Score for Hydrologic Functions	16
Score for Habitat Functions	17
<b>TOTAL score for functions</b>	<b>37</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: EB15

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p>H 1.4. <u>Interspersion of habitats</u> (<i>see p. 76</i>)                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points    Low = 1 point    Moderate = 2 points</p> <p>High = 3 points    [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>1</p>
<p>H 1.5. <u>Special Habitat Features:</u> (<i>see p. 77</i>)                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input checked="" type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (<i>structures for egg-laying by amphibians</i>)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>2</p>
<p><b>H 1. TOTAL</b> Score - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>6</p>

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input checked="" type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	2	
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland? (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	<p>4</p>
---	----------

Wetland name or number: EB15

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	5
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	11
<p>TOTAL for H1 from page 14</p>	6
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	17

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b>                      Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,  <input type="checkbox"/> Vegetated, and  <input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: Wetland EB16

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB16 Date of site visit: 6/19/2015  
K. Crandall,  
Rated by: R. Kahlo Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 03 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	6
Score for Hydrologic Functions	6
Score for Habitat Functions	18
<b>TOTAL score for functions</b>	<b>30</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
Estuarine <input type="checkbox"/>	Depressional <input checked="" type="checkbox"/>
Natural Heritage Wetland <input type="checkbox"/>	Riverine <input type="checkbox"/>
Bog <input type="checkbox"/>	Lake-fringe <input type="checkbox"/>
Mature Forest <input type="checkbox"/>	Slope <input type="checkbox"/>
Old Growth Forest <input type="checkbox"/>	Flats <input type="checkbox"/>
Coastal Lagoon <input type="checkbox"/>	Freshwater Tidal <input type="checkbox"/>
Interdunal <input type="checkbox"/>	
None of the above <input type="checkbox"/>	Check if unit has multiple HGM classes present <input checked="" type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: Wetland EB16

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
<b>WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality</b>		
<b>D</b>	<b>D 1. Does the wetland have the potential to improve water quality?</b>	<i>(see p. 38)</i>
<b>D</b>	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet) .....points = 3 Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2 Unit has an unconstricted, or slightly constricted, surface outlet ( <i>permanently flowing</i> )..points = 1 Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b> , and/or outlet is a man-made ditch .....points = 1 ( <i>If ditch is not permanently flowing treat unit as “intermittently flowing”</i> )	1
<b>D</b>	D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic ( <i>use NRCS definitions</i> ). YES points = 4 NO points = 0	0
<b>D</b>	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class): Wetland has persistent, ungrazed, vegetation > = 95% of area .....points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area .....points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area .....points = 1 Wetland has persistent, ungrazed vegetation <1/10 of area .....points = 0	5
<b>D</b>	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > ½ total area of wetland .....points = 4 Area seasonally ponded is > ¼ total area of wetland .....points = 2 Area seasonally ponded is < ¼ total area of wetland .....points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
<b>D</b>	<b>Total for D 1</b> <i>Add the points in the boxes above</i>	6
<b>D</b>	<b>D 2. Does the wetland unit have the opportunity to improve water quality?</b> Answer YES if you know or believe there are pollutants in groundwater or surface <u>water coming into the wetland</u> that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ YES multiply score in D 1. by 2      NO multiply score in D 1. by 1	<i>(see p. 44)</i>  multiplier  1
<b>D</b>	<b>TOTAL - Water Quality Functions</b> Multiply the score from D1 by D2 <i>Add score to table on p. 1</i>	6

<b>D Depressional and Flats Wetlands</b>		
<b>HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation</b>		
<b>D</b>	<b>D 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 46)</i>
<b>D</b>	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet) .....points = 4</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch .....points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>)..points = 0</p>	0
<b>D</b>	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet .....points = 7</p> <p>The wetland is a “headwater” wetland”.....points = 5</p> <p>Marks of ponding between 2 ft to &lt; 3 ft from surface or bottom of outlet .....points = 5</p> <p>Marks are at least 0.5 ft to &lt; 2 ft from surface or bottom of outlet.....points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water .....points = 1</p> <p>Marks of ponding less than 0.5 ft .....points = 0</p>	0
<b>D</b>	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit.....points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit.....points = 3</p> <p>The area of the basin is more than 100 times the area of the unit.....points = 0</p> <p>Entire unit is in the FLATS class.....points = 5</p>	3
<b>D</b>	<b>Total for D 3</b> <span style="float: right;"><i>Add the points in the boxes above</i></span>	3
<b>D</b>	<p><b>D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion?</b></p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input checked="" type="checkbox"/> <b>YES</b> multiplier is 2      <input type="checkbox"/> <b>NO</b> multiplier is 1</p>	<i>(see p. 49)</i>  multiplier  <u>2</u>
<b>D</b>	<b>TOTAL - Hydrologic Functions</b> Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	<b>6</b>

<b>These questions apply to wetlands of all HGM classes.</b> <b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p>H 1.1 <u>Vegetation structure</u> (see p. 72)                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p>H 1.2. <u>Hydroperiods</u> (see p. 73)                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input checked="" type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input checked="" type="checkbox"/> Seasonally flooded or inundated                              3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                              2 types present .....points = 1  <input type="checkbox"/> Saturated only    1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75)                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;"><b>High = 3 points</b></p> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input checked="" type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; font-size: small;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	2
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	6

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>	
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input checked="" type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	3
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="padding-left: 40px;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="padding-left: 40px;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="padding-left: 40px;">YES = <b>1 point</b>      NO = <b>0 points</b></p>	0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>4</p>
---	----------

Wetland name or number: Wetland EB16

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	5
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	12
<p>TOTAL for H1 from page 14</p>	6
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	18

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b>                      Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p> <input type="checkbox"/> The dominant water regime is tidal,  <input type="checkbox"/> Vegetated, and  <input type="checkbox"/> With a salinity greater than 0.5 ppt.                      YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/> </p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p> <input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2                 </p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p> <input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II                 </p> <p> <input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.                 </p> <p> <input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.                 </p> <p> <input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.                 </p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: Wetland EB17

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
 Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB17 Date of site visit: 6/19/2015  
 K. Crandall,  
 Rated by: R. Kahlo Trained by Ecology? Yes  No  Date of Training 09/2014  
 SEC: 03 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score  $\geq$ 70  
 Category II = Score 51-69  
 Category III = Score 30-50  
 Category IV = Score < 30

Score for Water Quality Functions	6
Score for Hydrologic Functions	6
Score for Habitat Functions	23
<b>TOTAL score for functions</b>	<b>35</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
Estuarine <input type="checkbox"/>	Depressional <input checked="" type="checkbox"/>
Natural Heritage Wetland <input type="checkbox"/>	Riverine <input type="checkbox"/>
Bog <input type="checkbox"/>	Lake-fringe <input type="checkbox"/>
Mature Forest <input type="checkbox"/>	Slope <input type="checkbox"/>
Old Growth Forest <input type="checkbox"/>	Flats <input type="checkbox"/>
Coastal Lagoon <input type="checkbox"/>	Freshwater Tidal <input type="checkbox"/>
Interdunal <input type="checkbox"/>	
None of the above <input type="checkbox"/>	Check if unit has multiple HGM classes present <input checked="" type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: Wetland EB17

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
<b>WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality</b>		
<b>D</b>	<b>D 1. Does the wetland have the potential to improve water quality?</b>	<i>(see p. 38)</i>
<b>D</b>	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet) .....points = 3 Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2 Unit has an unconstricted, or slightly constricted, surface outlet ( <i>permanently flowing</i> )..points = 1 Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b> , and/or outlet is a man-made ditch .....points = 1 ( <i>If ditch is not permanently flowing treat unit as “intermittently flowing”</i> )	1
<b>D</b>	D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic ( <i>use NRCS definitions</i> ). YES points = 4 NO points = 0	0
<b>D</b>	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class): Wetland has persistent, ungrazed, vegetation > = 95% of area .....points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area .....points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area .....points = 1 Wetland has persistent, ungrazed vegetation <1/10 of area .....points = 0	5
<b>D</b>	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > ½ total area of wetland .....points = 4 Area seasonally ponded is > ¼ total area of wetland .....points = 2 Area seasonally ponded is < ¼ total area of wetland .....points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
<b>D</b>	<b>Total for D 1</b>	<i>Add the points in the boxes above</i> 6
<b>D</b>	<b>D 2. Does the wetland unit have the opportunity to improve water quality?</b> Answer YES if you know or believe there are pollutants in groundwater or surface <u>water coming into the wetland</u> that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ <b>YES</b> multiply score in D 1. <b>by 2</b> <b>NO</b> multiply score in D 1. <b>by 1</b>	<i>(see p. 44)</i>  multiplier  1
<b>D</b>	<b>TOTAL - Water Quality Functions</b>	Multiply the score from D1 by D2 <i>Add score to table on p. 1</i> <span style="border: 2px solid black; padding: 2px;">6</span>

<b>D Depressional and Flats Wetlands</b>		
<b>HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation</b>		
<b>D</b>	<b>D 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 46)</i>
<b>D</b>	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet) .....points = 4</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch .....points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>)..points = 0</p>	0
<b>D</b>	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet .....points = 7</p> <p>The wetland is a “headwater” wetland”.....points = 5</p> <p>Marks of ponding between 2 ft to &lt; 3 ft from surface or bottom of outlet .....points = 5</p> <p>Marks are at least 0.5 ft to &lt; 2 ft from surface or bottom of outlet.....points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water .....points = 1</p> <p>Marks of ponding less than 0.5 ft .....points = 0</p>	0
<b>D</b>	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit.....points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit.....points = 3</p> <p>The area of the basin is more than 100 times the area of the unit.....points = 0</p> <p>Entire unit is in the FLATS class.....points = 5</p>	3
<b>D</b>	<b>Total for D 3</b> <span style="float: right;"><i>Add the points in the boxes above</i></span>	3
<b>D</b>	<p><b>D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion?</b></p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input checked="" type="checkbox"/> <b>YES</b> multiplier is 2      <input type="checkbox"/> <b>NO</b> multiplier is 1</p>	<i>(see p. 49)</i>  multiplier  <u>2</u>
<b>D</b>	<b>TOTAL - Hydrologic Functions</b> Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	<b>6</b>

<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input checked="" type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	4
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input checked="" type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only    1 types present.....points = 0  <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	2
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p>H 1.4. <u>Interspersion of habitats</u> (<i>see p. 76</i>)                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;">High = 3 points</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	3
<p>H 1.5. <u>Special Habitat Features:</u> (<i>see p. 77</i>)                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input checked="" type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (<i>structures for egg-laying by amphibians</i>)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; font-size: small;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	2
<p><b>H 1. TOTAL</b> Score - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	12

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input checked="" type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>		2
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="padding-left: 40px;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="padding-left: 40px;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="padding-left: 40px;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>4</p>
---	----------

Wetland name or number: Wetland EB17

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	5
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	11
<p>TOTAL for H1 from page 14</p>	12
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	23

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB18

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB18 Date of site visit: 6/24/2015  
K. Crandall,  
Rated by: R. Kahlo Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 3 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	4
Score for Hydrologic Functions	10
Score for Habitat Functions	13
<b>TOTAL score for functions</b>	<b>27</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe**    **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure.....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;"><b>High = 3 points</b></p> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	0
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; font-size: small;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	1
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	3

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>	
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input checked="" type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	2
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>	0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</li> <li><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</li> <li><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
---	----------

Wetland name or number: EB18

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	5
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	10
<p>TOTAL for H1 from page 14</p>	3
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	13

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? (<i>this question is used to screen out most sites before you need to contact WNHP/DNR</i>)</p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB19

### WETLAND RATING FORM – WESTERN WASHINGTON

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB19 Date of site visit: 6/24/2015  
K. Crandall,  
Rated by: R. Kahlo Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 3 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

## SUMMARY OF RATING

### Category based on FUNCTIONS provided by wetland

I  II  III  IV

Category I = Score  $\geq 70$   
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	12
Score for Hydrologic Functions	16
Score for Habitat Functions	11
<b>TOTAL score for functions</b>	<b>39</b>

### Category based on SPECIAL CHARACTERISTICS of wetland

I  II  Does not Apply

Final Category (choose the “highest” category from above)

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: EB19

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures.....points = 2                      2 structures.....points = 1                      1 structure.....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	0
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species.....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;"><b>High = 3 points</b></p> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	0
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; font-size: small;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	0
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	1

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>	
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input checked="" type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	2
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>	0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland? (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"><li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li><li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</li><li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li><li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li><li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</li><li><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li><li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</li><li><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li><li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</li><li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li><li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li><li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li><li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long. If wetland has <b>3 or more</b> priority habitats = <b>4 points</b> If wetland has <b>2</b> priority habitats = <b>3 points</b> If wetland has <b>1</b> priority habitat = <b>1 point</b> No habitats = <b>0 points</b></li></ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	3
--	---

Wetland name or number: EB19

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	5
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	10
<p>TOTAL for H1 from page 14</p>	1
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	11

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: EB20

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland EB20 Date of site visit: 6/17/2015  
K. Crandall,  
Rated by: R. Whitson Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 10 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	12
Score for Hydrologic Functions	16
Score for Habitat Functions	8
<b>TOTAL score for functions</b>	<b>36</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: EB20

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b> <b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p>H 1.1 <u>Vegetation structure</u> (see p. 72)                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p>H 1.2. <u>Hydroperiods</u> (see p. 73)                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	0
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75)                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="padding-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;"><b>High = 3 points</b></p> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; font-size: small;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	0
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	3

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p>H 2.1 <u>Buffers</u> (<i>see p. 80</i>)  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1	
<p>H 2.2 <u>Corridors and Connections</u> (<i>see p. 81</i>)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (<i>go to H 2.3</i>)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (<i>go to H 2.3</i>)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland? (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	<p>1</p>
--	----------

Wetland name or number: EB20

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile. ....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	5
<p>TOTAL for H1 from page 14</p>	3
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	8

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

**WETLAND RATING FORM – WESTERN WASHINGTON**  
 Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
 Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland G2B01 Date of site visit: 9/30/2015  
 R. Whitson,  
 Rated by: M. Foster Trained by Ecology? Yes  No  Date of Training 03/2015  
 SEC: 09 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

**I**  **II**  **III**  **IV**

Category I = Score ≥70  
 Category II = Score 51-69  
 Category III = Score 30-50  
 Category IV = Score < 30

Score for Water Quality Functions	16
Score for Hydrologic Functions	26
Score for Habitat Functions	15
<b>TOTAL score for functions</b>	<b>57</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

**I**  **II**  **Does not Apply**

**Final Category (choose the “highest” category from above)**

**II**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
<b>Estuarine</b>	<input type="checkbox"/>	<b>Depressional</b>	<input type="checkbox"/>
<b>Natural Heritage Wetland</b>	<input type="checkbox"/>	<b>Riverine</b>	<input checked="" type="checkbox"/>
<b>Bog</b>	<input type="checkbox"/>	<b>Lake-fringe</b>	<input type="checkbox"/>
<b>Mature Forest</b>	<input type="checkbox"/>	<b>Slope</b>	<input type="checkbox"/>
<b>Old Growth Forest</b>	<input type="checkbox"/>	<b>Flats</b>	<input type="checkbox"/>
<b>Coastal Lagoon</b>	<input type="checkbox"/>	<b>Freshwater Tidal</b>	<input type="checkbox"/>
<b>Interdunal</b>	<input type="checkbox"/>		
None of the above	<input type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>	X*	
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).** Coho salmonid use and breeding have been documented here.

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                        YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe**    **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       **YES** – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       **YES** – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
 NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       **YES** – The wetland class is **Slope**

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics








If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

R	<b>Riverine and Freshwater Tidal Fringe Wetlands</b>	<b>Points</b>
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
<b>R</b>	<b>R 1. Does the wetland have the potential to improve water quality?</b>	<i>(see p. 52)</i>
<b>R</b>	R 1.1 Area of surface depressions within the riverine wetland that can trap sediments during a flooding event: Depressions cover >3/4 area of wetland.....points = 8 Depressions cover > 1/2 area of wetland.....points = 4 Depressions present but cover < 1/2 area of wetland .....points = 2 No depressions present.....points = 0	2
<b>R</b>	R 1.2 Characteristics of the vegetation in the wetland (areas with > 90% cover at person height): Forest or shrub > 2/3 the area of the wetland .....points = 8 Forest or shrub > 1/3 area of the wetland.....points = 6 Ungrazed, emergent plants > 2/3 area of wetland .....points = 6 Ungrazed emergent plants > 1/3 area of wetland .....points = 3 Forest, shrub, and ungrazed emergent < 1/3 area of wetland .....points = 0	6
<b>R</b>	<b>Total for R 1</b> <i>Add the points in the boxes above</i>	<b>8</b>
<b>R</b>	<b>R 2. Does the wetland have the opportunity to improve water quality? (see p. 53)</b> Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input checked="" type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> The river or stream linked to the wetland has a contributing basin where human activities have raised levels of sediment, toxic compounds or nutrients in the river water above standards for water quality <input type="checkbox"/> Other _____ <b>YES multiplier is 2      NO multiplier is 1</b>	2 multiplier
<b>R</b>	<b>TOTAL - Water Quality Functions</b> Multiply the score from R 1 by R 2 <i>Add score to table on p. 1</i>	<b>16</b>

**Comments**

<b>R Riverine and Freshwater Tidal Fringe Wetlands</b>		
<b>HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion</b>		
	<b>R 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 54)</i>
<b>R</b>	<p>R 3.1 Characteristics of the overbank storage the wetland provides:  <i>Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (width of wetland)/(width of stream).</i>                      If the ratio is more than 20.....points = 9                      If the ratio is between 10 – 20 .....points = 6                      If the ratio is 5- &lt;10 .....points = 4                      If the ratio is 1- &lt;5 .....points = 2                      If the ratio is &lt; 1 .....points = 1</p>	6
<b>R</b>	<p>R 3.2 Characteristics of vegetation that slow down water velocities during floods: <i>Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have &gt;90% cover at person height NOT Cowardin classes)</i>                      Forest or shrub for &gt;1/3 area OR Emergent plants &gt; 2/3 area.....points = 7                      Forest or shrub for &gt; 1/10 area OR Emergent plants &gt; 1/3 area.....points = 4                      Vegetation does not meet above criteria.....points = 0</p>	7
<b>R</b>	<b>Total for R 3</b> <i>Add the points in the boxes above</i>	<b>13</b>
<b>R</b>	<p><b>R 4. Does the wetland have the <u>opportunity</u> to reduce flooding and erosion? (see p. 57)</b>                      Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. <i>Note which of the following conditions apply.</i></p> <p><input checked="" type="checkbox"/> There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.</p> <p><input type="checkbox"/> There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding</p> <p><input type="checkbox"/> Other _____</p> <p><i>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</i>  <b>YES multiplier is 2      NO multiplier is 1</b></p>	<p><i>(see p. 57)</i></p> <p>multiplier</p> <p><u>2</u></p>
<b>R</b>	<b>TOTAL - Hydrologic Functions</b> Multiply the score from R 3 by R 4 <i>Add score to table on p. 1</i>	<b>26</b>

<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure.....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input checked="" type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only    1 types present.....points = 0  <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	2
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;"><b>High = 3 points</b></p> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>2</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input checked="" type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; font-size: small;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>3</p>
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>8</p>

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1	
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>	0	

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	<p>3</p>
--	----------

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	7
<p>TOTAL for H1 from page 14</p>	8
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	15

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b>                      Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,  <input type="checkbox"/> Vegetated, and  <input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? (<i>this question is used to screen out most sites before you need to contact WNHP/DNR</i>)</p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p></p>

**WETLAND RATING FORM – WESTERN WASHINGTON**  
 Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
 Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland IB01 Date of site visit: 10/7/2015  
 Rated by: A. Hoenig Trained by Ecology? Yes  No  Date of Training 10/2015  
 SEC: 09 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score $\geq$ 70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	6
Score for Hydrologic Functions	8
Score for Habitat Functions	12
<b>TOTAL score for functions</b>	<b>26</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

<b>IV</b>
-----------

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
Estuarine <input type="checkbox"/>	Depressional <input checked="" type="checkbox"/>
Natural Heritage Wetland <input type="checkbox"/>	Riverine <input checked="" type="checkbox"/>
Bog <input type="checkbox"/>	Lake-fringe <input type="checkbox"/>
Mature Forest <input type="checkbox"/>	Slope <input type="checkbox"/>
Old Growth Forest <input type="checkbox"/>	Flats <input type="checkbox"/>
Coastal Lagoon <input type="checkbox"/>	Freshwater Tidal <input type="checkbox"/>
Interdunal <input type="checkbox"/>	
None of the above <input type="checkbox"/>	Check if unit has multiple HGM classes present <input checked="" type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                        YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe**    **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       **YES** – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       **YES** – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
 NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       **YES** – The wetland class is **Slope**

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
<b>WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality</b>		
<b>D</b>	<b>D 1. Does the wetland have the potential to improve water quality?</b>	<i>(see p. 38)</i>
<b>D</b>	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet) .....points = 3 Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2 Unit has an unconstricted, or slightly constricted, surface outlet ( <i>permanently flowing</i> )..points = 1 Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b> , and/or outlet is a man-made ditch .....points = 1 ( <i>If ditch is not permanently flowing treat unit as “intermittently flowing”</i> )	3
<b>D</b>	D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic ( <i>use NRCS definitions</i> ). YES points = 4 NO points = 0	0
<b>D</b>	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class): Wetland has persistent, ungrazed, vegetation > = 95% of area .....points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area .....points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area .....points = 1 Wetland has persistent, ungrazed vegetation <1/10 of area .....points = 0	0
<b>D</b>	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > ½ total area of wetland .....points = 4 Area seasonally ponded is > ¼ total area of wetland .....points = 2 Area seasonally ponded is < ¼ total area of wetland .....points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
<b>D</b>	<b>Total for D 1</b>	<i>Add the points in the boxes above</i> 3
<b>D</b>	<b>D 2. Does the wetland unit have the opportunity to improve water quality?</b> Answer YES if you know or believe there are pollutants in groundwater or surface <u>water coming into the wetland</u> that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ <b>YES</b> multiply score in D 1. <b>by 2</b> <b>NO</b> multiply score in D 1. <b>by 1</b>	<i>(see p. 44)</i>  multiplier  2
<b>D</b>	<b>TOTAL - Water Quality Functions</b>	Multiply the score from D1 by D2 <i>Add score to table on p. 1</i> <span style="border: 2px solid black; padding: 2px;">6</span>

<b>D Depressional and Flats Wetlands</b>		
<b>HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation</b>		
<b>D</b>	<b>D 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 46)</i>
<b>D</b>	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet) .....points = 4</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch .....points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>)..points = 0</p>	4
<b>D</b>	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet .....points = 7</p> <p>The wetland is a “headwater” wetland”.....points = 5</p> <p>Marks of ponding between 2 ft to &lt; 3 ft from surface or bottom of outlet .....points = 5</p> <p>Marks are at least 0.5 ft to &lt; 2 ft from surface or bottom of outlet.....points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water .....points = 1</p> <p>Marks of ponding less than 0.5 ft .....points = 0</p>	0
<b>D</b>	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit.....points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit.....points = 3</p> <p>The area of the basin is more than 100 times the area of the unit.....points = 0</p> <p>Entire unit is in the FLATS class.....points = 5</p>	0
<b>D</b>	<b>Total for D 3</b> <span style="float: right;"><i>Add the points in the boxes above</i></span>	4
<b>D</b>	<p><b>D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion?</b></p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Other <u>Drainage complaints in adjacent property</u></p> <p><input type="checkbox"/> <b>YES</b> multiplier is 2      <input type="checkbox"/> <b>NO</b> multiplier is 1</p>	<i>(see p. 49)</i>  multiplier  <u>2</u>
<b>D</b>	<b>TOTAL - Hydrologic Functions</b> Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	<b>8</b>

<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	2
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points      Low = 1 point      Moderate = 2 points</p> <p>High = 3 points</p> <p>[riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>0</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>1</p>
<p><b>H 1. TOTAL</b> Score - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>4</p>

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>	
<p>H 2.1 <u>Buffers</u> (<i>see p. 80</i>)  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1
<p>H 2.2 <u>Corridors and Connections</u> (<i>see p. 81</i>)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="padding-left: 40px;">YES = <b>4 points</b> (<i>go to H 2.3</i>)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="padding-left: 40px;">YES = <b>2 points</b> (<i>go to H 2.3</i>)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;"> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> </div> <p style="padding-left: 40px;">YES = <b>1 point</b>      NO = <b>0 points</b></p>	1

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete descriptions of **WDFW priority habitats, and the counties in which they can be found, in the PHS report** <http://wdfw.wa.gov/hab/phslist.htm>)

Which of the following priority habitats are within 330ft (100m) of the wetland?  
 (NOTE: the connections do not have to be relatively undisturbed)

- Aspen Stands:** Pure or mixed stands of aspen greater than 0.4 ha (1 acres).
- Biodiversity Areas and Corridors:** Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)
- Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- Old-growth/Mature forests:** (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests.) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.
- Oregon white Oak:** Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)
- Riparian:** The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)
- Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- Nearshore:** Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)
- Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- Cliffs:** Greater than 7.6 m (25 ft) high and occurring below 5000 ft.
- Talus:** Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of >51 cm (20 in) in western Washington and are > 2 m (6.5 ft) in height. Priority logs are > 30cm (12 in) in diameter at the largest end, and > 6m (20 ft) long.  
 If wetland has **3 or more** priority habitats = **4 points**  
 If wetland has **2** priority habitats = **3 points**  
 If wetland has **1** priority habitat = **1 point**  
 No habitats = **0 points**

Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.

3

<p>H 2.4 <u>Wetland Landscape</u> (<i>choose the <b>one</b> description of the landscape around the wetland that best fits</i>)  <i>(see p. 84)</i></p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL</b> Score - opportunity for providing habitat  <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	8
<p>TOTAL for H1 from page 14</p>	4
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	12

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>  S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>  YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?  YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)  Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?  Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?  Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?  YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<div style="border: 2px solid black; width: 100%; height: 100%;"></div>

**WETLAND RATING FORM – WESTERN WASHINGTON**  
 Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
 Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland IB02 Date of site visit: 10/14/2015  
 R. Whitson,  
 Rated by: J. Palmer Trained by Ecology? Yes  No  Date of Training 03/2015  
 SEC: 16 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

**I**  **II**  **III**  **IV**

Category I = Score $\geq$ 70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	8
Score for Hydrologic Functions	10
Score for Habitat Functions	7
<b>TOTAL score for functions</b>	<b>25</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

**I**  **II**  **Does not Apply**

**Final Category (choose the “highest” category from above)**

<b>IV</b>
-----------

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
<b>Estuarine</b> <input type="checkbox"/>	<b>Depressional</b> <input checked="" type="checkbox"/>
<b>Natural Heritage Wetland</b> <input type="checkbox"/>	<b>Riverine</b> <input type="checkbox"/>
<b>Bog</b> <input type="checkbox"/>	<b>Lake-fringe</b> <input type="checkbox"/>
<b>Mature Forest</b> <input type="checkbox"/>	<b>Slope</b> <input type="checkbox"/>
<b>Old Growth Forest</b> <input type="checkbox"/>	<b>Flats</b> <input type="checkbox"/>
<b>Coastal Lagoon</b> <input type="checkbox"/>	<b>Freshwater Tidal</b> <input type="checkbox"/>
<b>Interdunal</b> <input type="checkbox"/>	
None of the above <input type="checkbox"/>	Check if unit has multiple HGM classes present <input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                        YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe**    **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       **YES** – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       **YES** – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
 NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       **YES** – The wetland class is **Slope**

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
<b>WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality</b>		
<b>D</b>	<b>D 1. Does the wetland have the potential to improve water quality?</b>	(see p. 38)
<b>D</b>	<p>D 1.1 Characteristics of surface water flows out of the wetland:</p> <p>Unit is a depression with no surface water leaving it (no outlet) .....points = 3</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2</p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>)..points = 1</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch .....points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p>	<u>2</u>
<b>D</b>	<p>D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (<i>use NRCS definitions</i>).</p> <p>YES points = 4</p> <p>NO points = 0</p>	0
<b>D</b>	<p>D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class):</p> <p>Wetland has persistent, ungrazed, vegetation &gt; = 95% of area .....points = 5</p> <p>Wetland has persistent, ungrazed, vegetation &gt; = 1/2 of area .....points = 3</p> <p>Wetland has persistent, ungrazed vegetation &gt; = 1/10 of area .....points = 1</p> <p>Wetland has persistent, ungrazed vegetation &lt;1/10 of area .....points = 0</p>	0
<b>D</b>	<p>D1.4 Characteristics of seasonal ponding or inundation.</p> <p><i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i></p> <p>Area seasonally ponded is &gt; ½ total area of wetland .....points = 4</p> <p>Area seasonally ponded is &gt; ¼ total area of wetland .....points = 2</p> <p>Area seasonally ponded is &lt; ¼ total area of wetland .....points = 0</p> <p>NOTE: See text for indicators of seasonal and permanent inundation.</p>	2
<b>D</b>	<b>Total for D 1</b>	<i>Add the points in the boxes above</i>
<b>D</b>	4	4
<b>D</b>	<b>D 2. Does the wetland unit have the opportunity to improve water quality?</b>	(see p. 44)
	<p>Answer YES if you know or believe there are pollutants in groundwater or surface <u>water coming into the wetland</u> that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i></p> <p><input type="checkbox"/> Grazing in the wetland or within 150 ft</p> <p><input type="checkbox"/> Untreated stormwater discharges to wetland</p> <p><input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland</p> <p><input checked="" type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging</p> <p><input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland</p> <p><input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen</p> <p><input type="checkbox"/> Other _____</p> <p><b>YES</b> multiply score in D 1. <b>by 2</b>      <b>NO</b> multiply score in D 1. <b>by 1</b></p>	multiplier <u>2</u>
<b>D</b>	<b>TOTAL - Water Quality Functions</b>	Multiply the score from D1 by D2 <i>Add score to table on p. 1</i>
		<b>8</b>

<b>D Depressional and Flats Wetlands</b>		
<b>HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation</b>		
<b>D</b>	<b>D 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 46)</i>
<b>D</b>	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet) ..... points = 4</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet ..... points = 2</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch ..... points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>).. points = 0</p>	2
<b>D</b>	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet ..... points = 7</p> <p>The wetland is a “headwater” wetland” ..... points = 5</p> <p>Marks of ponding between 2 ft to &lt; 3 ft from surface or bottom of outlet ..... points = 5</p> <p>Marks are at least 0.5 ft to &lt; 2 ft from surface or bottom of outlet ..... points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water ..... points = 1</p> <p>Marks of ponding less than 0.5 ft ..... points = 0</p>	0
<b>D</b>	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit ..... points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit ..... points = 3</p> <p>The area of the basin is more than 100 times the area of the unit ..... points = 0</p> <p>Entire unit is in the FLATS class ..... points = 5</p>	3
<b>D</b>	<b>Total for D 3</b> <i>Add the points in the boxes above</i>	5
<b>D</b>	<p><b>D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion?</b></p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Other <u>drainage complaints in downstream properties</u></p> <p><input checked="" type="checkbox"/> <b>YES</b> multiplier is 2      <input type="checkbox"/> <b>NO</b> multiplier is 1</p>	<i>(see p. 49)</i>  multiplier  <u>2</u>
<b>D</b>	<b>TOTAL - Hydrologic Functions</b> Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	<b>10</b>

<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input checked="" type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;"><b>High = 3 points</b></p> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	0
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input checked="" type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; font-size: small;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	1
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	3

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>		1
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <p><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</p> <p><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</p> <p><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</p> <p><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</p> <p><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</p> <p><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</p> <p><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</p> <p><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</p> <p><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.</p> <p style="padding-left: 40px;">If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>          If wetland has <b>2</b> priority habitats = <b>3 points</b>          If wetland has <b>1</b> priority habitat = <b>1 point</b>          No habitats = <b>0 points</b></p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>0</p>
--	----------

<p>H 2.4 <u>Wetland Landscape</u> (<i>choose the <b>one</b> description of the landscape around the wetland that best fits</i>)  <i>(see p. 84)</i></p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat  <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	4
<p>TOTAL for H1 from page 14</p>	3
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	7

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<p><b>Wetland Type</b>  <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i></p>	<p><b>Category</b></p>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b>                      Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,  <input type="checkbox"/> Vegetated, and  <input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<div style="border: 2px solid black; width: 100%; height: 100%;"></div>

**WETLAND RATING FORM – WESTERN WASHINGTON**  
 Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
 Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland IB03 Date of site visit: 10/23/2015  
 R. Whitson,  
 Rated by: J. Palmer Trained by Ecology? Yes  No  Date of Training 03/2015  
 SEC: 16 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

**I**  **II**  **III**  **IV**

Category I = Score ≥70  
 Category II = Score 51-69  
 Category III = Score 30-50  
 Category IV = Score < 30

Score for Water Quality Functions	6
Score for Hydrologic Functions	0
Score for Habitat Functions	6
<b>TOTAL score for functions</b>	<b>12</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

**I**  **II**  **Does not Apply**

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
<b>Estuarine</b>	<input type="checkbox"/>	<b>Depressional</b>	<input type="checkbox"/>
<b>Natural Heritage Wetland</b>	<input type="checkbox"/>	<b>Riverine</b>	<input type="checkbox"/>
<b>Bog</b>	<input type="checkbox"/>	<b>Lake-fringe</b>	<input type="checkbox"/>
<b>Mature Forest</b>	<input type="checkbox"/>	<b>Slope</b>	<input checked="" type="checkbox"/>
<b>Old Growth Forest</b>	<input type="checkbox"/>	<b>Flats</b>	<input type="checkbox"/>
<b>Coastal Lagoon</b>	<input type="checkbox"/>	<b>Freshwater Tidal</b>	<input type="checkbox"/>
<b>Interdunal</b>	<input type="checkbox"/>		
None of the above	<input type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe**    **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded?**  
 NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	0
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;"><b>High = 3 points</b></p> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	0
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; font-size: small;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	0
<p><b>H 1. TOTAL</b> Score - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	1



<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <p><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</p> <p><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</p> <p><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</p> <p><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</p> <p><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</p> <p><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</p> <p><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</p> <p><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</p> <p><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.</p> <p style="padding-left: 40px;">If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>          If wetland has <b>2</b> priority habitats = <b>3 points</b>          If wetland has <b>1</b> priority habitat = <b>1 point</b>          No habitats = <b>0 points</b></p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>0</p>
--	----------

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>		3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>		5
<p>TOTAL for H1 from page 14</p>		1
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>		6

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>  S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>  YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?  YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)  Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?  Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?  Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?  YES = Category I      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p style="border: 2px solid black; height: 40px;"></p>

**WETLAND RATING FORM – WESTERN WASHINGTON**  
 Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
 Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland IB04 Date of site visit: 10/23/2015  
 Rated by: R. Whitson Trained by Ecology? Yes  No  Date of Training 03/2015  
 SEC: 16 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

**I**  **II**  **III**  **IV**

Category I = Score  $\geq 70$   
 Category II = Score 51-69  
 Category III = Score 30-50  
 Category IV = Score < 30

Score for Water Quality Functions	16
Score for Hydrologic Functions	0
Score for Habitat Functions	9
<b>TOTAL score for functions</b>	<b>25</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

**I**  **II**  **Does not Apply**

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
Estuarine <input type="checkbox"/>	Depressional <input checked="" type="checkbox"/>
Natural Heritage Wetland <input type="checkbox"/>	Riverine <input type="checkbox"/>
Bog <input type="checkbox"/>	Lake-fringe <input type="checkbox"/>
Mature Forest <input type="checkbox"/>	Slope <input type="checkbox"/>
Old Growth Forest <input type="checkbox"/>	Flats <input type="checkbox"/>
Coastal Lagoon <input type="checkbox"/>	Freshwater Tidal <input type="checkbox"/>
Interdunal <input type="checkbox"/>	
None of the above <input type="checkbox"/>	Check if unit has multiple HGM classes present <input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                        YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe**    **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       **YES** – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       **YES** – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
 NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       **YES** – The wetland class is **Slope**

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
<b>WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality</b>		
<b>D</b>	<b>D 1. Does the wetland have the potential to improve water quality?</b>	<i>(see p. 38)</i>
<b>D</b>	<p>D 1.1 Characteristics of surface water flows out of the wetland:</p> <p>Unit is a depression with no surface water leaving it (no outlet) .....points = 3</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2</p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>)...points = 1</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch .....points = 1 <i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p>	1
<b>D</b>	<p>D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (<i>use NRCS definitions</i>).</p> <p>YES points = 4</p> <p>NO points = 0</p>	0
<b>D</b>	<p>D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class):</p> <p>Wetland has persistent, ungrazed, vegetation &gt; = 95% of area .....points = 5</p> <p>Wetland has persistent, ungrazed, vegetation &gt; = 1/2 of area .....points = 3</p> <p>Wetland has persistent, ungrazed vegetation &gt; = 1/10 of area .....points = 1</p> <p>Wetland has persistent, ungrazed vegetation &lt;1/10 of area .....points = 0</p>	5
<b>D</b>	<p>D1.4 Characteristics of seasonal ponding or inundation.</p> <p><i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i></p> <p>Area seasonally ponded is &gt; ½ total area of wetland .....points = 4</p> <p>Area seasonally ponded is &gt; ¼ total area of wetland .....points = 2</p> <p>Area seasonally ponded is &lt; ¼ total area of wetland .....points = 0</p> <p>NOTE: See text for indicators of seasonal and permanent inundation.</p>	2
<b>D</b>	<b>Total for D 1</b>	<i>Add the points in the boxes above</i>
<b>D</b>	<p><b>D 2. Does the wetland unit have the opportunity to improve water quality?</b></p> <p>Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i></p> <p><input type="checkbox"/> Grazing in the wetland or within 150 ft</p> <p><input type="checkbox"/> Untreated stormwater discharges to wetland</p> <p><input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland</p> <p><input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging</p> <p><input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland</p> <p><input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen</p> <p><input type="checkbox"/> Other _____</p> <p><b>YES</b> multiply score in D 1. <b>by 2</b>      <b>NO</b> multiply score in D 1. <b>by 1</b></p>	<i>(see p. 44)</i>  multiplier <u>2</u>
<b>D</b>	<b>TOTAL - Water Quality Functions</b>	Multiply the score from D1 by D2 <i>Add score to table on p. 1</i> <b>16</b>

D Depressional and Flats Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation		
D	<b>D 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 46)</i>
D	D 3.1 Characteristics of surface water flows out of the wetland unit Unit is a depression with no surface water leaving it (no outlet) .....points = 4 Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2 Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b> , and/or outlet is a man-made ditch .....points = 1 <i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i> Unit has an unconstricted, or slightly constricted, surface outlet ( <i>permanently flowing</i> )..points = 0	0
D	D 3.2 Depth of storage during wet periods <i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i> Marks of ponding are at least 3 ft or more above the surface or bottom of outlet .....points = 7 The wetland is a “headwater” wetland”.....points = 5 Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet .....points = 5 Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet.....points = 3 Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water .....points = 1 Marks of ponding less than 0.5 ft .....points = 0	0
D	D 3.3 Contribution of wetland unit to storage in the watershed <i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i> The area of the basin is less than 10 times the area of the unit.....points = 5 The area of the basin is 10 to 100 times the area of the unit.....points = 3 The area of the basin is more than 100 times the area of the unit.....points = 0 Entire unit is in the FLATS class.....points = 5	0
D	<b>Total for D 3</b> <i>Add the points in the boxes above</i>	0
D	<b>D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion?</b> Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur. <i>Note which of the following conditions apply.</i> <ul style="list-style-type: none"> <li><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</li> <li><input type="checkbox"/> Wetland drains to a river or stream that has flooding problems</li> <li><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</li> <li><input checked="" type="checkbox"/> Other <u>Sheet flowing into parking lot and drainage complaints in downstream properties(iMap)</u></li> </ul> <input checked="" type="checkbox"/> YES multiplier is 2 <input type="checkbox"/> NO multiplier is 1	<i>(see p. 49)</i>  multiplier  <u>2</u>
D	<b>TOTAL - Hydrologic Functions</b> Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	<b>0</b>

<b>These questions apply to wetlands of all HGM classes.</b> <b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p>H 1.1 <u>Vegetation structure</u> (see p. 72)                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p>H 1.2. <u>Hydroperiods</u> (see p. 73)                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input checked="" type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                              3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                              2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only    1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75)                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points      Low = 1 point      Moderate = 2 points</p> <p>High = 3 points      [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>1</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>0</p>
<p><b>H 1. TOTAL</b> Score - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>4</p>

<b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b>	
<p><b>H 2.1 Buffers</b> (<i>see p. 80</i>)  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) ..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1
<p><b>H 2.2 Corridors and Connections</b> (<i>see p. 81</i>)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="padding-left: 40px;">YES = <b>4 points</b> (<i>go to H 2.3</i>)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="padding-left: 40px;">YES = <b>2 points</b> (<i>go to H 2.3</i>)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  <div style="border: 1px solid black; padding: 2px; display: inline-block;">within 1 mi of a lake greater than 20 acres?</div>  YES = <b>1 point</b>      NO = <b>0 points</b></p>	1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <p><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</p> <p><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</p> <p><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</p> <p><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</p> <p><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</p> <p><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</p> <p><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</p> <p><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</p> <p><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.</p> <p style="padding-left: 40px;">If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>          If wetland has <b>2</b> priority habitats = <b>3 points</b>          If wetland has <b>1</b> priority habitat = <b>1 point</b>          No habitats = <b>0 points</b></p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>0</p>
--	----------

<p>H 2.4 <u>Wetland Landscape</u> (<i>choose the <b>one</b> description of the landscape around the wetland that best fits</i>)  <i>(see p. 84)</i></p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile. ....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat  <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	5
<p>TOTAL for H1 from page 14</p>	4
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	9

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<div style="border: 2px solid black; width: 100%; height: 100%;"></div>

Wetland name or number: JB01

**/WETLAND RATING FORM – WESTERN WASHINGTON**  
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland JB01 Date of site visit: 7/1/2015  
R. Kahlo,  
Rated by: A. Hoenig Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 10 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	6
Score for Hydrologic Functions	16
Score for Habitat Functions	19
<b>TOTAL score for functions</b>	<b>41</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
Estuarine <input type="checkbox"/>	Depressional <input type="checkbox"/>
Natural Heritage Wetland <input type="checkbox"/>	Riverine <input type="checkbox"/>
Bog <input type="checkbox"/>	Lake-fringe <input type="checkbox"/>
Mature Forest <input type="checkbox"/>	Slope <input checked="" type="checkbox"/>
Old Growth Forest <input type="checkbox"/>	Flats <input type="checkbox"/>
Coastal Lagoon <input type="checkbox"/>	Freshwater Tidal <input type="checkbox"/>
Interdunal <input type="checkbox"/>	
None of the above <input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present <input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: JB01

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is 1/4 acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input checked="" type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;">                     4 structures or more ..... points = 4                      3 structures ..... points = 2                      2 structures ..... points = 1                      1 structure ..... points = 0                 </p>	2
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated ..... 4 or more types present ..... points = 3  <input type="checkbox"/> Seasonally flooded or inundated ..... 3 types present ..... points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated ..... 2 types present ..... points = 1  <input checked="" type="checkbox"/> Saturated only ..... 1 types present ..... points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted: &gt; 19 species ..... points = 2                      5 - 19 species ..... points = 1                      &lt; 5 species ..... points = 0                      List species below if you want to:                 </p>	2

<p>H 1.4. <u>Interspersion of habitats</u> (<i>see p. 76</i>)                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points      Low = 1 point      Moderate = 2 points</p> <p>High = 3 points      [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>3</p>
<p>H 1.5. <u>Special Habitat Features:</u> (<i>see p. 77</i>)                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input checked="" type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>3</p>
<p><b>H 1. TOTAL</b> Score - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>11</p>



<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</u></p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland? (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"><li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li><li><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li><li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li><li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li><li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li><li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li><li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li><li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li><li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li><li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li><li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li><li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li><li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long. If wetland has <b>3 or more</b> priority habitats = <b>4 points</b> If wetland has <b>2</b> priority habitats = <b>3 points</b> If wetland has <b>1</b> priority habitat = <b>1 point</b> No habitats = <b>0 points</b></li></ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	4
---	---

Wetland name or number: JB01

<p>H 2.4 <u>Wetland Landscape</u> (<i>choose the <b>one</b> description of the landscape around the wetland that best fits</i>)  <i>(see p. 84)</i></p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development. .... points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile ..... points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed ..... points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile ..... points = 3</p> <p>There is at least 1 wetland within ½ mile. .... points = 2</p> <p>There are no wetlands within ½ mile..... points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat  <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	8
<p>TOTAL for H1 from page 14</p>	11
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	19

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1 .                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: JB02

**/WETLAND RATING FORM – WESTERN WASHINGTON**  
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland JB02 Date of site visit: 7/20/2015  
K. Crandall,  
Rated by: M. Foster Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 15 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	0
Score for Hydrologic Functions	0
Score for Habitat Functions	7
<b>TOTAL score for functions</b>	<b>7</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
Estuarine <input type="checkbox"/>	Depressional <input type="checkbox"/>
Natural Heritage Wetland <input type="checkbox"/>	Riverine <input type="checkbox"/>
Bog <input type="checkbox"/>	Lake-fringe <input type="checkbox"/>
Mature Forest <input type="checkbox"/>	Slope <input checked="" type="checkbox"/>
Old Growth Forest <input type="checkbox"/>	Flats <input type="checkbox"/>
Coastal Lagoon <input type="checkbox"/>	Freshwater Tidal <input type="checkbox"/>
Interdunal <input type="checkbox"/>	
None of the above <input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present <input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: JB02

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics








If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.



S	Slope Wetlands	Points
<b>HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion</b>		
	<b>S 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 68)</i>
<b>S</b>	<p>S 3.1 Characteristics of vegetation that reduce the velocity of surface flows during storms.  <i>Choose the points appropriate for the description that best fit conditions in the wetland. (stems of plants should be thick enough (usually &gt; 1/8in), or dense enough, to remain erect during surface flows)</i></p> <p>Dense, uncut, <b>rigid</b> vegetation covers &gt; 90% of the area of the wetland. .... points = 6                      Dense, uncut, <b>rigid</b> vegetation &gt; 1/2 area of wetland ..... points = 3                      Dense, uncut, <b>rigid</b> vegetation &gt; 1/4 area ..... points = 1                      More than 1/4 of area is grazed, mowed, tilled or vegetation is not rigid ..... points = 0</p>	0
<b>S</b>	<p>S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows:                      The slope wetland has small surface depressions that can retain water over at least 10% of its area.</p> <p>YES                                      points = 2                      NO                                         points = 0</p>	0
<b>S</b>	<b>Total for S 3</b> <i>Add the points in the boxes above</i>	0
<b>S</b>	<p><b>S 4. Does the wetland have the <u>opportunity</u> to reduce flooding and erosion? (see p. 70)</b>                      Is the wetland in a landscape position where the reduction in water velocity it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? <i>Note which of the following conditions apply.</i></p> <p><input checked="" type="checkbox"/> Wetland has surface runoff that drains to a river or stream that has flooding problems  <input type="checkbox"/> Other:</p> <p><i>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</i></p> <p style="text-align: center;"><b>YES</b> multiplier is <b>2</b>                      <b>NO</b> multiplier is <b>1</b></p>	(see p. 70)  multiplier  2
<b>S</b>	<b>TOTAL - Hydrologic Functions</b> Multiply the score from S 3 by S 4 <i>Add score to table on p. 1</i>	0

**Comments**

<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	0
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	0

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;"><b>High = 3 points</b></p> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input checked="" type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; margin-top: 5px;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	1
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	3

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1	
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <p><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</p> <p><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</p> <p><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</p> <p><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</p> <p><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</p> <p><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</p> <p><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</p> <p><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</p> <p><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.</p> <p style="padding-left: 40px;">If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>          If wetland has <b>2</b> priority habitats = <b>3 points</b>          If wetland has <b>1</b> priority habitat = <b>1 point</b>          No habitats = <b>0 points</b></p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>0</p>
--	----------

Wetland name or number: JB02

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	4
<p>TOTAL for H1 from page 14</p>	3
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	7

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: JB03

**/WETLAND RATING FORM – WESTERN WASHINGTON**  
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland JB03 Date of site visit: 7/20/2015  
K. Crandall,  
Rated by: M. Foster Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 15 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	0
Score for Hydrologic Functions	0
Score for Habitat Functions	7
<b>TOTAL score for functions</b>	<b>7</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe**    **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: JB03

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	0
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	0

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">                       None = 0 points                 </div> <div style="text-align: center;">                       Low = 1 point                 </div> <div style="text-align: center;">                       Moderate = 2 points                 </div> <div style="text-align: center;">                       Moderate = 2 points                 </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">                       High = 3 points                 </div> <div style="text-align: center;">                       High = 3 points                 </div> <div style="text-align: center;">                       [riparian braided channels]                 </div> </div> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input checked="" type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants  <i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></li> </ul>	1
<p><b>H 1. TOTAL</b> Score - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	3

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p>H 2.1 <u>Buffers</u> (see p. 80)  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1	
<p>H 2.2 <u>Corridors and Connections</u> (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 20px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 20px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <p><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</p> <p><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</p> <p><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</p> <p><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</p> <p><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</p> <p><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</p> <p><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</p> <p><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</p> <p><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.</p> <p style="padding-left: 40px;">If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>          If wetland has <b>2</b> priority habitats = <b>3 points</b>          If wetland has <b>1</b> priority habitat = <b>1 point</b>          No habitats = <b>0 points</b></p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>0</p>
--	----------

Wetland name or number: JB03

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	4
<p>TOTAL for H1 from page 14</p>	3
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	7

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b>                      Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,  <input type="checkbox"/> Vegetated, and  <input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? (<i>this question is used to screen out most sites before you need to contact WNHP/DNR</i>)</p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: JB04

**/WETLAND RATING FORM – WESTERN WASHINGTON**  
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland JB04 Date of site visit: 8/11/2015  
K. Crandall,  
Rated by: M. Foster Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 21 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	2
Score for Hydrologic Functions	6
Score for Habitat Functions	9
<b>TOTAL score for functions</b>	<b>17</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: JB04

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; margin-top: 10px;"><b>High = 3 points</b></p> <p><b>NOTE:</b> If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center; font-size: small;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	0
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	4

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p>H 2.1 <u>Buffers</u> (see p. 80)  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1	
<p>H 2.2 <u>Corridors and Connections</u> (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <p><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</p> <p><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</p> <p><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</p> <p><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</p> <p><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</p> <p><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</p> <p><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</p> <p><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</p> <p><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.</p> <p style="padding-left: 40px;">If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>          If wetland has <b>2</b> priority habitats = <b>3 points</b>          If wetland has <b>1</b> priority habitat = <b>1 point</b>          No habitats = <b>0 points</b></p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	1
---	---

Wetland name or number: JB04

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	5
<p>TOTAL for H1 from page 14</p>	4
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	9

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: JB05

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland JB05 Date of site visit: 9/9/2015  
K. Crandall,  
Rated by: A. Hoenig Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 21 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	2
Score for Hydrologic Functions	6
Score for Habitat Functions	13
<b>TOTAL score for functions</b>	<b>21</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
Estuarine <input type="checkbox"/>	Depressional <input type="checkbox"/>
Natural Heritage Wetland <input type="checkbox"/>	Riverine <input type="checkbox"/>
Bog <input type="checkbox"/>	Lake-fringe <input type="checkbox"/>
Mature Forest <input type="checkbox"/>	Slope <input checked="" type="checkbox"/>
Old Growth Forest <input type="checkbox"/>	Flats <input type="checkbox"/>
Coastal Lagoon <input type="checkbox"/>	Freshwater Tidal <input type="checkbox"/>
Interdunal <input type="checkbox"/>	
None of the above <input type="checkbox"/>	Check if unit has multiple HGM classes present <input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: JB05

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.


<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>          Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p>  <p>None = 0 points    Low = 1 point    Moderate = 2 points</p> <p>High = 3 points    [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>1</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>          Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>0</p>
<p><b>H 1. TOTAL Score</b> - potential for providing habitat          Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>4</p>

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p>H 2.1 <b>Buffers</b> (<i>see p. 80</i>)  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input checked="" type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	2	
<p>H 2.2 <b>Corridors and Connections</b> (<i>see p. 81</i>)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (<i>go to H 2.3</i>)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (<i>go to H 2.3</i>)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.                  If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>                  If wetland has <b>2</b> priority habitats = <b>3 points</b>                  If wetland has <b>1</b> priority habitat = <b>1 point</b>                  No habitats = <b>0 points</b></li> </ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>4</p>
---	----------

Wetland name or number: JB05

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	9
<p>TOTAL for H1 from page 14</p>	4
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	13

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: JB06

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland JB06 Date of site visit: 9/9/2015  
K. Crandall,  
Rated by: A. Hoenig Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 21 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	0
Score for Hydrologic Functions	4
Score for Habitat Functions	9
<b>TOTAL score for functions</b>	<b>13</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
Estuarine <input type="checkbox"/>	Depressional <input type="checkbox"/>
Natural Heritage Wetland <input type="checkbox"/>	Riverine <input type="checkbox"/>
Bog <input type="checkbox"/>	Lake-fringe <input type="checkbox"/>
Mature Forest <input type="checkbox"/>	Slope <input checked="" type="checkbox"/>
Old Growth Forest <input type="checkbox"/>	Flats <input type="checkbox"/>
Coastal Lagoon <input type="checkbox"/>	Freshwater Tidal <input type="checkbox"/>
Interdunal <input type="checkbox"/>	
None of the above <input type="checkbox"/>	Check if unit has multiple HGM classes present <input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: JB06

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points    Low = 1 point    Moderate = 2 points</p> <p>High = 3 points    [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>0</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>0</p>
<p><b>H 1. TOTAL</b> Score - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>2</p>

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p>H 2.1 <b>Buffers</b> (<i>see p. 80</i>)  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1	
<p>H 2.2 <b>Corridors and Connections</b> (<i>see p. 81</i>)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (<i>go to H 2.3</i>)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (<i>go to H 2.3</i>)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland? (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</li> <li><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</li> <li><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.  <ul style="list-style-type: none"> <li>If wetland has <b>3 or more</b> priority habitats = <b>4 points</b></li> <li>If wetland has <b>2</b> priority habitats = <b>3 points</b></li> <li>If wetland has <b>1</b> priority habitat = <b>1 point</b></li> <li>No habitats = <b>0 points</b></li> </ul> </li> </ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
---	----------

Wetland name or number: JB06

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	7
<p>TOTAL for H1 from page 14</p>	2
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	9

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: JB07

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland JB07 Date of site visit: 9/9/2015  
K. Crandall,  
Rated by: A. Hoenig Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 21 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	0
Score for Hydrologic Functions	4
Score for Habitat Functions	10
<b>TOTAL score for functions</b>	<b>14</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
Estuarine <input type="checkbox"/>	Depressional <input type="checkbox"/>
Natural Heritage Wetland <input type="checkbox"/>	Riverine <input type="checkbox"/>
Bog <input type="checkbox"/>	Lake-fringe <input type="checkbox"/>
Mature Forest <input type="checkbox"/>	Slope <input checked="" type="checkbox"/>
Old Growth Forest <input type="checkbox"/>	Flats <input type="checkbox"/>
Coastal Lagoon <input type="checkbox"/>	Freshwater Tidal <input type="checkbox"/>
Interdunal <input type="checkbox"/>	
None of the above <input type="checkbox"/>	Check if unit has multiple HGM classes present <input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: JB07

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>          Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points    Low = 1 point    Moderate = 2 points</p> <p>High = 3 points    [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>0</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>          Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>0</p>
<p><b>H 1. TOTAL</b> Score - potential for providing habitat          Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>2</p>

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input checked="" type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	2	
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 20px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 20px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</li> <li><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</li> <li><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.                  If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>                  If wetland has <b>2</b> priority habitats = <b>3 points</b>                  If wetland has <b>1</b> priority habitat = <b>1 point</b>                  No habitats = <b>0 points</b></li> </ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
---	----------

Wetland name or number: JB07

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	8
<p>TOTAL for H1 from page 14</p>	2
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	10

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b>                      Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,  <input type="checkbox"/> Vegetated, and  <input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? (<i>this question is used to screen out most sites before you need to contact WNHP/DNR</i>)</p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: JB08

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland JB08 Date of site visit: 9/9/2015  
K. Crandall,  
Rated by: A. Hoenig Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 21 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	8
Score for Hydrologic Functions	12
Score for Habitat Functions	21
<b>TOTAL score for functions</b>	<b>41</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
Estuarine <input type="checkbox"/>	Depressional <input checked="" type="checkbox"/>
Natural Heritage Wetland <input type="checkbox"/>	Riverine <input type="checkbox"/>
Bog <input type="checkbox"/>	Lake-fringe <input type="checkbox"/>
Mature Forest <input type="checkbox"/>	Slope <input checked="" type="checkbox"/>
Old Growth Forest <input type="checkbox"/>	Flats <input type="checkbox"/>
Coastal Lagoon <input type="checkbox"/>	Freshwater Tidal <input type="checkbox"/>
Interdunal <input type="checkbox"/>	
None of the above <input type="checkbox"/>	Check if unit has multiple HGM classes present <input checked="" type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: JB08

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
<b>WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality</b>		
<b>D</b>	<b>D 1. Does the wetland have the potential to improve water quality?</b>	<i>(see p. 38)</i>
<b>D</b>	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet) .....points = 3 Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2 Unit has an unconstricted, or slightly constricted, surface outlet ( <i>permanently flowing</i> )...points = 1 Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b> , and/or outlet is a man-made ditch .....points = 1 ( <i>If ditch is not permanently flowing treat unit as “intermittently flowing”</i> )	1
<b>D</b>	D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic ( <i>use NRCS definitions</i> ). YES points = 4 NO points = 0	0
<b>D</b>	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class): Wetland has persistent, ungrazed, vegetation > = 95% of area .....points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area .....points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area .....points = 1 Wetland has persistent, ungrazed vegetation <1/10 of area .....points = 0	3
<b>D</b>	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > ½ total area of wetland .....points = 4 Area seasonally ponded is > ¼ total area of wetland .....points = 2 Area seasonally ponded is < ¼ total area of wetland .....points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
<b>D</b>	<b>Total for D 1</b> <i>Add the points in the boxes above</i>	4
<b>D</b>	<b>D 2. Does the wetland unit have the opportunity to improve water quality?</b> Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input checked="" type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ <b>YES</b> multiply score in D 1. <b>by 2</b> <b>NO</b> multiply score in D 1. <b>by 1</b>	<i>(see p. 44)</i>  multiplier <u>2</u>
<b>D</b>	<b>TOTAL - Water Quality Functions</b> Multiply the score from D1 by D2 <i>Add score to table on p. 1</i>	<b>8</b>

<b>D Depressional and Flats Wetlands</b>		
<b>HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation</b>		
<b>D</b>	<b>D 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 46)</i>
<b>D</b>	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet) .....points = 4</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch .....points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>)..points = 0</p>	0
<b>D</b>	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet .....points = 7</p> <p>The wetland is a “headwater” wetland”.....points = 5</p> <p>Marks of ponding between 2 ft to &lt; 3 ft from surface or bottom of outlet .....points = 5</p> <p>Marks are at least 0.5 ft to &lt; 2 ft from surface or bottom of outlet.....points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water .....points = 1</p> <p>Marks of ponding less than 0.5 ft .....points = 0</p>	3
<b>D</b>	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit.....points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit.....points = 3</p> <p>The area of the basin is more than 100 times the area of the unit.....points = 0</p> <p>Entire unit is in the FLATS class.....points = 5</p>	3
<b>D</b>	<b>Total for D 3</b> <i>Add the points in the boxes above</i>	6
<b>D</b>	<p><b>D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion?</b></p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input checked="" type="checkbox"/> <b>YES</b> multiplier is 2      <input type="checkbox"/> <b>NO</b> multiplier is 1</p>	<i>(see p. 49)</i>  multiplier  <u>2</u>
<b>D</b>	<b>TOTAL - Hydrologic Functions</b> Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	<b>12</b>

<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input checked="" type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	2
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	2
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>          Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points    Low = 1 point    Moderate = 2 points</p> <p>High = 3 points    [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>2</p>
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>          Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	<p>2</p>
<p><b>H 1. TOTAL</b> Score - potential for providing habitat          Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	<p>9</p>

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p>H 2.1 <b>Buffers</b> (<i>see p. 80</i>)  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input checked="" type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. .... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	3	
<p>H 2.2 <b>Corridors and Connections</b> (<i>see p. 81</i>)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (<i>go to H 2.3</i>)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (<i>go to H 2.3</i>)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		2

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	<p>4</p>
--	----------

Wetland name or number: JB08

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	12
<p>TOTAL for H1 from page 14</p>	9
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	21

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b>                      Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p> <input type="checkbox"/> The dominant water regime is tidal,  <input type="checkbox"/> Vegetated, and  <input type="checkbox"/> With a salinity greater than 0.5 ppt.                 </p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p> <input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2                 </p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p> <input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II                 </p> <p> <input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.                 </p> <p> <input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.                 </p> <p> <input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.                 </p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? (<i>this question is used to screen out most sites before you need to contact WNHP/DNR</i>)</p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: MB01

**WETLAND RATING FORM – WESTERN WASHINGTON**  
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland MB01 Date of site visit: 4/6/2015  
K. Crandall,  
Rated by: M. Foster Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 28 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	16
Score for Hydrologic Functions	20
Score for Habitat Functions	12
<b>TOTAL score for functions</b>	<b>48</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**III**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input checked="" type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: MB01

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
<b>WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality</b>		
<b>D</b>	<b>D 1. Does the wetland have the potential to improve water quality?</b>	<i>(see p. 38)</i>
<b>D</b>	<p>D 1.1 Characteristics of surface water flows out of the wetland:</p> <p>Unit is a depression with no surface water leaving it (no outlet) .....points = 3</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2</p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>)..points = 1</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch .....points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p>	3
<b>D</b>	<p>D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (<i>use NRCS definitions</i>).</p> <p>YES points = 4</p> <p>NO points = 0</p>	0
<b>D</b>	<p>D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class):</p> <p>Wetland has persistent, ungrazed, vegetation &gt; = 95% of area .....points = 5</p> <p>Wetland has persistent, ungrazed, vegetation &gt; = 1/2 of area .....points = 3</p> <p>Wetland has persistent, ungrazed vegetation &gt; = 1/10 of area .....points = 1</p> <p>Wetland has persistent, ungrazed vegetation &lt;1/10 of area .....points = 0</p>	5
<b>D</b>	<p>D1.4 Characteristics of seasonal ponding or inundation.</p> <p><i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i></p> <p>Area seasonally ponded is &gt; ½ total area of wetland .....points = 4</p> <p>Area seasonally ponded is &gt; ¼ total area of wetland .....points = 2</p> <p>Area seasonally ponded is &lt; ¼ total area of wetland .....points = 0</p> <p>NOTE: See text for indicators of seasonal and permanent inundation.</p>	0
<b>D</b>	<b>Total for D 1</b>	<i>Add the points in the boxes above</i>
<b>D</b>	<p><b>D 2. Does the wetland unit have the opportunity to improve water quality?</b></p> <p>Answer YES if you know or believe there are pollutants in groundwater or surface <u>water coming into the wetland</u> that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Grazing in the wetland or within 150 ft</li> <li><input type="checkbox"/> Untreated stormwater discharges to wetland</li> <li><input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland</li> <li><input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging</li> <li><input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland</li> <li><input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen</li> <li><input checked="" type="checkbox"/> Other: <u>walking trail with dogs</u></li> </ul> <p><b>YES</b> multiply score in D 1. <b>by 2</b>      <b>NO</b> multiply score in D 1. <b>by 1</b></p>	<i>(see p. 44)</i>  multiplier <u>2</u>
<b>D</b>	<b>TOTAL - Water Quality Functions</b>	Multiply the score from D1 by D2 <i>Add score to table on p. 1</i> <b>16</b>

<b>D Depressional and Flats Wetlands</b>		
<b>HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation</b>		
<b>D</b>	<b>D 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 46)</i>
<b>D</b>	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet) ..... points = 4</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet ..... points = 2</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch ..... points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>).. points = 0</p>	4
<b>D</b>	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet ..... points = 7</p> <p>The wetland is a “headwater” wetland” ..... points = 5</p> <p>Marks of ponding between 2 ft to &lt; 3 ft from surface or bottom of outlet ..... points = 5</p> <p>Marks are at least 0.5 ft to &lt; 2 ft from surface or bottom of outlet ..... points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water ..... points = 1</p> <p>Marks of ponding less than 0.5 ft ..... points = 0</p>	3
<b>D</b>	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit ..... points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit ..... points = 3</p> <p>The area of the basin is more than 100 times the area of the unit ..... points = 0</p> <p>Entire unit is in the FLATS class ..... points = 5</p>	3
<b>D</b>	<b>Total for D 3</b> <i>Add the points in the boxes above</i>	10
<b>D</b>	<p><b>D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion?</b></p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input type="checkbox"/> <b>YES</b> multiplier is 2      <input type="checkbox"/> <b>NO</b> multiplier is 1</p>	<i>(see p. 49)</i>  multiplier  <u>2</u>
<b>D</b>	<b>TOTAL - Hydrologic Functions</b> Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	<b>20</b>

<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input checked="" type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>          Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">               None = 0 points         </div> <div style="text-align: center;">               Low = 1 point         </div> <div style="text-align: center;">               Moderate = 2 points         </div> <div style="text-align: center;">               Moderate = 2 points         </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">               High = 3 points         </div> <div style="text-align: center;">               High = 3 points         </div> <div style="text-align: center;">               [riparian braided channels]         </div> </div> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>          Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	1
<p><b>H 1. TOTAL Score</b> - potential for providing habitat          Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	5

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	1	
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	<p>4</p>
---	----------

Wetland name or number: MB01

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	2
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	7
<p>TOTAL for H1 from page 14</p>	5
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	12

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b>                      Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p> <input type="checkbox"/> The dominant water regime is tidal,  <input type="checkbox"/> Vegetated, and  <input type="checkbox"/> With a salinity greater than 0.5 ppt.                      YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/> </p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p> <input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2                 </p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p> <input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II                 </p> <p> <input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.                 </p> <p> <input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.                 </p> <p> <input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.                 </p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i></p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: Wetland MB02

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland MB02 Date of site visit: 4/8/2015  
K. Crandall,  
Rated by: R. Whitson Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 21 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	2
Score for Hydrologic Functions	4
Score for Habitat Functions	9
<b>TOTAL score for functions</b>	<b>15</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure.....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 100px;">&lt; 5 species .....points = 0</span> </p>	0

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">                       None = 0 points                 </div> <div style="text-align: center;">                       Low = 1 point                 </div> <div style="text-align: center;">                       Moderate = 2 points                 </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">                       High = 3 points                 </div> <div style="text-align: center;">  </div> <div style="text-align: center;">                       [riparian braided channels]                 </div> </div> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	0
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	0
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	1

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input checked="" type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. .... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	2	
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (see new and complete descriptions of <b>WDFW priority habitats, and the counties in which they can be found, in the PHS report</b> <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland? (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (full description in WDFW PHS report p. 152)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158.)</li> <li><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161)</li> <li><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</p>	<p>3</p>
---	----------

Wetland name or number: Wetland MB02

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	8
<p>TOTAL for H1 from page 14</p>	1
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	9

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>          S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>          YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?          YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)              Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?              Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?              Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?              YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: Wetland MB03

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland MB03 Date of site visit: 4/8/2015  
K. Crandall,  
Rated by: R. Whitson Trained by Ecology? Yes  No  Date of Training 09/2014  
SEC: 21 TOWNSHIP: 24N RANGE: 05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	0
Score for Hydrologic Functions	4
Score for Habitat Functions	9
<b>TOTAL score for functions</b>	<b>13</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine	<input type="checkbox"/>	Depressional	<input type="checkbox"/>
Natural Heritage Wetland	<input type="checkbox"/>	Riverine	<input type="checkbox"/>
Bog	<input type="checkbox"/>	Lake-fringe	<input type="checkbox"/>
Mature Forest	<input type="checkbox"/>	Slope	<input checked="" type="checkbox"/>
Old Growth Forest	<input type="checkbox"/>	Flats	<input type="checkbox"/>
Coastal Lagoon	<input type="checkbox"/>	Freshwater Tidal	<input type="checkbox"/>
Interdunal	<input type="checkbox"/>		
None of the above	<input checked="" type="checkbox"/>	Check if unit has multiple HGM classes present	<input type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe**    **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

- NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.





<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure.....points = 0                 </p>	0
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	0

<p><b>H 1.4. Interspersion of habitats (see p. 76)</b>                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">                       None = 0 points                 </div> <div style="text-align: center;">                       Low = 1 point                 </div> <div style="text-align: center;">                       Moderate = 2 points                 </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">                       High = 3 points                 </div> <div style="text-align: center;">  </div> <div style="text-align: center;">                       [riparian braided channels]                 </div> </div> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	0
<p><b>H 1.5. Special Habitat Features: (see p. 77)</b>                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	0
<p><b>H 1. TOTAL Score</b> - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	1

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input checked="" type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer ..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	2	
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (&gt;40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		0

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</li> <li><input type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</li> <li><input type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.              If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>              If wetland has <b>2</b> priority habitats = <b>3 points</b>              If wetland has <b>1</b> priority habitat = <b>1 point</b>              No habitats = <b>0 points</b></li> </ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
---	----------

Wetland name or number: Wetland MB03

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile.....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	8
<p>TOTAL for H1 from page 14</p>	1
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	9

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? <i>(this question is used to screen out most sites before you need to contact WNHP/DNR)</i>  S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/>  YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?  YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.)  Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?  Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)?  Yes – Is a bog for purpose of rating      NO - go to Q.4  <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)?  YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>

Wetland name or number: MB04

**WETLAND RATING FORM – WESTERN WASHINGTON**

Version 2 – Updated July 2006 to increase accuracy and reproducibility among users  
Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Wetland MB04 Date of site visit: 9/9/2015  
K. Crandall,  
Rated by: A. Hoenig Trained by Ecology? Yes  No  Date of Training 9/2014  
SEC: 21 TOWNSHIP: 24N RANGE: R05E Is S/T/R in Appendix D? Yes  No

**SUMMARY OF RATING**

**Category based on FUNCTIONS provided by wetland**

I  II  III  IV

Category I = Score ≥70  
Category II = Score 51-69  
Category III = Score 30-50  
Category IV = Score < 30

Score for Water Quality Functions	4
Score for Hydrologic Functions	0
Score for Habitat Functions	17
<b>TOTAL score for functions</b>	<b>21</b>

**Category based on SPECIAL CHARACTERISTICS of wetland**

I  II  Does not Apply

**Final Category (choose the “highest” category from above)**

**IV**

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class
Estuarine <input type="checkbox"/>	Depressional <input checked="" type="checkbox"/>
Natural Heritage Wetland <input type="checkbox"/>	Riverine <input type="checkbox"/>
Bog <input type="checkbox"/>	Lake-fringe <input type="checkbox"/>
Mature Forest <input type="checkbox"/>	Slope <input checked="" type="checkbox"/>
Old Growth Forest <input type="checkbox"/>	Flats <input type="checkbox"/>
Coastal Lagoon <input type="checkbox"/>	Freshwater Tidal <input type="checkbox"/>
Interdunal <input type="checkbox"/>	
None of the above <input type="checkbox"/>	Check if unit has multiple HGM classes present <input checked="" type="checkbox"/>

**Does the wetland unit being rated meet any of the criteria below?**

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal</b> or <b>plant</b> species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X*
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered <b>animal</b> species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X*
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X*
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

**\*The study area was reviewed for the presence of endangered, threatened, and priority species using WDFW online Priority Habitat and Species Data, PHS on the Web (<http://wdfw.wa.gov/mapping/phs/>).**

*To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.*

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## Classification of Wetland Units in Western Washington

**If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.**

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?  
 NO – go to 2                       YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).*

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit  
 NO – go to 3                       YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?  
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?  
 NO – go to 4                       YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?  
 The wetland is on a slope (*slope can be very gradual*),  
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.  
 The water leaves the wetland **without being impounded**?  
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*  
 NO – go to 5                       YES – The wetland class is **Slope**

Wetland name or number: MB04

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6                       **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7                       **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8                       **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
<b>WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality</b>		
<b>D</b>	<b>D 1. Does the wetland have the potential to improve water quality?</b>	(see p. 38)
<b>D</b>	<p>D 1.1 Characteristics of surface water flows out of the wetland:</p> <p>Unit is a depression with no surface water leaving it (no outlet) .....points = 3</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2</p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>)..points = 1</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch .....points = 1</p> <p>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</p>	1
<b>D</b>	<p>D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (<i>use NRCS definitions</i>).</p> <p>YES points = 4</p> <p>NO points = 0</p>	0
<b>D</b>	<p>D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class):</p> <p>Wetland has persistent, ungrazed, vegetation &gt; = 95% of area .....points = 5</p> <p>Wetland has persistent, ungrazed, vegetation &gt; = 1/2 of area .....points = 3</p> <p>Wetland has persistent, ungrazed vegetation &gt; = 1/10 of area .....points = 1</p> <p>Wetland has persistent, ungrazed vegetation &lt;1/10 of area .....points = 0</p>	1
<b>D</b>	<p>D1.4 Characteristics of seasonal ponding or inundation.</p> <p><i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i></p> <p>Area seasonally ponded is &gt; ½ total area of wetland .....points = 4</p> <p>Area seasonally ponded is &gt; ¼ total area of wetland .....points = 2</p> <p>Area seasonally ponded is &lt; ¼ total area of wetland .....points = 0</p> <p>NOTE: See text for indicators of seasonal and permanent inundation.</p>	0
<b>D</b>	<b>Total for D 1</b>	Add the points in the boxes above 2
<b>D</b>	<p><b>D 2. Does the wetland unit have the opportunity to improve water quality?</b></p> <p>Answer YES if you know or believe there are pollutants in groundwater or surface <u>water coming into the wetland</u> that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i></p> <p><input type="checkbox"/> Grazing in the wetland or within 150 ft</p> <p><input type="checkbox"/> Untreated stormwater discharges to wetland</p> <p><input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland</p> <p><input checked="" type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging</p> <p><input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland</p> <p><input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen</p> <p><input type="checkbox"/> Other _____</p> <p><b>YES</b> multiply score in D 1. <b>by 2</b>      <b>NO</b> multiply score in D 1. <b>by 1</b></p>	(see p. 44)  multiplier <u>2</u>
<b>D</b>	<b>TOTAL - Water Quality Functions</b>	Multiply the score from D1 by D2 Add score to table on p. 1 <b>4</b>

<b>D Depressional and Flats Wetlands</b>		
<b>HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation</b>		
<b>D</b>	<b>D 3. Does the wetland have the <u>potential</u> to reduce flooding and erosion?</b>	<i>(see p. 46)</i>
<b>D</b>	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet) .....points = 4</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet .....points = 2</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow <b>and no obvious natural outlet</b>, and/or outlet is a man-made ditch .....points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>)..points = 0</p>	0
<b>D</b>	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet .....points = 7</p> <p>The wetland is a “headwater” wetland”.....points = 5</p> <p>Marks of ponding between 2 ft to &lt; 3 ft from surface or bottom of outlet .....points = 5</p> <p>Marks are at least 0.5 ft to &lt; 2 ft from surface or bottom of outlet.....points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water .....points = 1</p> <p>Marks of ponding less than 0.5 ft .....points = 0</p>	0
<b>D</b>	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit.....points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit.....points = 3</p> <p>The area of the basin is more than 100 times the area of the unit.....points = 0</p> <p>Entire unit is in the FLATS class.....points = 5</p>	0
<b>D</b>	<b>Total for D 3</b> <span style="float: right;"><i>Add the points in the boxes above</i></span>	0
<b>D</b>	<p><b>D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion?</b></p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input checked="" type="checkbox"/> <b>YES</b> multiplier is 2      <input type="checkbox"/> <b>NO</b> multiplier is 1</p>	<i>(see p. 49)</i>  multiplier  <u>2</u>
<b>D</b>	<b>TOTAL - Hydrologic Functions</b> Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	<b>0</b>

<b>These questions apply to wetlands of all HGM classes.</b>	
<b>HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat</b>	
<b>H 1. Does the wetland have the potential to provide habitat for many species?</b>	
<p><b>H 1.1 <u>Vegetation structure</u> (see p. 72)</b>                      Check the types of vegetation classes present (as defined by Cowardin) if the class is ¼ acre or covers more than 10% of the area of the wetland if unit smaller than 2.5 acres.</p> <p> <input type="checkbox"/> Aquatic bed  <input checked="" type="checkbox"/> Emergent plants  <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have &gt;30% cover)  <input type="checkbox"/> Forested (areas where trees have &gt;30% cover)  <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon                 </p> <p><i>Add the number of vegetation types that qualify. If you have:</i></p> <p style="text-align: right;">                     4 structures or more.....points = 4                      3 structures .....points = 2                      2 structures .....points = 1                      1 structure .....points = 0                 </p>	1
<p><b>H 1.2. <u>Hydroperiods</u> (see p. 73)</b>                      Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated                      4 or more types present .....points = 3  <input type="checkbox"/> Seasonally flooded or inundated                      3 types present.....points = 2  <input checked="" type="checkbox"/> Occasionally flooded or inundated                      2 types present .....points = 1  <input checked="" type="checkbox"/> Saturated only                      1 types present.....points = 0  <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland  <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland  <input type="checkbox"/> <b>Lake-fringe wetland = 2 points</b>  <input type="checkbox"/> <b>Freshwater tidal wetland = 2 points</b> </p>	1
<p><b>H 1.3. <u>Richness of Plant Species</u> (see p. 75)</b>                      Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. (different patches of the same species can be combined to meet the size threshold)                      You do not have to name the species.                      Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle                      If you counted:                      &gt; 19 species.....points = 2                      List species below if you want to:                      5 - 19 species.....points = 1  <span style="margin-left: 150px;">&lt; 5 species .....points = 0</span> </p>	1

<p>H 1.4. <u>Interspersion of habitats</u> (<i>see p. 76</i>)                  Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">                       None = 0 points                 </div> <div style="text-align: center;">                       Low = 1 point                 </div> <div style="text-align: center;">                       Moderate = 2 points                 </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">                       High = 3 points                 </div> <div style="text-align: center;">  </div> <div style="text-align: center;">                       [riparian braided channels]                 </div> </div> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p>H 1.5. <u>Special Habitat Features:</u> (<i>see p. 77</i>)                  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (&gt;4in. diameter and 6 ft long).</li> <li><input checked="" type="checkbox"/> Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li><input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m)</li> <li><input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present</li> <li><input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (<i>structures for egg-laying by amphibians</i>)</li> <li><input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> </ul> <p style="text-align: center;"><i>Note: The 20% stated in early printings of the manual on page 78 is an error.</i></p>	2
<p><b>H 1. TOTAL</b> Score - potential for providing habitat                  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	6

<p><b>H 2. Does the wetland have the opportunity to provide habitat for many species?</b></p>		
<p><b>H 2.1 Buffers (see p. 80)</b>  <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p>		
<p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. .... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. .... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference ..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference..... Points = 3</p> <p style="text-align: center;"><b>If buffer does not meet any of the criteria above</b></p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input checked="" type="checkbox"/> No paved areas or buildings within 50m of wetland for &gt;50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. .... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland ..... Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above.....Points = 1</p>	2	
<p><b>H 2.2 Corridors and Connections (see p. 81)</b></p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = <b>4 points</b> (go to H 2.3)      NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</b></p> <p style="text-align: center;">YES = <b>2 points</b> (go to H 2.3)      NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (&gt;40 acres) OR  within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = <b>1 point</b>      NO = <b>0 points</b></p>		2

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see new and complete descriptions of WDFW priority habitats, and the counties in which they can be found, in the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a></i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland?          (NOTE: the connections do not have to be relatively undisturbed)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Aspen Stands:</b> Pure or mixed stands of aspen greater than 0.4 ha (1 acres).</li> <li><input checked="" type="checkbox"/> <b>Biodiversity Areas and Corridors:</b> Areas of habitat that are relatively important to various species of native fish and wildlife (<i>full description in WDFW PHS report p. 152</i>)</li> <li><input type="checkbox"/> <b>Herbaceous Balds:</b> Variable size patches of grass and forbs on shallow soils over bedrock.</li> <li><input type="checkbox"/> <b>Old-growth/Mature forests:</b> (<u>Old-growth west of Cascade crest</u>) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) &gt; 81 cm (32 in) dbh or &gt; 200 years of age. (<u>Mature forests.</u>) Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</li> <li><input type="checkbox"/> <b>Oregon white Oak:</b> Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS report p. 158.</i>)</li> <li><input checked="" type="checkbox"/> <b>Riparian:</b> The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</li> <li><input type="checkbox"/> <b>Westside Prairies:</b> Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (<i>full descriptions in WDFW PHS report p. 161</i>)</li> <li><input checked="" type="checkbox"/> <b>Instream:</b> The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.</li> <li><input type="checkbox"/> <b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (<i>full descriptions of habitats and the definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in Appendix A.</i>)</li> <li><input type="checkbox"/> <b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.</li> <li><input type="checkbox"/> <b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</li> <li><input type="checkbox"/> <b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</li> <li><input checked="" type="checkbox"/> <b>Snags and Logs:</b> Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of &gt;51 cm (20 in) in western Washington and are &gt; 2 m (6.5 ft) in height. Priority logs are &gt; 30cm (12 in) in diameter at the largest end, and &gt; 6m (20 ft) long.                  If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>                  If wetland has <b>2</b> priority habitats = <b>3 points</b>                  If wetland has <b>1</b> priority habitat = <b>1 point</b>                  No habitats = <b>0 points</b></li> </ul> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>4</p>
---	----------

Wetland name or number: MB04

<p>H 2.4 <u>Wetland Landscape</u> (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.....points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile.....points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed.....points = 3</p> <p>The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile.....points = 3</p> <p>There is at least 1 wetland within ½ mile.....points = 2</p> <p>There are no wetlands within ½ mile. ....points = 0</p>	3
<p><b>H 2. TOTAL Score</b> - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	11
<p>TOTAL for H1 from page 14</p>	6
<p><b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1</p>	17

**CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

*Please determine if the wetland meets the attributes described below and circle the appropriate Category.*

<b>Wetland Type</b> <i>Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.</i>	<b>Category</b>
<p><b>SC 1.0 Estuarine wetlands (see p. 86)</b></p> <p>Does the wetland unit meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal,</p> <p><input type="checkbox"/> Vegetated, and</p> <p><input type="checkbox"/> With a salinity greater than 0.5 ppt.</p> <p>YES = Go to SC 1.1                      NO <input checked="" type="checkbox"/></p>	
<p>SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-151?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = go to SC 1.2</p>	<p><b>Cat. I</b></p>
<p>SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> YES = Category I                      <input type="checkbox"/> NO = Category II</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II) The are aof <i>Spartina</i> would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of <i>Spartina</i> in determining the size threshold of 1 acre.</p> <p><input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed wetland.</p> <p><input type="checkbox"/> The wetland has at least 2 or the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.</p>	<p><b>Cat. I</b></p> <p><b>Cat. II</b></p> <p><b>Dual rating I/II</b></p>

<p><b>SC 2.0 Natural Heritage Wetlands (see p. 87)</b></p> <p>Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species.</p> <p>SC 2.1 Is the wetland being rated in a Section/Township/Range that contains a Natural Heritage wetland? (<i>this question is used to screen out most sites before you need to contact WNHP/DNR</i>)</p> <p>S/T/R information from Appendix D <input checked="" type="checkbox"/> or accessed from WNHP/DNR web site <input type="checkbox"/></p> <p>YES <input type="checkbox"/> – contact WNHP/DNR (see p. 79) and go to SC 2.2      NO <input checked="" type="checkbox"/></p> <p>SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?</p> <p>YES = Category I      NO <input type="checkbox"/> Not a Heritage Wetland</p>	<p><b>Cat. I</b></p>
<p><b>SC 3.0 Bogs (see p. 87)</b></p> <p>Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below to identify if the wetland is a bog. If you answer yes, you will still need to rate the wetland based on its functions.</i></p> <ol style="list-style-type: none"> <li>1. Does the wetland have organic soils horizons (i.e. layers of organic soil), either peats or mucks, that compose 16” or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils.) Yes - go to Q.3      NO - go to Q.2</li> <li>2. Does the wetland have organic soils, either peats or mucks, that are less than 16 inches deep over bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes - go to Q.3      NO <input checked="" type="checkbox"/> is not a bog for purpose of rating</li> <li>3. Does the wetland have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the “bog” species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists species in Table 3)? Yes – Is a bog for purpose of rating      NO - go to Q.4 <i>NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16” deep. If the pH is less than 5.0 and the “bog” plant species in Table 3 are present, the wetland is a bog.</i></li> <li>4. Is the wetland forested (&gt;30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann’s spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt;30% coverage of the total shrub/herbaceous cover)? YES = Category I      NO <input type="checkbox"/> is not a bog for purpose of rating</li> </ol>	<p><b>Cat. I</b></p>



<p><b>SC 6.0 Interdunal Wetlands (see p. 93)</b>                  Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)?                  YES – go to SC 6.1                      NO <input checked="" type="checkbox"/> not an interdunal wetland for rating  <i>If you answer yes you will still need to rate the wetland based on its functions.</i>                  In practical terms that means the following geographic areas:                  – Long Beach Peninsula – lands west of SR 103                  – Grayland-Westport – lands west of SR 105                  – Ocean Shores-Copalis – lands west of SR 115 and SR 109                  SC 6.1 Is the wetland 1 acre or larger, or is it in a mosaic of wetlands that is 1 acre or larger?                  YES = Category II                      NO – go to SC 6.2                  SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?                  YES = Category III</p>	<p><b>Cat. II</b></p> <p><b>Cat. III</b></p>
<p><b>Category of wetland based on Special Characteristics</b>                  Choose the “highest” rating if wetland falls into several categories, and record on p. 1.                  If you answered NO for all types enter “Not Applicable” on p.1.</p>	<p>NA</p>